



物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻 $\Omega$ /km
芯线 PVC 材质							
ANM05.010.02.028AB	UL20233	300V	2X28AWG	11/0.1	4.2	21.29	223 $\Omega$ /km
ANM05.010.03.028AB	UL20233	300V	3X28AWG	11/0.1	4.4	23.69	223 $\Omega$ /km
ANM05.010.04.028AB	UL20233	300V	4X28AWG	11/0.1	4.7	27.49	223 $\Omega$ /km
ANM05.010.05.028AB	UL20233	300V	5X28AWG	11/0.1	5.1	32.49	223 $\Omega$ /km
ANM05.010.06.028AB	UL20233	300V	6X28AWG	11/0.1	5.4	36.79	223 $\Omega$ /km
ANM05.010.07.028AB	UL20233	300V	7X28AWG	11/0.1	5.4	37.29	223 $\Omega$ /km
ANM05.010.08.028AB	UL20233	300V	8X28AWG	11/0.1	5.8	43.19	223 $\Omega$ /km
ANM05.010.09.028AB	UL20233	300V	9X28AWG	11/0.1	6.3	50.69	223 $\Omega$ /km
ANM05.010.10.028AB	UL20233	300V	10X28AWG	11/0.1	6.6	55.79	223 $\Omega$ /km
ANM05.010.11.028AB	UL20233	300V	11X28AWG	11/0.1	6.8	59.49	223 $\Omega$ /km
ANM05.010.12.028AB	UL20233	300V	12X28AWG	11/0.1	6.8	60.19	223 $\Omega$ /km
ANM05.010.13.028AB	UL20233	300V	13X28AWG	11/0.1	7.1	65.49	223 $\Omega$ /km
ANM05.010.14.028AB	UL20233	300V	14X28AWG	11/0.1	7.1	66.19	223 $\Omega$ /km
ANM05.010.15.028AB	UL20233	300V	15X28AWG	11/0.1	7.5	73.39	223 $\Omega$ /km
ANM05.010.16.028AB	UL20233	300V	16X28AWG	11/0.1	7.5	74.09	223 $\Omega$ /km
ANM05.010.17.028AB	UL20233	300V	17X28AWG	11/0.1	7.8	79.89	223 $\Omega$ /km
ANM05.010.18.028AB	UL20233	300V	18X28AWG	11/0.1	7.8	80.59	223 $\Omega$ /km
ANM05.010.19.028AB	UL20233	300V	19X28AWG	11/0.1	7.8	81.19	223 $\Omega$ /km
ANM05.010.20.028AB	UL20233	300V	20X28AWG	11/0.1	8.4	93.19	223 $\Omega$ /km
ANM05.010.21.028AB	UL20233	300V	21X28AWG	11/0.1	8.6	97.79	223 $\Omega$ /km
ANM05.010.22.028AB	UL20233	300V	22X28AWG	11/0.1	9.1	108.69	223 $\Omega$ /km
ANM05.010.23.028AB	UL20233	300V	23X28AWG	11/0.1	9.4	115.79	223 $\Omega$ /km
ANM05.010.24.028AB	UL20233	300V	24X28AWG	11/0.1	9.4	116.49	223 $\Omega$ /km
ANM05.010.25.028AB	UL20233	300V	25X28AWG	11/0.1	9.6	121.49	223 $\Omega$ /km
ANM05.010.26.028AB	UL20233	300V	26X28AWG	11/0.1	9.6	121.99	223 $\Omega$ /km
ANM05.010.27.028AB	UL20233	300V	27X28AWG	11/0.1	9.6	122.59	223 $\Omega$ /km
ANM05.010.28.028AB	UL20233	300V	28X28AWG	11/0.1	9.9	130.09	223 $\Omega$ /km
ANM05.010.29.028AB	UL20233	300V	29X28AWG	11/0.1	9.9	130.59	223 $\Omega$ /km
ANM05.010.30.028AB	UL20233	300V	30X28AWG	11/0.1	9.9	131.19	223 $\Omega$ /km
ANM05.010.31.028AB	UL20233	300V	31X28AWG	11/0.1	10.3	141.39	223 $\Omega$ /km
ANM05.010.32.028AB	UL20233	300V	32X28AWG	11/0.1	10.3	141.79	223 $\Omega$ /km
ANM05.010.33.028AB	UL20233	300V	33X28AWG	11/0.1	10.3	142.49	223 $\Omega$ /km
ANM05.010.34.028AB	UL20233	300V	34X28AWG	11/0.1	11.2	165.89	223 $\Omega$ /km
ANM05.010.35.028AB	UL20233	300V	35X28AWG	11/0.1	11.2	166.49	223 $\Omega$ /km
ANM05.010.36.028AB	UL20233	300V	36X28AWG	11/0.1	11.2	167.09	223 $\Omega$ /km
ANM05.010.37.028AB	UL20233	300V	37X28AWG	11/0.1	11.2	167.69	223 $\Omega$ /km
ANM05.010.38.028AB	UL20233	300V	38X28AWG	11/0.1	11.6	178.99	223 $\Omega$ /km
ANM05.010.39.028AB	UL20233	300V	39X28AWG	11/0.1	11.6	179.59	223 $\Omega$ /km
ANM05.010.40.028AB	UL20233	300V	40X28AWG	11/0.1	11.6	180.19	223 $\Omega$ /km



ANM05.010.41.028AB	UL20233	300V	41X28AWG	11/0.1	12.4	203.39	223 Ω /km
ANM05.010.42.028AB	UL20233	300V	42X28AWG	11/0.1	12.4	203.99	223 Ω /km
ANM05.010.43.028AB	UL20233	300V	43X28AWG	11/0.1	12.4	204.59	223 Ω /km
ANM05.010.44.028AB	UL20233	300V	44X28AWG	11/0.1	12.4	205.09	223 Ω /km
ANM05.010.45.028AB	UL20233	300V	45X28AWG	11/0.1	12.6	211.69	223 Ω /km
ANM05.010.46.028AB	UL20233	300V	46X28AWG	11/0.1	12.6	212.19	223 Ω /km
ANM05.010.47.028AB	UL20233	300V	47X28AWG	11/0.1	12.6	212.79	223 Ω /km
ANM05.010.48.028AB	UL20233	300V	48X28AWG	11/0.1	12.6	213.39	223 Ω /km
ANM05.010.49.028AB	UL20233	300V	49X28AWG	11/0.1	13	225.99	223 Ω /km
ANM05.010.50.028AB	UL20233	300V	50X28AWG	11/0.1	13	226.69	223 Ω /km
ANM05.010.51.028AB	UL20233	300V	51X28AWG	11/0.1	13	227.09	223 Ω /km
ANM05.010.52.028AB	UL20233	300V	52X28AWG	11/0.1	13	227.79	223 Ω /km
ANM05.010.53.028AB	UL20233	300V	53X28AWG	11/0.1	13.4	240.89	223 Ω /km
ANM05.010.54.028AB	UL20233	300V	54X28AWG	11/0.1	13.4	241.49	223 Ω /km
ANM05.010.55.028AB	UL20233	300V	55X28AWG	11/0.1	13.4	241.99	223 Ω /km
ANM05.010.56.028AB	UL20233	300V	56X28AWG	11/0.1	13.4	242.59	223 Ω /km
ANM05.010.57.028AB	UL20233	300V	57X28AWG	11/0.1	13.7	252.79	223 Ω /km
ANM05.010.58.028AB	UL20233	300V	58X28AWG	11/0.1	13.7	253.39	223 Ω /km
ANM05.010.59.028AB	UL20233	300V	59X28AWG	11/0.1	13.7	253.89	223 Ω /km
ANM05.010.60.028AB	UL20233	300V	60X28AWG	11/0.1	13.7	254.59	223 Ω /km
ANM05.010.61.028AB	UL20233	300V	61X28AWG	11/0.1	13.7	254.99	223 Ω /km
ANM05.010.62.028AB	UL20233	300V	62X28AWG	11/0.1	14.1	268.89	223 Ω /km
ANM05.010.63.028AB	UL20233	300V	63X28AWG	11/0.1	14.1	269.39	223 Ω /km
ANM05.010.64.028AB	UL20233	300V	64X28AWG	11/0.1	14.1	269.99	223 Ω /km
ANM05.010.65.028AB	UL20233	300V	65X28AWG	11/0.1	14.1	270.59	223 Ω /km
ANM05.010.02.027AB	UL20233	300V	2X27AWG	7/0.14	4.4	23.31	175 Ω /km
ANM05.010.03.027AB	UL20233	300V	3X27AWG	7/0.14	4.7	27.01	175 Ω /km
ANM05.010.04.027AB	UL20233	300V	4X27AWG	7/0.14	5	31.11	175 Ω /km
ANM05.010.05.027AB	UL20233	300V	5X27AWG	7/0.14	5.4	36.51	175 Ω /km
ANM05.010.06.027AB	UL20233	300V	6X27AWG	7/0.14	5.7	40.91	175 Ω /km
ANM05.010.07.027AB	UL20233	300V	7X27AWG	7/0.14	5.7	41.61	175 Ω /km
ANM05.010.08.027AB	UL20233	300V	8X27AWG	7/0.14	6.1	47.71	175 Ω /km
ANM05.010.09.027AB	UL20233	300V	9X27AWG	7/0.14	6.7	57.21	175 Ω /km
ANM05.010.10.027AB	UL20233	300V	10X27AWG	7/0.14	7	62.71	175 Ω /km
ANM05.010.11.027AB	UL20233	300V	11X27AWG	7/0.14	7.3	68.31	175 Ω /km
ANM05.010.12.027AB	UL20233	300V	12X27AWG	7/0.14	7.3	68.91	175 Ω /km
ANM05.010.13.027AB	UL20233	300V	13X27AWG	7/0.14	7.6	74.81	175 Ω /km
ANM05.010.14.027AB	UL20233	300V	14X27AWG	7/0.14	7.6	75.41	175 Ω /km
ANM05.010.15.027AB	UL20233	300V	15X27AWG	7/0.14	8.4	91.11	175 Ω /km
ANM05.010.16.027AB	UL20233	300V	16X27AWG	7/0.14	8.4	91.71	175 Ω /km
ANM05.010.17.027AB	UL20233	300V	17X27AWG	7/0.14	8.7	98.41	175 Ω /km



ANM05.010.18.027AB	UL20233	300V	18X27AWG	7/0.14	8.7	99.11	175 Ω /km
ANM05.010.19.027AB	UL20233	300V	19X27AWG	7/0.14	8.7	99.71	175 Ω /km
ANM05.010.20.027AB	UL20233	300V	20X27AWG	7/0.14	9	106.61	175 Ω /km
ANM05.010.21.027AB	UL20233	300V	21X27AWG	7/0.14	9.1	109.41	175 Ω /km
ANM05.010.22.027AB	UL20233	300V	22X27AWG	7/0.14	9.7	123.31	175 Ω /km
ANM05.010.23.027AB	UL20233	300V	23X27AWG	7/0.14	10	130.91	175 Ω /km
ANM05.010.24.027AB	UL20233	300V	24X27AWG	7/0.14	10	131.51	175 Ω /km
ANM05.010.25.027AB	UL20233	300V	25X27AWG	7/0.14	10.3	139.31	175 Ω /km
ANM05.010.26.027AB	UL20233	300V	26X27AWG	7/0.14	10.3	139.91	175 Ω /km
ANM05.010.27.027AB	UL20233	300V	27X27AWG	7/0.14	10.3	140.51	175 Ω /km
ANM05.010.28.027AB	UL20233	300V	28X27AWG	7/0.14	11.2	164.11	175 Ω /km
ANM05.010.29.027AB	UL20233	300V	29X27AWG	7/0.14	11.2	164.71	175 Ω /km
ANM05.010.30.027AB	UL20233	300V	30X27AWG	7/0.14	11.2	165.31	175 Ω /km
ANM05.010.31.027AB	UL20233	300V	31X27AWG	7/0.14	11.6	176.81	175 Ω /km
ANM05.010.32.027AB	UL20233	300V	32X27AWG	7/0.14	11.6	177.31	175 Ω /km
ANM05.010.33.027AB	UL20233	300V	33X27AWG	7/0.14	11.6	178.01	175 Ω /km
ANM05.010.34.027AB	UL20233	300V	34X27AWG	7/0.14	11.9	187.01	175 Ω /km
ANM05.010.35.027AB	UL20233	300V	35X27AWG	7/0.14	11.9	187.51	175 Ω /km
ANM05.010.36.027AB	UL20233	300V	36X27AWG	7/0.14	11.9	188.21	175 Ω /km
ANM05.010.37.027AB	UL20233	300V	37X27AWG	7/0.14	11.9	188.91	175 Ω /km
ANM05.010.38.027AB	UL20233	300V	38X27AWG	7/0.14	12.3	201.01	175 Ω /km
ANM05.010.39.027AB	UL20233	300V	39X27AWG	7/0.14	12.3	201.61	175 Ω /km
ANM05.010.40.027AB	UL20233	300V	40X27AWG	7/0.14	12.3	202.21	175 Ω /km
ANM05.010.41.027AB	UL20233	300V	41X27AWG	7/0.14	13.3	233.11	175 Ω /km
ANM05.010.42.027AB	UL20233	300V	42X27AWG	7/0.14	13.3	233.81	175 Ω /km
ANM05.010.43.027AB	UL20233	300V	43X27AWG	7/0.14	13.3	234.31	175 Ω /km
ANM05.010.44.027AB	UL20233	300V	44X27AWG	7/0.14	13.3	235.01	175 Ω /km
ANM05.010.45.027AB	UL20233	300V	45X27AWG	7/0.14	13.6	245.21	175 Ω /km
ANM05.010.46.027AB	UL20233	300V	46X27AWG	7/0.14	13.6	245.81	175 Ω /km
ANM05.010.47.027AB	UL20233	300V	47X27AWG	7/0.14	13.6	246.41	175 Ω /km
ANM05.010.48.027AB	UL20233	300V	48X27AWG	7/0.14	13.6	247.01	175 Ω /km
ANM05.010.49.027AB	UL20233	300V	49X27AWG	7/0.14	13.9	257.41	175 Ω /km
ANM05.010.50.027AB	UL20233	300V	50X27AWG	7/0.14	13.9	258.11	175 Ω /km
ANM05.010.51.027AB	UL20233	300V	51X27AWG	7/0.14	13.9	258.61	175 Ω /km
ANM05.010.52.027AB	UL20233	300V	52X27AWG	7/0.14	13.9	259.31	175 Ω /km
ANM05.010.53.027AB	UL20233	300V	53X27AWG	7/0.14	14.3	273.41	175 Ω /km
ANM05.010.54.027AB	UL20233	300V	54X27AWG	7/0.14	14.3	273.91	175 Ω /km
ANM05.010.55.027AB	UL20233	300V	55X27AWG	7/0.14	14.3	274.71	175 Ω /km
ANM05.010.56.027AB	UL20233	300V	56X27AWG	7/0.14	14.3	275.31	175 Ω /km
ANM05.010.57.027AB	UL20233	300V	57X27AWG	7/0.14	14.6	286.21	175 Ω /km
ANM05.010.58.027AB	UL20233	300V	58X27AWG	7/0.14	14.6	286.91	175 Ω /km



ANM05.010.59.027AB	UL20233	300V	59X27AWG	7/0.14	14.6	287.41	175 Ω/km
ANM05.010.60.027AB	UL20233	300V	60X27AWG	7/0.14	14.6	288.11	175 Ω/km
ANM05.010.61.027AB	UL20233	300V	61X27AWG	7/0.14	14.6	288.61	175 Ω/km
ANM05.010.62.027AB	UL20233	300V	62X27AWG	7/0.14	15	303.41	175 Ω/km
ANM05.010.63.027AB	UL20233	300V	63X27AWG	7/0.14	15	304.01	175 Ω/km
ANM05.010.64.027AB	UL20233	300V	64X27AWG	7/0.14	15	304.61	175 Ω/km
ANM05.010.65.027AB	UL20233	300V	65X27AWG	7/0.14	15	305.31	175 Ω/km
ANM05.010.02.026AB	UL20233	300V	2X26AWG	9/0.14	4.4	23.83	140 Ω/km
ANM05.010.03.026AB	UL20233	300V	3X26AWG	9/0.14	4.7	27.83	140 Ω/km
ANM05.010.04.026AB	UL20233	300V	4X26AWG	9/0.14	5	32.13	140 Ω/km
ANM05.010.05.026AB	UL20233	300V	5X26AWG	9/0.14	5.4	37.73	140 Ω/km
ANM05.010.06.026AB	UL20233	300V	6X26AWG	9/0.14	5.7	42.43	140 Ω/km
ANM05.010.07.026AB	UL20233	300V	7X26AWG	9/0.14	5.7	43.33	140 Ω/km
ANM05.010.08.026AB	UL20233	300V	8X26AWG	9/0.14	6.1	49.73	140 Ω/km
ANM05.010.09.026AB	UL20233	300V	9X26AWG	9/0.14	6.7	59.43	140 Ω/km
ANM05.010.10.026AB	UL20233	300V	10X26AWG	9/0.14	7	65.13	140 Ω/km
ANM05.010.11.026AB	UL20233	300V	11X26AWG	9/0.14	7.3	71.03	140 Ω/km
ANM05.010.12.026AB	UL20233	300V	12X26AWG	9/0.14	7.3	71.83	140 Ω/km
ANM05.010.13.026AB	UL20233	300V	13X26AWG	9/0.14	7.6	77.93	140 Ω/km
ANM05.010.14.026AB	UL20233	300V	14X26AWG	9/0.14	7.6	78.93	140 Ω/km
ANM05.010.15.026AB	UL20233	300V	15X26AWG	9/0.14	8.4	94.83	140 Ω/km
ANM05.010.16.026AB	UL20233	300V	16X26AWG	9/0.14	8.4	95.73	140 Ω/km
ANM05.010.17.026AB	UL20233	300V	17X26AWG	9/0.14	8.7	102.63	140 Ω/km
ANM05.010.18.026AB	UL20233	300V	18X26AWG	9/0.14	8.7	103.53	140 Ω/km
ANM05.010.19.026AB	UL20233	300V	19X26AWG	9/0.14	8.7	104.43	140 Ω/km
ANM05.010.20.026AB	UL20233	300V	20X26AWG	9/0.14	9	111.53	140 Ω/km
ANM05.010.21.026AB	UL20233	300V	21X26AWG	9/0.14	9.1	114.53	140 Ω/km
ANM05.010.22.026AB	UL20233	300V	22X26AWG	9/0.14	9.7	128.73	140 Ω/km
ANM05.010.23.026AB	UL20233	300V	23X26AWG	9/0.14	10	136.53	140 Ω/km
ANM05.010.24.026AB	UL20233	300V	24X26AWG	9/0.14	10	137.43	140 Ω/km
ANM05.010.25.026AB	UL20233	300V	25X26AWG	9/0.14	10.3	145.43	140 Ω/km
ANM05.010.26.026AB	UL20233	300V	26X26AWG	9/0.14	10.3	146.23	140 Ω/km
ANM05.010.27.026AB	UL20233	300V	27X26AWG	9/0.14	10.3	147.23	140 Ω/km
ANM05.010.28.026AB	UL20233	300V	28X26AWG	9/0.14	11.2	171.03	140 Ω/km
ANM05.010.29.026AB	UL20233	300V	29X26AWG	9/0.14	11.2	171.83	140 Ω/km
ANM05.010.30.026AB	UL20233	300V	30X26AWG	9/0.14	11.2	172.73	140 Ω/km
ANM05.010.31.026AB	UL20233	300V	31X26AWG	9/0.14	11.6	184.43	140 Ω/km
ANM05.010.32.026AB	UL20233	300V	32X26AWG	9/0.14	11.6	185.23	140 Ω/km
ANM05.010.33.026AB	UL20233	300V	33X26AWG	9/0.14	11.6	186.13	140 Ω/km
ANM05.010.34.026AB	UL20233	300V	34X26AWG	9/0.14	11.9	195.33	140 Ω/km
ANM05.010.35.026AB	UL20233	300V	35X26AWG	9/0.14	11.9	196.13	140 Ω/km



ANM05.010.36.026AB	UL20233	300V	36X26AWG	9/0.14	11.9	197.03	140 Ω /km
ANM05.010.37.026AB	UL20233	300V	37X26AWG	9/0.14	11.9	197.93	140 Ω /km
ANM05.010.38.026AB	UL20233	300V	38X26AWG	9/0.14	12.3	210.33	140 Ω /km
ANM05.010.39.026AB	UL20233	300V	39X26AWG	9/0.14	12.3	211.13	140 Ω /km
ANM05.010.40.026AB	UL20233	300V	40X26AWG	9/0.14	12.3	212.13	140 Ω /km
ANM05.010.41.026AB	UL20233	300V	41X26AWG	9/0.14	13.3	243.23	140 Ω /km
ANM05.010.42.026AB	UL20233	300V	42X26AWG	9/0.14	13.3	244.13	140 Ω /km
ANM05.010.43.026AB	UL20233	300V	43X26AWG	9/0.14	13.3	244.93	140 Ω /km
ANM05.010.44.026AB	UL20233	300V	44X26AWG	9/0.14	13.3	245.83	140 Ω /km
ANM05.010.45.026AB	UL20233	300V	45X26AWG	9/0.14	13.6	256.23	140 Ω /km
ANM05.010.46.026AB	UL20233	300V	46X26AWG	9/0.14	13.6	257.13	140 Ω /km
ANM05.010.47.026AB	UL20233	300V	47X26AWG	9/0.14	13.6	257.93	140 Ω /km
ANM05.010.48.026AB	UL20233	300V	48X26AWG	9/0.14	13.6	258.83	140 Ω /km
ANM05.010.49.026AB	UL20233	300V	49X26AWG	9/0.14	13.9	269.43	140 Ω /km
ANM05.010.50.026AB	UL20233	300V	50X26AWG	9/0.14	13.9	270.33	140 Ω /km
ANM05.010.51.026AB	UL20233	300V	51X26AWG	9/0.14	13.9	271.13	140 Ω /km
ANM05.010.52.026AB	UL20233	300V	52X26AWG	9/0.14	13.9	272.03	140 Ω /km
ANM05.010.53.026AB	UL20233	300V	53X26AWG	9/0.14	14.3	286.43	140 Ω /km
ANM05.010.54.026AB	UL20233	300V	54X26AWG	9/0.14	14.3	287.23	140 Ω /km
ANM05.010.55.026AB	UL20233	300V	55X26AWG	9/0.14	14.3	288.23	140 Ω /km
ANM05.010.56.026AB	UL20233	300V	56X26AWG	9/0.14	14.3	289.13	140 Ω /km
ANM05.010.57.026AB	UL20233	300V	57X26AWG	9/0.14	14.6	300.23	140 Ω /km
ANM05.010.58.026AB	UL20233	300V	58X26AWG	9/0.14	14.6	301.13	140 Ω /km
ANM05.010.59.026AB	UL20233	300V	59X26AWG	9/0.14	14.6	301.93	140 Ω /km
ANM05.010.60.026AB	UL20233	300V	60X26AWG	9/0.14	14.6	302.83	140 Ω /km
ANM05.010.61.026AB	UL20233	300V	61X26AWG	9/0.14	14.6	303.63	140 Ω /km
ANM05.010.62.026AB	UL20233	300V	62X26AWG	9/0.14	15	318.63	140 Ω /km
ANM05.010.63.026AB	UL20233	300V	63X26AWG	9/0.14	15	319.43	140 Ω /km
ANM05.010.64.026AB	UL20233	300V	64X26AWG	9/0.14	15	320.33	140 Ω /km
ANM05.010.65.026AB	UL20233	300V	65X26AWG	9/0.14	15	321.23	140 Ω /km
ANM05.010.02.025AB	UL20233	300V	2X25AWG	11/0.14	4.6	26.27	111 Ω /km
ANM05.010.03.025AB	UL20233	300V	3X25AWG	11/0.14	4.9	30.57	111 Ω /km
ANM05.010.04.025AB	UL20233	300V	4X25AWG	11/0.14	5.2	35.17	111 Ω /km
ANM05.010.05.025AB	UL20233	300V	5X25AWG	11/0.14	5.6	41.17	111 Ω /km
ANM05.010.06.025AB	UL20233	300V	6X25AWG	11/0.14	6	47.57	111 Ω /km
ANM05.010.07.025AB	UL20233	300V	7X25AWG	11/0.14	6	48.67	111 Ω /km
ANM05.010.08.025AB	UL20233	300V	8X25AWG	11/0.14	6.5	57.07	111 Ω /km
ANM05.010.09.025AB	UL20233	300V	9X25AWG	11/0.14	7	65.97	111 Ω /km
ANM05.010.10.025AB	UL20233	300V	10X25AWG	11/0.14	7.4	73.77	111 Ω /km
ANM05.010.11.025AB	UL20233	300V	11X25AWG	11/0.14	7.7	80.27	111 Ω /km
ANM05.010.12.025AB	UL20233	300V	12X25AWG	11/0.14	7.7	81.27	111 Ω /km



ANM05.010.13.025AB	UL20233	300V	13X25AWG	11/0.14	8.4	95.57	111 Ω /km
ANM05.010.14.025AB	UL20233	300V	14X25AWG	11/0.14	8.4	96.57	111 Ω /km
ANM05.010.15.025AB	UL20233	300V	15X25AWG	11/0.14	8.8	105.77	111 Ω /km
ANM05.010.16.025AB	UL20233	300V	16X25AWG	11/0.14	8.8	106.77	111 Ω /km
ANM05.010.17.025AB	UL20233	300V	17X25AWG	11/0.14	9.2	116.37	111 Ω /km
ANM05.010.18.025AB	UL20233	300V	18X25AWG	11/0.14	9.2	117.47	111 Ω /km
ANM05.010.19.025AB	UL20233	300V	19X25AWG	11/0.14	9.2	118.47	111 Ω /km
ANM05.010.20.025AB	UL20233	300V	20X25AWG	11/0.14	9.5	126.17	111 Ω /km
ANM05.010.21.025AB	UL20233	300V	21X25AWG	11/0.14	9.7	131.67	111 Ω /km
ANM05.010.22.025AB	UL20233	300V	22X25AWG	11/0.14	10.2	144.47	111 Ω /km
ANM05.010.23.025AB	UL20233	300V	23X25AWG	11/0.14	11.2	170.87	111 Ω /km
ANM05.010.24.025AB	UL20233	300V	24X25AWG	11/0.14	11.2	171.87	111 Ω /km
ANM05.010.25.025AB	UL20233	300V	25X25AWG	11/0.14	11.5	181.07	111 Ω /km
ANM05.010.26.025AB	UL20233	300V	26X25AWG	11/0.14	11.5	182.07	111 Ω /km
ANM05.010.27.025AB	UL20233	300V	27X25AWG	11/0.14	11.5	183.07	111 Ω /km
ANM05.010.28.025AB	UL20233	300V	28X25AWG	11/0.14	11.8	192.37	111 Ω /km
ANM05.010.29.025AB	UL20233	300V	29X25AWG	11/0.14	11.8	193.57	111 Ω /km
ANM05.010.30.025AB	UL20233	300V	30X25AWG	11/0.14	11.8	194.57	111 Ω /km
ANM05.010.31.025AB	UL20233	300V	31X25AWG	11/0.14	12.2	206.97	111 Ω /km
ANM05.010.32.025AB	UL20233	300V	32X25AWG	11/0.14	12.2	208.17	111 Ω /km
ANM05.010.33.025AB	UL20233	300V	33X25AWG	11/0.14	12.2	209.17	111 Ω /km
ANM05.010.34.025AB	UL20233	300V	34X25AWG	11/0.14	12.6	221.97	111 Ω /km
ANM05.010.35.025AB	UL20233	300V	35X25AWG	11/0.14	12.6	222.97	111 Ω /km
ANM05.010.36.025AB	UL20233	300V	36X25AWG	11/0.14	12.6	224.17	111 Ω /km
ANM05.010.37.025AB	UL20233	300V	37X25AWG	11/0.14	12.6	225.17	111 Ω /km
ANM05.010.38.025AB	UL20233	300V	38X25AWG	11/0.14	13.2	244.57	111 Ω /km
ANM05.010.39.025AB	UL20233	300V	39X25AWG	11/0.14	13.2	245.67	111 Ω /km
ANM05.010.40.025AB	UL20233	300V	40X25AWG	11/0.14	13.2	246.67	111 Ω /km
ANM05.010.41.025AB	UL20233	300V	41X25AWG	11/0.14	14.1	276.77	111 Ω /km
ANM05.010.42.025AB	UL20233	300V	42X25AWG	11/0.14	14.1	277.77	111 Ω /km
ANM05.010.43.025AB	UL20233	300V	43X25AWG	11/0.14	14.1	278.97	111 Ω /km
ANM05.010.44.025AB	UL20233	300V	44X25AWG	11/0.14	14.1	279.97	111 Ω /km
ANM05.010.45.025AB	UL20233	300V	45X25AWG	11/0.14	14.4	291.17	111 Ω /km
ANM05.010.46.025AB	UL20233	300V	46X25AWG	11/0.14	14.4	292.27	111 Ω /km
ANM05.010.47.025AB	UL20233	300V	47X25AWG	11/0.14	14.4	293.27	111 Ω /km
ANM05.010.48.025AB	UL20233	300V	48X25AWG	11/0.14	14.4	294.37	111 Ω /km
ANM05.010.49.025AB	UL20233	300V	49X25AWG	11/0.14	14.7	305.77	111 Ω /km
ANM05.010.50.025AB	UL20233	300V	50X25AWG	11/0.14	14.7	306.87	111 Ω /km
ANM05.010.51.025AB	UL20233	300V	51X25AWG	11/0.14	14.7	307.87	111 Ω /km
ANM05.010.52.025AB	UL20233	300V	52X25AWG	11/0.14	14.7	308.97	111 Ω /km
ANM05.010.53.025AB	UL20233	300V	53X25AWG	11/0.14	15.1	324.27	111 Ω /km



ANM05.010.54.025AB	UL20233	300V	54X25AWG	11/0.14	15.1	325.27	111 Ω/km
ANM05.010.55.025AB	UL20233	300V	55X25AWG	11/0.14	15.1	326.37	111 Ω/km
ANM05.010.56.025AB	UL20233	300V	56X25AWG	11/0.14	15.1	327.37	111 Ω/km
ANM05.010.57.025AB	UL20233	300V	57X25AWG	11/0.14	15.5	342.97	111 Ω/km
ANM05.010.58.025AB	UL20233	300V	58X25AWG	11/0.14	15.5	343.97	111 Ω/km
ANM05.010.59.025AB	UL20233	300V	59X25AWG	11/0.14	15.5	345.07	111 Ω/km
ANM05.010.60.025AB	UL20233	300V	60X25AWG	11/0.14	15.5	346.07	111 Ω/km
ANM05.010.61.025AB	UL20233	300V	61X25AWG	11/0.14	15.5	347.07	111 Ω/km
ANM05.010.62.025AB	UL20233	300V	62X25AWG	11/0.14	16	366.97	111 Ω/km
ANM05.010.63.025AB	UL20233	300V	63X25AWG	11/0.14	16	367.97	111 Ω/km
ANM05.010.64.025AB	UL20233	300V	64X25AWG	11/0.14	16	369.07	111 Ω/km
ANM05.010.65.025AB	UL20233	300V	65X25AWG	11/0.14	16	370.07	111 Ω/km
ANM05.010.02.024AB	UL20233	300V	2X24AWG	14/0.14	4.6	27.11	87.6 Ω/km
ANM05.010.03.024AB	UL20233	300V	3X24AWG	14/0.14	4.9	31.91	87.6 Ω/km
ANM05.010.04.024AB	UL20233	300V	4X24AWG	14/0.14	5.2	36.81	87.6 Ω/km
ANM05.010.05.024AB	UL20233	300V	5X24AWG	14/0.14	5.6	43.21	87.6 Ω/km
ANM05.010.06.024AB	UL20233	300V	6X24AWG	14/0.14	6	50.11	87.6 Ω/km
ANM05.010.07.024AB	UL20233	300V	7X24AWG	14/0.14	6	51.61	87.6 Ω/km
ANM05.010.08.024AB	UL20233	300V	8X24AWG	14/0.14	6.5	60.31	87.6 Ω/km
ANM05.010.09.024AB	UL20233	300V	9X24AWG	14/0.14	7	69.71	87.6 Ω/km
ANM05.010.10.024AB	UL20233	300V	10X24AWG	14/0.14	7.4	77.91	87.6 Ω/km
ANM05.010.11.024AB	UL20233	300V	11X24AWG	14/0.14	7.7	84.71	87.6 Ω/km
ANM05.010.12.024AB	UL20233	300V	12X24AWG	14/0.14	7.7	86.21	87.6 Ω/km
ANM05.010.13.024AB	UL20233	300V	13X24AWG	14/0.14	8.4	100.91	87.6 Ω/km
ANM05.010.14.024AB	UL20233	300V	14X24AWG	14/0.14	8.4	102.31	87.6 Ω/km
ANM05.010.15.024AB	UL20233	300V	15X24AWG	14/0.14	8.8	111.91	87.6 Ω/km
ANM05.010.16.024AB	UL20233	300V	16X24AWG	14/0.14	8.8	113.31	87.6 Ω/km
ANM05.010.17.024AB	UL20233	300V	17X24AWG	14/0.14	9.2	123.31	87.6 Ω/km
ANM05.010.18.024AB	UL20233	300V	18X24AWG	14/0.14	9.2	124.81	87.6 Ω/km
ANM05.010.19.024AB	UL20233	300V	19X24AWG	14/0.14	9.2	126.21	87.6 Ω/km
ANM05.010.20.024AB	UL20233	300V	20X24AWG	14/0.14	9.5	134.31	87.6 Ω/km
ANM05.010.21.024AB	UL20233	300V	21X24AWG	14/0.14	9.7	140.31	87.6 Ω/km
ANM05.010.22.024AB	UL20233	300V	22X24AWG	14/0.14	10.2	153.41	87.6 Ω/km
ANM05.010.23.024AB	UL20233	300V	23X24AWG	14/0.14	11.2	180.21	87.6 Ω/km
ANM05.010.24.024AB	UL20233	300V	24X24AWG	14/0.14	11.2	181.71	87.6 Ω/km
ANM05.010.25.024AB	UL20233	300V	25X24AWG	14/0.14	11.5	191.21	87.6 Ω/km
ANM05.010.26.024AB	UL20233	300V	26X24AWG	14/0.14	11.5	192.61	87.6 Ω/km
ANM05.010.27.024AB	UL20233	300V	27X24AWG	14/0.14	11.5	194.11	87.6 Ω/km
ANM05.010.28.024AB	UL20233	300V	28X24AWG	14/0.14	11.8	203.81	87.6 Ω/km
ANM05.010.29.024AB	UL20233	300V	29X24AWG	14/0.14	11.8	205.31	87.6 Ω/km
ANM05.010.30.024AB	UL20233	300V	30X24AWG	14/0.14	11.8	206.81	87.6 Ω/km



ANM05.010.31.024AB	UL20233	300V	31X24AWG	14/0.14	12.2	219.61	87.6Ω/km
ANM05.010.32.024AB	UL20233	300V	32X24AWG	14/0.14	12.2	221.11	87.6Ω/km
ANM05.010.33.024AB	UL20233	300V	33X24AWG	14/0.14	12.2	222.61	87.6Ω/km
ANM05.010.34.024AB	UL20233	300V	34X24AWG	14/0.14	12.6	235.81	87.6Ω/km
ANM05.010.35.024AB	UL20233	300V	35X24AWG	14/0.14	12.6	237.21	87.6Ω/km
ANM05.010.36.024AB	UL20233	300V	36X24AWG	14/0.14	12.6	238.81	87.6Ω/km
ANM05.010.37.024AB	UL20233	300V	37X24AWG	14/0.14	12.6	240.21	87.6Ω/km
ANM05.010.38.024AB	UL20233	300V	38X24AWG	14/0.14	13.2	260.01	87.6Ω/km
ANM05.010.39.024AB	UL20233	300V	39X24AWG	14/0.14	13.2	261.51	87.6Ω/km
ANM05.010.40.024AB	UL20233	300V	40X24AWG	14/0.14	13.2	262.91	87.6Ω/km
ANM05.010.41.024AB	UL20233	300V	41X24AWG	14/0.14	14.1	293.41	87.6Ω/km
ANM05.010.42.024AB	UL20233	300V	42X24AWG	14/0.14	14.1	294.91	87.6Ω/km
ANM05.010.43.024AB	UL20233	300V	43X24AWG	14/0.14	14.1	296.41	87.6Ω/km
ANM05.010.44.024AB	UL20233	300V	44X24AWG	14/0.14	14.1	297.81	87.6Ω/km
ANM05.010.45.024AB	UL20233	300V	45X24AWG	14/0.14	14.4	309.51	87.6Ω/km
ANM05.010.46.024AB	UL20233	300V	46X24AWG	14/0.14	14.4	310.91	87.6Ω/km
ANM05.010.47.024AB	UL20233	300V	47X24AWG	14/0.14	14.4	312.31	87.6Ω/km
ANM05.010.48.024AB	UL20233	300V	48X24AWG	14/0.14	14.4	313.91	87.6Ω/km
ANM05.010.49.024AB	UL20233	300V	49X24AWG	14/0.14	14.7	325.71	87.6Ω/km
ANM05.010.50.024AB	UL20233	300V	50X24AWG	14/0.14	14.7	327.11	87.6Ω/km
ANM05.010.51.024AB	UL20233	300V	51X24AWG	14/0.14	14.7	328.61	87.6Ω/km
ANM05.010.52.024AB	UL20233	300V	52X24AWG	14/0.14	14.7	330.11	87.6Ω/km
ANM05.010.53.024AB	UL20233	300V	53X24AWG	14/0.14	15.1	345.81	87.6Ω/km
ANM05.010.54.024AB	UL20233	300V	54X24AWG	14/0.14	15.1	347.21	87.6Ω/km
ANM05.010.55.024AB	UL20233	300V	55X24AWG	14/0.14	15.1	348.71	87.6Ω/km
ANM05.010.56.024AB	UL20233	300V	56X24AWG	14/0.14	15.1	350.21	87.6Ω/km
ANM05.010.57.024AB	UL20233	300V	57X24AWG	14/0.14	15.5	366.11	87.6Ω/km
ANM05.010.58.024AB	UL20233	300V	58X24AWG	14/0.14	15.5	367.51	87.6Ω/km
ANM05.010.59.024AB	UL20233	300V	59X24AWG	14/0.14	15.5	369.11	87.6Ω/km
ANM05.010.60.024AB	UL20233	300V	60X24AWG	14/0.14	15.5	370.51	87.6Ω/km
ANM05.010.61.024AB	UL20233	300V	61X24AWG	14/0.14	15.5	371.81	87.6Ω/km
ANM05.010.62.024AB	UL20233	300V	62X24AWG	14/0.14	16	392.21	87.6Ω/km
ANM05.010.63.024AB	UL20233	300V	63X24AWG	14/0.14	16	393.61	87.6Ω/km
ANM05.010.64.024AB	UL20233	300V	64X24AWG	14/0.14	16	395.01	87.6Ω/km
ANM05.010.65.024AB	UL20233	300V	65X24AWG	14/0.14	16	396.51	87.6Ω/km
ANM05.010.02.023AB	UL20233	300V	2X23AWG	17/0.14	4.8	29.96	69.2Ω/km
ANM05.010.03.023AB	UL20233	300V	3X23AWG	17/0.14	5.1	35.26	69.2Ω/km
ANM05.010.04.023AB	UL20233	300V	4X23AWG	17/0.14	5.5	42.06	69.2Ω/km
ANM05.010.05.023AB	UL20233	300V	5X23AWG	17/0.14	5.9	49.16	69.2Ω/km
ANM05.010.06.023AB	UL20233	300V	6X23AWG	17/0.14	6.3	56.56	69.2Ω/km
ANM05.010.07.023AB	UL20233	300V	7X23AWG	17/0.14	6.3	58.36	69.2Ω/km





ANM05.010.08.023AB	UL20233	300V	8X23AWG	17/0.14	6.8	67.86	69.2 Ω/km
ANM05.010.09.023AB	UL20233	300V	9X23AWG	17/0.14	7.4	79.56	69.2 Ω/km
ANM05.010.10.023AB	UL20233	300V	10X23AWG	17/0.14	7.8	88.56	69.2 Ω/km
ANM05.010.11.023AB	UL20233	300V	11X23AWG	17/0.14	8.5	103.86	69.2 Ω/km
ANM05.010.12.023AB	UL20233	300V	12X23AWG	17/0.14	8.5	105.76	69.2 Ω/km
ANM05.010.13.023AB	UL20233	300V	13X23AWG	17/0.14	8.9	115.66	69.2 Ω/km
ANM05.010.14.023AB	UL20233	300V	14X23AWG	17/0.14	8.9	117.46	69.2 Ω/km
ANM05.010.15.023AB	UL20233	300V	15X23AWG	17/0.14	9.3	127.86	69.2 Ω/km
ANM05.010.16.023AB	UL20233	300V	16X23AWG	17/0.14	9.3	129.66	69.2 Ω/km
ANM05.010.17.023AB	UL20233	300V	17X23AWG	17/0.14	9.7	140.46	69.2 Ω/km
ANM05.010.18.023AB	UL20233	300V	18X23AWG	17/0.14	9.7	142.26	69.2 Ω/km
ANM05.010.19.023AB	UL20233	300V	19X23AWG	17/0.14	9.7	144.16	69.2 Ω/km
ANM05.010.20.023AB	UL20233	300V	20X23AWG	17/0.14	10	152.76	69.2 Ω/km
ANM05.010.21.023AB	UL20233	300V	21X23AWG	17/0.14	10.2	159.36	69.2 Ω/km
ANM05.010.22.023AB	UL20233	300V	22X23AWG	17/0.14	11.4	191.76	69.2 Ω/km
ANM05.010.23.023AB	UL20233	300V	23X23AWG	17/0.14	11.8	204.56	69.2 Ω/km
ANM05.010.24.023AB	UL20233	300V	24X23AWG	17/0.14	11.8	206.46	69.2 Ω/km
ANM05.010.25.023AB	UL20233	300V	25X23AWG	17/0.14	12.1	216.76	69.2 Ω/km
ANM05.010.26.023AB	UL20233	300V	26X23AWG	17/0.14	12.1	218.56	69.2 Ω/km
ANM05.010.27.023AB	UL20233	300V	27X23AWG	17/0.14	12.1	220.26	69.2 Ω/km
ANM05.010.28.023AB	UL20233	300V	28X23AWG	17/0.14	12.5	233.86	69.2 Ω/km
ANM05.010.29.023AB	UL20233	300V	29X23AWG	17/0.14	12.5	235.66	69.2 Ω/km
ANM05.010.30.023AB	UL20233	300V	30X23AWG	17/0.14	12.5	237.56	69.2 Ω/km
ANM05.010.31.023AB	UL20233	300V	31X23AWG	17/0.14	13	254.36	69.2 Ω/km
ANM05.010.32.023AB	UL20233	300V	32X23AWG	17/0.14	13	256.16	69.2 Ω/km
ANM05.010.33.023AB	UL20233	300V	33X23AWG	17/0.14	13	257.96	69.2 Ω/km
ANM05.010.34.023AB	UL20233	300V	34X23AWG	17/0.14	13.4	272.26	69.2 Ω/km
ANM05.010.35.023AB	UL20233	300V	35X23AWG	17/0.14	13.4	274.16	69.2 Ω/km
ANM05.010.36.023AB	UL20233	300V	36X23AWG	17/0.14	13.4	275.96	69.2 Ω/km
ANM05.010.37.023AB	UL20233	300V	37X23AWG	17/0.14	13.4	277.76	69.2 Ω/km
ANM05.010.38.023AB	UL20233	300V	38X23AWG	17/0.14	13.9	295.76	69.2 Ω/km
ANM05.010.39.023AB	UL20233	300V	39X23AWG	17/0.14	13.9	297.46	69.2 Ω/km
ANM05.010.40.023AB	UL20233	300V	40X23AWG	17/0.14	13.9	299.26	69.2 Ω/km
ANM05.010.41.023AB	UL20233	300V	41X23AWG	17/0.14	14.9	335.36	69.2 Ω/km
ANM05.010.42.023AB	UL20233	300V	42X23AWG	17/0.14	14.9	337.16	69.2 Ω/km
ANM05.010.43.023AB	UL20233	300V	43X23AWG	17/0.14	14.9	338.96	69.2 Ω/km
ANM05.010.44.023AB	UL20233	300V	44X23AWG	17/0.14	14.9	340.86	69.2 Ω/km
ANM05.010.45.023AB	UL20233	300V	45X23AWG	17/0.14	15.2	353.36	69.2 Ω/km
ANM05.010.46.023AB	UL20233	300V	46X23AWG	17/0.14	15.2	355.06	69.2 Ω/km
ANM05.010.47.023AB	UL20233	300V	47X23AWG	17/0.14	15.2	356.96	69.2 Ω/km
ANM05.010.48.023AB	UL20233	300V	48X23AWG	17/0.14	15.2	358.66	69.2 Ω/km



ANM05.010.49.023AB	UL20233	300V	49X23AWG	17/0.14	15.6	375.26	69.2 Ω/km
ANM05.010.50.023AB	UL20233	300V	50X23AWG	17/0.14	15.6	377.06	69.2 Ω/km
ANM05.010.51.023AB	UL20233	300V	51X23AWG	17/0.14	15.6	378.96	69.2 Ω/km
ANM05.010.52.023AB	UL20233	300V	52X23AWG	17/0.14	15.6	380.56	69.2 Ω/km
ANM05.010.53.023AB	UL20233	300V	53X23AWG	17/0.14	16	397.56	69.2 Ω/km
ANM05.010.54.023AB	UL20233	300V	54X23AWG	17/0.14	16	399.36	69.2 Ω/km
ANM05.010.55.023AB	UL20233	300V	55X23AWG	17/0.14	16	401.16	69.2 Ω/km
ANM05.010.56.023AB	UL20233	300V	56X23AWG	17/0.14	16	402.96	69.2 Ω/km
ANM05.010.57.023AB	UL20233	300V	57X23AWG	17/0.14	16.4	420.26	69.2 Ω/km
ANM05.010.58.023AB	UL20233	300V	58X23AWG	17/0.14	16.4	422.06	69.2 Ω/km
ANM05.010.59.023AB	UL20233	300V	59X23AWG	17/0.14	16.4	423.76	69.2 Ω/km
ANM05.010.60.023AB	UL20233	300V	60X23AWG	17/0.14	16.4	425.66	69.2 Ω/km
ANM05.010.61.023AB	UL20233	300V	61X23AWG	17/0.14	16.4	427.46	69.2 Ω/km
ANM05.010.62.023AB	UL20233	300V	62X23AWG	17/0.14	16.9	449.06	69.2 Ω/km
ANM05.010.63.023AB	UL20233	300V	63X23AWG	17/0.14	16.9	450.86	69.2 Ω/km
ANM05.010.64.023AB	UL20233	300V	64X23AWG	17/0.14	16.9	452.66	69.2 Ω/km
ANM05.010.65.023AB	UL20233	300V	65X23AWG	17/0.14	16.9	454.46	69.2 Ω/km
ANM05.010.02.022AB	UL20233	300V	2X22AWG	22/0.14	5	33.23	55.4 Ω/km
ANM05.010.03.022AB	UL20233	300V	3X22AWG	22/0.14	5.3	39.03	55.4 Ω/km
ANM05.010.04.022AB	UL20233	300V	4X22AWG	22/0.14	5.7	46.33	55.4 Ω/km
ANM05.010.05.022AB	UL20233	300V	5X22AWG	22/0.14	6.2	55.53	55.4 Ω/km
ANM05.010.06.022AB	UL20233	300V	6X22AWG	22/0.14	6.6	63.73	55.4 Ω/km
ANM05.010.07.022AB	UL20233	300V	7X22AWG	22/0.14	6.6	65.93	55.4 Ω/km
ANM05.010.08.022AB	UL20233	300V	8X22AWG	22/0.14	7.1	76.23	55.4 Ω/km
ANM05.010.09.022AB	UL20233	300V	9X22AWG	22/0.14	7.8	90.73	55.4 Ω/km
ANM05.010.10.022AB	UL20233	300V	10X22AWG	22/0.14	8.6	108.43	55.4 Ω/km
ANM05.010.11.022AB	UL20233	300V	11X22AWG	22/0.14	8.9	116.93	55.4 Ω/km
ANM05.010.12.022AB	UL20233	300V	12X22AWG	22/0.14	8.9	119.03	55.4 Ω/km
ANM05.010.13.022AB	UL20233	300V	13X22AWG	22/0.14	9.3	129.93	55.4 Ω/km
ANM05.010.14.022AB	UL20233	300V	14X22AWG	22/0.14	9.3	132.13	55.4 Ω/km
ANM05.010.15.022AB	UL20233	300V	15X22AWG	22/0.14	9.8	145.63	55.4 Ω/km
ANM05.010.16.022AB	UL20233	300V	16X22AWG	22/0.14	9.8	147.83	55.4 Ω/km
ANM05.010.17.022AB	UL20233	300V	17X22AWG	22/0.14	10.2	159.43	55.4 Ω/km
ANM05.010.18.022AB	UL20233	300V	18X22AWG	22/0.14	10.2	161.73	55.4 Ω/km
ANM05.010.19.022AB	UL20233	300V	19X22AWG	22/0.14	10.2	163.93	55.4 Ω/km
ANM05.010.20.022AB	UL20233	300V	20X22AWG	22/0.14	11.1	188.83	55.4 Ω/km
ANM05.010.21.022AB	UL20233	300V	21X22AWG	22/0.14	11.3	196.43	55.4 Ω/km
ANM05.010.22.022AB	UL20233	300V	22X22AWG	22/0.14	12	217.93	55.4 Ω/km
ANM05.010.23.022AB	UL20233	300V	23X22AWG	22/0.14	12.4	231.83	55.4 Ω/km
ANM05.010.24.022AB	UL20233	300V	24X22AWG	22/0.14	12.4	233.93	55.4 Ω/km
ANM05.010.25.022AB	UL20233	300V	25X22AWG	22/0.14	12.7	245.13	55.4 Ω/km



ANM05.010.26.022AB	UL20233	300V	26X22AWG	22/0.14	12.7	247.33	55.4 Ω/km
ANM05.010.27.022AB	UL20233	300V	27X22AWG	22/0.14	12.7	249.53	55.4 Ω/km
ANM05.010.28.022AB	UL20233	300V	28X22AWG	22/0.14	13.2	267.23	55.4 Ω/km
ANM05.010.29.022AB	UL20233	300V	29X22AWG	22/0.14	13.2	269.53	55.4 Ω/km
ANM05.010.30.022AB	UL20233	300V	30X22AWG	22/0.14	13.2	271.73	55.4 Ω/km
ANM05.010.31.022AB	UL20233	300V	31X22AWG	22/0.14	13.7	289.83	55.4 Ω/km
ANM05.010.32.022AB	UL20233	300V	32X22AWG	22/0.14	13.7	292.13	55.4 Ω/km
ANM05.010.33.022AB	UL20233	300V	33X22AWG	22/0.14	13.7	294.33	55.4 Ω/km
ANM05.010.34.022AB	UL20233	300V	34X22AWG	22/0.14	14.1	309.83	55.4 Ω/km
ANM05.010.35.022AB	UL20233	300V	35X22AWG	22/0.14	14.1	311.93	55.4 Ω/km
ANM05.010.36.022AB	UL20233	300V	36X22AWG	22/0.14	14.1	314.23	55.4 Ω/km
ANM05.010.37.022AB	UL20233	300V	37X22AWG	22/0.14	14.1	316.43	55.4 Ω/km
ANM05.010.38.022AB	UL20233	300V	38X22AWG	22/0.14	14.6	335.83	55.4 Ω/km
ANM05.010.39.022AB	UL20233	300V	39X22AWG	22/0.14	14.6	338.03	55.4 Ω/km
ANM05.010.40.022AB	UL20233	300V	40X22AWG	22/0.14	14.6	340.23	55.4 Ω/km
ANM05.010.41.022AB	UL20233	300V	41X22AWG	22/0.14	15.7	382.23	55.4 Ω/km
ANM05.010.42.022AB	UL20233	300V	42X22AWG	22/0.14	15.7	384.43	55.4 Ω/km
ANM05.010.43.022AB	UL20233	300V	43X22AWG	22/0.14	15.7	386.63	55.4 Ω/km
ANM05.010.44.022AB	UL20233	300V	44X22AWG	22/0.14	15.7	388.83	55.4 Ω/km
ANM05.010.45.022AB	UL20233	300V	45X22AWG	22/0.14	16	402.43	55.4 Ω/km
ANM05.010.46.022AB	UL20233	300V	46X22AWG	22/0.14	16	404.73	55.4 Ω/km
ANM05.010.47.022AB	UL20233	300V	47X22AWG	22/0.14	16	406.83	55.4 Ω/km
ANM05.010.48.022AB	UL20233	300V	48X22AWG	22/0.14	16	409.13	55.4 Ω/km
ANM05.010.49.022AB	UL20233	300V	49X22AWG	22/0.14	16.4	426.83	55.4 Ω/km
ANM05.010.50.022AB	UL20233	300V	50X22AWG	22/0.14	16.4	429.13	55.4 Ω/km
ANM05.010.51.022AB	UL20233	300V	51X22AWG	22/0.14	16.4	431.23	55.4 Ω/km
ANM05.010.52.022AB	UL20233	300V	52X22AWG	22/0.14	16.4	433.53	55.4 Ω/km
ANM05.010.53.022AB	UL20233	300V	53X22AWG	22/0.14	16.9	455.63	55.4 Ω/km
ANM05.010.54.022AB	UL20233	300V	54X22AWG	22/0.14	16.9	457.73	55.4 Ω/km
ANM05.010.55.022AB	UL20233	300V	55X22AWG	22/0.14	16.9	460.03	55.4 Ω/km
ANM05.010.56.022AB	UL20233	300V	56X22AWG	22/0.14	16.9	462.23	55.4 Ω/km
ANM05.010.57.022AB	UL20233	300V	57X22AWG	22/0.14	17.3	480.83	55.4 Ω/km
ANM05.010.58.022AB	UL20233	300V	58X22AWG	22/0.14	17.3	482.93	55.4 Ω/km
ANM05.010.59.022AB	UL20233	300V	59X22AWG	22/0.14	17.3	485.23	55.4 Ω/km
ANM05.010.60.022AB	UL20233	300V	60X22AWG	22/0.14	17.3	487.43	55.4 Ω/km
ANM05.010.61.022AB	UL20233	300V	61X22AWG	22/0.14	17.3	489.73	55.4 Ω/km
ANM05.010.62.022AB	UL20233	300V	62X22AWG	22/0.14	17.8	512.83	55.4 Ω/km
ANM05.010.63.022AB	UL20233	300V	63X22AWG	22/0.14	17.8	515.03	55.4 Ω/km
ANM05.010.64.022AB	UL20233	300V	64X22AWG	22/0.14	17.8	517.33	55.4 Ω/km
ANM05.010.65.022AB	UL20233	300V	65X22AWG	22/0.14	17.8	519.53	55.4 Ω/km
ANM05.010.02.021AB	UL20233	300V	2X21AWG	27/0.14	5.2	36.92	43.6 Ω/km



ANM05.010.03.021AB	UL20233	300V	3X21AWG	27/0.14	5.5	43.52	43.6Ω/km
ANM05.010.04.021AB	UL20233	300V	4X21AWG	27/0.14	6	53.02	43.6Ω/km
ANM05.010.05.021AB	UL20233	300V	5X21AWG	27/0.14	6.4	61.72	43.6Ω/km
ANM05.010.06.021AB	UL20233	300V	6X21AWG	27/0.14	6.9	72.32	43.6Ω/km
ANM05.010.07.021AB	UL20233	300V	7X21AWG	27/0.14	6.9	75.22	43.6Ω/km
ANM05.010.08.021AB	UL20233	300V	8X21AWG	27/0.14	7.5	88.12	43.6Ω/km
ANM05.010.09.021AB	UL20233	300V	9X21AWG	27/0.14	8.5	109.82	43.6Ω/km
ANM05.010.10.021AB	UL20233	300V	10X21AWG	27/0.14	9	123.02	43.6Ω/km
ANM05.010.11.021AB	UL20233	300V	11X21AWG	27/0.14	9.3	132.32	43.6Ω/km
ANM05.010.12.021AB	UL20233	300V	12X21AWG	27/0.14	9.3	135.22	43.6Ω/km
ANM05.010.13.021AB	UL20233	300V	13X21AWG	27/0.14	9.8	149.32	43.6Ω/km
ANM05.010.14.021AB	UL20233	300V	14X21AWG	27/0.14	9.8	152.12	43.6Ω/km
ANM05.010.15.021AB	UL20233	300V	15X21AWG	27/0.14	10.2	164.42	43.6Ω/km
ANM05.010.16.021AB	UL20233	300V	16X21AWG	27/0.14	10.2	167.22	43.6Ω/km
ANM05.010.17.021AB	UL20233	300V	17X21AWG	27/0.14	11.3	198.12	43.6Ω/km
ANM05.010.18.021AB	UL20233	300V	18X21AWG	27/0.14	11.3	201.02	43.6Ω/km
ANM05.010.19.021AB	UL20233	300V	19X21AWG	27/0.14	11.3	203.92	43.6Ω/km
ANM05.010.20.021AB	UL20233	300V	20X21AWG	27/0.14	11.6	214.82	43.6Ω/km
ANM05.010.21.021AB	UL20233	300V	21X21AWG	27/0.14	11.9	226.12	43.6Ω/km
ANM05.010.22.021AB	UL20233	300V	22X21AWG	27/0.14	12.5	246.22	43.6Ω/km
ANM05.010.23.021AB	UL20233	300V	23X21AWG	27/0.14	13.1	267.22	43.6Ω/km
ANM05.010.24.021AB	UL20233	300V	24X21AWG	27/0.14	13.1	270.12	43.6Ω/km
ANM05.010.25.021AB	UL20233	300V	25X21AWG	27/0.14	13.4	282.32	43.6Ω/km
ANM05.010.26.021AB	UL20233	300V	26X21AWG	27/0.14	13.4	285.22	43.6Ω/km
ANM05.010.27.021AB	UL20233	300V	27X21AWG	27/0.14	13.4	288.12	43.6Ω/km
ANM05.010.28.021AB	UL20233	300V	28X21AWG	27/0.14	13.9	307.12	43.6Ω/km
ANM05.010.29.021AB	UL20233	300V	29X21AWG	27/0.14	13.9	310.02	43.6Ω/km
ANM05.010.30.021AB	UL20233	300V	30X21AWG	27/0.14	13.9	312.92	43.6Ω/km
ANM05.010.31.021AB	UL20233	300V	31X21AWG	27/0.14	14.3	329.12	43.6Ω/km
ANM05.010.32.021AB	UL20233	300V	32X21AWG	27/0.14	14.3	332.02	43.6Ω/km
ANM05.010.33.021AB	UL20233	300V	33X21AWG	27/0.14	14.3	334.82	43.6Ω/km
ANM05.010.34.021AB	UL20233	300V	34X21AWG	27/0.14	14.8	355.02	43.6Ω/km
ANM05.010.35.021AB	UL20233	300V	35X21AWG	27/0.14	14.8	357.92	43.6Ω/km
ANM05.010.36.021AB	UL20233	300V	36X21AWG	27/0.14	14.8	360.72	43.6Ω/km
ANM05.010.37.021AB	UL20233	300V	37X21AWG	27/0.14	14.8	363.62	43.6Ω/km
ANM05.010.38.021AB	UL20233	300V	38X21AWG	27/0.14	15.4	388.02	43.6Ω/km
ANM05.010.39.021AB	UL20233	300V	39X21AWG	27/0.14	15.4	390.82	43.6Ω/km
ANM05.010.40.021AB	UL20233	300V	40X21AWG	27/0.14	15.4	393.72	43.6Ω/km
ANM05.010.41.021AB	UL20233	300V	41X21AWG	27/0.14	16.5	438.32	43.6Ω/km
ANM05.010.42.021AB	UL20233	300V	42X21AWG	27/0.14	16.5	441.12	43.6Ω/km
ANM05.010.43.021AB	UL20233	300V	43X21AWG	27/0.14	16.5	444.02	43.6Ω/km



ANM05.010.44.021AB	UL20233	300V	44X21AWG	27/0.14	16.5	446.82	43.6Ω/km
ANM05.010.45.021AB	UL20233	300V	45X21AWG	27/0.14	16.8	461.62	43.6Ω/km
ANM05.010.46.021AB	UL20233	300V	46X21AWG	27/0.14	16.8	464.42	43.6Ω/km
ANM05.010.47.021AB	UL20233	300V	47X21AWG	27/0.14	16.8	467.22	43.6Ω/km
ANM05.010.48.021AB	UL20233	300V	48X21AWG	27/0.14	16.8	470.22	43.6Ω/km
ANM05.010.49.021AB	UL20233	300V	49X21AWG	27/0.14	17.3	493.42	43.6Ω/km
ANM05.010.50.021AB	UL20233	300V	50X21AWG	27/0.14	17.3	496.22	43.6Ω/km
ANM05.010.51.021AB	UL20233	300V	51X21AWG	27/0.14	17.3	499.12	43.6Ω/km
ANM05.010.52.021AB	UL20233	300V	52X21AWG	27/0.14	17.3	502.02	43.6Ω/km
ANM05.010.53.021AB	UL20233	300V	53X21AWG	27/0.14	17.7	521.62	43.6Ω/km
ANM05.010.54.021AB	UL20233	300V	54X21AWG	27/0.14	17.7	524.42	43.6Ω/km
ANM05.010.55.021AB	UL20233	300V	55X21AWG	27/0.14	17.7	527.22	43.6Ω/km
ANM05.010.56.021AB	UL20233	300V	56X21AWG	27/0.14	17.7	530.12	43.6Ω/km
ANM05.010.57.021AB	UL20233	300V	57X21AWG	27/0.14	18.2	554.42	43.6Ω/km
ANM05.010.58.021AB	UL20233	300V	58X21AWG	27/0.14	18.2	557.22	43.6Ω/km
ANM05.010.59.021AB	UL20233	300V	59X21AWG	27/0.14	18.2	560.12	43.6Ω/km
ANM05.010.60.021AB	UL20233	300V	60X21AWG	27/0.14	18.2	563.02	43.6Ω/km
ANM05.010.61.021AB	UL20233	300V	61X21AWG	27/0.14	18.2	565.72	43.6Ω/km
ANM05.010.62.021AB	UL20233	300V	62X21AWG	27/0.14	18.8	595.12	43.6Ω/km
ANM05.010.63.021AB	UL20233	300V	63X21AWG	27/0.14	18.8	598.02	43.6Ω/km
ANM05.010.64.021AB	UL20233	300V	64X21AWG	27/0.14	18.8	600.82	43.6Ω/km
ANM05.010.65.021AB	UL20233	300V	65X21AWG	27/0.14	18.8	603.72	43.6Ω/km
ANM05.010.02.020AB	UL20233	300V	2X20AWG	34/0.14	5.4	41.02	34.6Ω/km
ANM05.010.03.020AB	UL20233	300V	3X20AWG	34/0.14	5.7	48.42	34.6Ω/km
ANM05.010.04.020AB	UL20233	300V	4X20AWG	34/0.14	6.2	59.12	34.6Ω/km
ANM05.010.05.020AB	UL20233	300V	5X20AWG	34/0.14	6.7	70.12	34.6Ω/km
ANM05.010.06.020AB	UL20233	300V	6X20AWG	34/0.14	7.2	82.02	34.6Ω/km
ANM05.010.07.020AB	UL20233	300V	7X20AWG	34/0.14	7.2	85.52	34.6Ω/km
ANM05.010.08.020AB	UL20233	300V	8X20AWG	34/0.14	7.8	99.82	34.6Ω/km
ANM05.010.09.020AB	UL20233	300V	9X20AWG	34/0.14	8.9	125.12	34.6Ω/km
ANM05.010.10.020AB	UL20233	300V	10X20AWG	34/0.14	9.4	139.52	34.6Ω/km
ANM05.010.11.020AB	UL20233	300V	11X20AWG	34/0.14	9.7	149.92	34.6Ω/km
ANM05.010.12.020AB	UL20233	300V	12X20AWG	34/0.14	9.7	153.52	34.6Ω/km
ANM05.010.13.020AB	UL20233	300V	13X20AWG	34/0.14	10.2	168.82	34.6Ω/km
ANM05.010.14.020AB	UL20233	300V	14X20AWG	34/0.14	10.2	172.52	34.6Ω/km
ANM05.010.15.020AB	UL20233	300V	15X20AWG	34/0.14	11.3	204.12	34.6Ω/km
ANM05.010.16.020AB	UL20233	300V	16X20AWG	34/0.14	11.3	207.82	34.6Ω/km
ANM05.010.17.020AB	UL20233	300V	17X20AWG	34/0.14	11.8	225.12	34.6Ω/km
ANM05.010.18.020AB	UL20233	300V	18X20AWG	34/0.14	11.8	228.72	34.6Ω/km
ANM05.010.19.020AB	UL20233	300V	19X20AWG	34/0.14	11.8	232.42	34.6Ω/km
ANM05.010.20.020AB	UL20233	300V	20X20AWG	34/0.14	12.1	244.42	34.6Ω/km



ANM05.010.21.020AB	UL20233	300V	21X20AWG	34/0.14	12.4	256.82	34.6Ω/km
ANM05.010.22.020AB	UL20233	300V	22X20AWG	34/0.14	13.2	284.72	34.6Ω/km
ANM05.010.23.020AB	UL20233	300V	23X20AWG	34/0.14	13.7	304.32	34.6Ω/km
ANM05.010.24.020AB	UL20233	300V	24X20AWG	34/0.14	13.7	307.92	34.6Ω/km
ANM05.010.25.020AB	UL20233	300V	25X20AWG	34/0.14	14	321.52	34.6Ω/km
ANM05.010.26.020AB	UL20233	300V	26X20AWG	34/0.14	14	325.02	34.6Ω/km
ANM05.010.27.020AB	UL20233	300V	27X20AWG	34/0.14	14	328.62	34.6Ω/km
ANM05.010.28.020AB	UL20233	300V	28X20AWG	34/0.14	14.5	349.22	34.6Ω/km
ANM05.010.29.020AB	UL20233	300V	29X20AWG	34/0.14	14.5	352.92	34.6Ω/km
ANM05.010.30.020AB	UL20233	300V	30X20AWG	34/0.14	14.5	356.52	34.6Ω/km
ANM05.010.31.020AB	UL20233	300V	31X20AWG	34/0.14	15	377.62	34.6Ω/km
ANM05.010.32.020AB	UL20233	300V	32X20AWG	34/0.14	15	381.22	34.6Ω/km
ANM05.010.33.020AB	UL20233	300V	33X20AWG	34/0.14	15	384.92	34.6Ω/km
ANM05.010.34.020AB	UL20233	300V	34X20AWG	34/0.14	15.5	406.72	34.6Ω/km
ANM05.010.35.020AB	UL20233	300V	35X20AWG	34/0.14	15.5	410.32	34.6Ω/km
ANM05.010.36.020AB	UL20233	300V	36X20AWG	34/0.14	15.5	413.92	34.6Ω/km
ANM05.010.37.020AB	UL20233	300V	37X20AWG	34/0.14	15.5	417.52	34.6Ω/km
ANM05.010.38.020AB	UL20233	300V	38X20AWG	34/0.14	16.1	443.92	34.6Ω/km
ANM05.010.39.020AB	UL20233	300V	39X20AWG	34/0.14	16.1	447.42	34.6Ω/km
ANM05.010.40.020AB	UL20233	300V	40X20AWG	34/0.14	16.1	451.12	34.6Ω/km
ANM05.010.41.020AB	UL20233	300V	41X20AWG	34/0.14	17.3	502.42	34.6Ω/km
ANM05.010.42.020AB	UL20233	300V	42X20AWG	34/0.14	17.3	506.12	34.6Ω/km
ANM05.010.43.020AB	UL20233	300V	43X20AWG	34/0.14	17.3	509.72	34.6Ω/km
ANM05.010.44.020AB	UL20233	300V	44X20AWG	34/0.14	17.3	513.42	34.6Ω/km
ANM05.010.45.020AB	UL20233	300V	45X20AWG	34/0.14	17.6	529.42	34.6Ω/km
ANM05.010.46.020AB	UL20233	300V	46X20AWG	34/0.14	17.6	533.12	34.6Ω/km
ANM05.010.47.020AB	UL20233	300V	47X20AWG	34/0.14	17.6	536.72	34.6Ω/km
ANM05.010.48.020AB	UL20233	300V	48X20AWG	34/0.14	17.6	540.42	34.6Ω/km
ANM05.010.49.020AB	UL20233	300V	49X20AWG	34/0.14	18.1	565.22	34.6Ω/km
ANM05.010.50.020AB	UL20233	300V	50X20AWG	34/0.14	18.1	568.92	34.6Ω/km
ANM05.010.51.020AB	UL20233	300V	51X20AWG	34/0.14	18.1	572.62	34.6Ω/km
ANM05.010.52.020AB	UL20233	300V	52X20AWG	34/0.14	18.1	576.22	34.6Ω/km
ANM05.010.53.020AB	UL20233	300V	53X20AWG	34/0.14	18.6	601.82	34.6Ω/km
ANM05.010.54.020AB	UL20233	300V	54X20AWG	34/0.14	18.6	605.32	34.6Ω/km
ANM05.010.55.020AB	UL20233	300V	55X20AWG	34/0.14	18.6	609.02	34.6Ω/km
ANM05.010.56.020AB	UL20233	300V	56X20AWG	34/0.14	18.6	612.52	34.6Ω/km
ANM05.010.57.020AB	UL20233	300V	57X20AWG	34/0.14	19.1	638.72	34.6Ω/km
ANM05.010.58.020AB	UL20233	300V	58X20AWG	34/0.14	19.1	642.22	34.6Ω/km
ANM05.010.59.020AB	UL20233	300V	59X20AWG	34/0.14	19.1	645.92	34.6Ω/km
ANM05.010.60.020AB	UL20233	300V	60X20AWG	34/0.14	19.1	649.52	34.6Ω/km
ANM05.010.61.020AB	UL20233	300V	61X20AWG	34/0.14	19.1	653.22	34.6Ω/km



ANM05.010.62.020AB	UL20233	300V	62X20AWG	34/0.14	20.7	732.52	34.6Ω/km
ANM05.010.63.020AB	UL20233	300V	63X20AWG	34/0.14	20.7	736.12	34.6Ω/km
ANM05.010.64.020AB	UL20233	300V	64X20AWG	34/0.14	20.7	739.72	34.6Ω/km
ANM05.010.65.020AB	UL20233	300V	65X20AWG	34/0.14	20.7	743.42	34.6Ω/km
ANM05.010.02.019AB	UL20233	300V	2X19AWG	43/0.14	5.6	45.76	27.4Ω/km
ANM05.010.03.019AB	UL20233	300V	3X19AWG	43/0.14	5.9	54.36	27.4Ω/km
ANM05.010.04.019AB	UL20233	300V	4X19AWG	43/0.14	6.4	66.26	27.4Ω/km
ANM05.010.05.019AB	UL20233	300V	5X19AWG	43/0.14	7	80.16	27.4Ω/km
ANM05.010.06.019AB	UL20233	300V	6X19AWG	43/0.14	7.5	93.36	27.4Ω/km
ANM05.010.07.019AB	UL20233	300V	7X19AWG	43/0.14	7.5	97.86	27.4Ω/km
ANM05.010.08.019AB	UL20233	300V	8X19AWG	43/0.14	8.5	121.46	27.4Ω/km
ANM05.010.09.019AB	UL20233	300V	9X19AWG	43/0.14	9.3	142.76	27.4Ω/km
ANM05.010.10.019AB	UL20233	300V	10X19AWG	43/0.14	9.8	158.76	27.4Ω/km
ANM05.010.11.019AB	UL20233	300V	11X19AWG	43/0.14	10.1	170.36	27.4Ω/km
ANM05.010.12.019AB	UL20233	300V	12X19AWG	43/0.14	10.1	175.06	27.4Ω/km
ANM05.010.13.019AB	UL20233	300V	13X19AWG	43/0.14	11.2	207.26	27.4Ω/km
ANM05.010.14.019AB	UL20233	300V	14X19AWG	43/0.14	11.2	211.96	27.4Ω/km
ANM05.010.15.019AB	UL20233	300V	15X19AWG	43/0.14	11.8	232.86	27.4Ω/km
ANM05.010.16.019AB	UL20233	300V	16X19AWG	43/0.14	11.8	237.56	27.4Ω/km
ANM05.010.17.019AB	UL20233	300V	17X19AWG	43/0.14	12.3	256.46	27.4Ω/km
ANM05.010.18.019AB	UL20233	300V	18X19AWG	43/0.14	12.3	261.16	27.4Ω/km
ANM05.010.19.019AB	UL20233	300V	19X19AWG	43/0.14	12.3	265.76	27.4Ω/km
ANM05.010.20.019AB	UL20233	300V	20X19AWG	43/0.14	12.6	279.26	27.4Ω/km
ANM05.010.21.019AB	UL20233	300V	21X19AWG	43/0.14	13	295.86	27.4Ω/km
ANM05.010.22.019AB	UL20233	300V	22X19AWG	43/0.14	13.8	326.06	27.4Ω/km
ANM05.010.23.019AB	UL20233	300V	23X19AWG	43/0.14	14.3	347.26	27.4Ω/km
ANM05.010.24.019AB	UL20233	300V	24X19AWG	43/0.14	14.3	351.96	27.4Ω/km
ANM05.010.25.019AB	UL20233	300V	25X19AWG	43/0.14	14.6	366.86	27.4Ω/km
ANM05.010.26.019AB	UL20233	300V	26X19AWG	43/0.14	14.6	371.56	27.4Ω/km
ANM05.010.27.019AB	UL20233	300V	27X19AWG	43/0.14	14.6	376.06	27.4Ω/km
ANM05.010.28.019AB	UL20233	300V	28X19AWG	43/0.14	15.1	398.46	27.4Ω/km
ANM05.010.29.019AB	UL20233	300V	29X19AWG	43/0.14	15.1	403.06	27.4Ω/km
ANM05.010.30.019AB	UL20233	300V	30X19AWG	43/0.14	15.1	407.66	27.4Ω/km
ANM05.010.31.019AB	UL20233	300V	31X19AWG	43/0.14	15.7	434.36	27.4Ω/km
ANM05.010.32.019AB	UL20233	300V	32X19AWG	43/0.14	15.7	438.96	27.4Ω/km
ANM05.010.33.019AB	UL20233	300V	33X19AWG	43/0.14	15.7	443.56	27.4Ω/km
ANM05.010.34.019AB	UL20233	300V	34X19AWG	43/0.14	16.2	467.16	27.4Ω/km
ANM05.010.35.019AB	UL20233	300V	35X19AWG	43/0.14	16.2	471.66	27.4Ω/km
ANM05.010.36.019AB	UL20233	300V	36X19AWG	43/0.14	16.2	476.46	27.4Ω/km
ANM05.010.37.019AB	UL20233	300V	37X19AWG	43/0.14	16.2	480.96	27.4Ω/km
ANM05.010.38.019AB	UL20233	300V	38X19AWG	43/0.14	16.8	509.26	27.4Ω/km



ANM05.010.39.019AB	UL20233	300V	39X19AWG	43/0.14	16.8	513.76	27.4 Ω/km
ANM05.010.40.019AB	UL20233	300V	40X19AWG	43/0.14	16.8	518.56	27.4 Ω/km
ANM05.010.41.019AB	UL20233	300V	41X19AWG	43/0.14	18.1	577.16	27.4 Ω/km
ANM05.010.42.019AB	UL20233	300V	42X19AWG	43/0.14	18.1	581.76	27.4 Ω/km
ANM05.010.43.019AB	UL20233	300V	43X19AWG	43/0.14	18.1	586.46	27.4 Ω/km
ANM05.010.44.019AB	UL20233	300V	44X19AWG	43/0.14	18.1	591.06	27.4 Ω/km
ANM05.010.45.019AB	UL20233	300V	45X19AWG	43/0.14	18.4	608.76	27.4 Ω/km
ANM05.010.46.019AB	UL20233	300V	46X19AWG	43/0.14	18.4	613.36	27.4 Ω/km
ANM05.010.47.019AB	UL20233	300V	47X19AWG	43/0.14	18.4	617.96	27.4 Ω/km
ANM05.010.48.019AB	UL20233	300V	48X19AWG	43/0.14	18.4	622.66	27.4 Ω/km
ANM05.010.49.019AB	UL20233	300V	49X19AWG	43/0.14	18.9	649.56	27.4 Ω/km
ANM05.010.50.019AB	UL20233	300V	50X19AWG	43/0.14	18.9	654.26	27.4 Ω/km
ANM05.010.51.019AB	UL20233	300V	51X19AWG	43/0.14	18.9	658.76	27.4 Ω/km
ANM05.010.52.019AB	UL20233	300V	52X19AWG	43/0.14	18.9	663.56	27.4 Ω/km
ANM05.010.53.019AB	UL20233	300V	53X19AWG	43/0.14	20.5	743.06	27.4 Ω/km
ANM05.010.54.019AB	UL20233	300V	54X19AWG	43/0.14	20.5	747.56	27.4 Ω/km
ANM05.010.55.019AB	UL20233	300V	55X19AWG	43/0.14	20.5	752.36	27.4 Ω/km
ANM05.010.56.019AB	UL20233	300V	56X19AWG	43/0.14	20.5	756.86	27.4 Ω/km
ANM05.010.57.019AB	UL20233	300V	57X19AWG	43/0.14	21	786.36	27.4 Ω/km
ANM05.010.58.019AB	UL20233	300V	58X19AWG	43/0.14	21	790.86	27.4 Ω/km
ANM05.010.59.019AB	UL20233	300V	59X19AWG	43/0.14	21	795.56	27.4 Ω/km
ANM05.010.60.019AB	UL20233	300V	60X19AWG	43/0.14	21	800.16	27.4 Ω/km
ANM05.010.61.019AB	UL20233	300V	61X19AWG	43/0.14	21	804.76	27.4 Ω/km
ANM05.010.62.019AB	UL20233	300V	62X19AWG	43/0.14	21.6	839.86	27.4 Ω/km
ANM05.010.63.019AB	UL20233	300V	63X19AWG	43/0.14	21.6	844.56	27.4 Ω/km
ANM05.010.64.019AB	UL20233	300V	64X19AWG	43/0.14	21.6	849.16	27.4 Ω/km
ANM05.010.65.019AB	UL20233	300V	65X19AWG	43/0.14	21.6	853.76	27.4 Ω/km
ANM05.010.02.018AB	UL20233	300V	2X18AWG	29/0.19	5.8	51.23	21.8 Ω/km
ANM05.010.03.018AB	UL20233	300V	3X18AWG	29/0.19	6.2	62.63	21.8 Ω/km
ANM05.010.04.018AB	UL20233	300V	4X18AWG	29/0.19	6.7	76.23	21.8 Ω/km
ANM05.010.05.018AB	UL20233	300V	5X18AWG	29/0.19	7.2	90.33	21.8 Ω/km
ANM05.010.06.018AB	UL20233	300V	6X18AWG	29/0.19	7.8	106.73	21.8 Ω/km
ANM05.010.07.018AB	UL20233	300V	7X18AWG	29/0.19	7.8	112.83	21.8 Ω/km
ANM05.010.08.018AB	UL20233	300V	8X18AWG	29/0.19	8.8	138.33	21.8 Ω/km
ANM05.010.09.018AB	UL20233	300V	9X18AWG	29/0.19	9.6	161.53	21.8 Ω/km
ANM05.010.10.018AB	UL20233	300V	10X18AWG	29/0.19	10.2	181.63	21.8 Ω/km
ANM05.010.11.018AB	UL20233	300V	11X18AWG	29/0.19	11.2	212.93	21.8 Ω/km
ANM05.010.12.018AB	UL20233	300V	12X18AWG	29/0.19	11.2	218.73	21.8 Ω/km
ANM05.010.13.018AB	UL20233	300V	13X18AWG	29/0.19	11.7	238.33	21.8 Ω/km
ANM05.010.14.018AB	UL20233	300V	14X18AWG	29/0.19	11.7	244.23	21.8 Ω/km
ANM05.010.15.018AB	UL20233	300V	15X18AWG	29/0.19	12.2	264.33	21.8 Ω/km





ANM05.010.16.018AB	UL20233	300V	16X18AWG	29/0.19	12.2	270.43	21.8Ω/km
ANM05.010.17.018AB	UL20233	300V	17X18AWG	29/0.19	12.8	294.03	21.8Ω/km
ANM05.010.18.018AB	UL20233	300V	18X18AWG	29/0.19	12.8	300.03	21.8Ω/km
ANM05.010.19.018AB	UL20233	300V	19X18AWG	29/0.19	12.8	306.13	21.8Ω/km
ANM05.010.20.018AB	UL20233	300V	20X18AWG	29/0.19	13.3	327.43	21.8Ω/km
ANM05.010.21.018AB	UL20233	300V	21X18AWG	29/0.19	13.5	339.83	21.8Ω/km
ANM05.010.22.018AB	UL20233	300V	22X18AWG	29/0.19	14.3	372.23	21.8Ω/km
ANM05.010.23.018AB	UL20233	300V	23X18AWG	29/0.19	14.9	398.93	21.8Ω/km
ANM05.010.24.018AB	UL20233	300V	24X18AWG	29/0.19	14.9	404.83	21.8Ω/km
ANM05.010.25.018AB	UL20233	300V	25X18AWG	29/0.19	15.3	425.33	21.8Ω/km
ANM05.010.26.018AB	UL20233	300V	26X18AWG	29/0.19	15.3	431.13	21.8Ω/km
ANM05.010.27.018AB	UL20233	300V	27X18AWG	29/0.19	15.3	437.13	21.8Ω/km
ANM05.010.28.018AB	UL20233	300V	28X18AWG	29/0.19	15.8	461.53	21.8Ω/km
ANM05.010.29.018AB	UL20233	300V	29X18AWG	29/0.19	15.8	467.63	21.8Ω/km
ANM05.010.30.018AB	UL20233	300V	30X18AWG	29/0.19	15.8	473.63	21.8Ω/km
ANM05.010.31.018AB	UL20233	300V	31X18AWG	29/0.19	16.3	498.53	21.8Ω/km
ANM05.010.32.018AB	UL20233	300V	32X18AWG	29/0.19	16.3	504.53	21.8Ω/km
ANM05.010.33.018AB	UL20233	300V	33X18AWG	29/0.19	16.3	510.53	21.8Ω/km
ANM05.010.34.018AB	UL20233	300V	34X18AWG	29/0.19	16.9	540.13	21.8Ω/km
ANM05.010.35.018AB	UL20233	300V	35X18AWG	29/0.19	16.9	546.23	21.8Ω/km
ANM05.010.36.018AB	UL20233	300V	36X18AWG	29/0.19	16.9	552.13	21.8Ω/km
ANM05.010.37.018AB	UL20233	300V	37X18AWG	29/0.19	16.9	558.03	21.8Ω/km
ANM05.010.38.018AB	UL20233	300V	38X18AWG	29/0.19	17.5	588.63	21.8Ω/km
ANM05.010.39.018AB	UL20233	300V	39X18AWG	29/0.19	17.5	594.63	21.8Ω/km
ANM05.010.40.018AB	UL20233	300V	40X18AWG	29/0.19	17.5	600.53	21.8Ω/km
ANM05.010.41.018AB	UL20233	300V	41X18AWG	29/0.19	18.9	667.33	21.8Ω/km
ANM05.010.42.018AB	UL20233	300V	42X18AWG	29/0.19	18.9	673.23	21.8Ω/km
ANM05.010.43.018AB	UL20233	300V	43X18AWG	29/0.19	18.9	679.23	21.8Ω/km
ANM05.010.44.018AB	UL20233	300V	44X18AWG	29/0.19	18.9	685.23	21.8Ω/km
ANM05.010.45.018AB	UL20233	300V	45X18AWG	29/0.19	19.3	709.33	21.8Ω/km
ANM05.010.46.018AB	UL20233	300V	46X18AWG	29/0.19	19.3	715.23	21.8Ω/km
ANM05.010.47.018AB	UL20233	300V	47X18AWG	29/0.19	19.3	721.33	21.8Ω/km
ANM05.010.48.018AB	UL20233	300V	48X18AWG	29/0.19	19.3	727.13	21.8Ω/km
ANM05.010.49.018AB	UL20233	300V	49X18AWG	29/0.19	20.8	804.63	21.8Ω/km
ANM05.010.50.018AB	UL20233	300V	50X18AWG	29/0.19	20.8	810.73	21.8Ω/km
ANM05.010.51.018AB	UL20233	300V	51X18AWG	29/0.19	20.8	816.53	21.8Ω/km
ANM05.010.52.018AB	UL20233	300V	52X18AWG	29/0.19	20.8	822.53	21.8Ω/km
ANM05.010.53.018AB	UL20233	300V	53X18AWG	29/0.19	21.3	853.63	21.8Ω/km
ANM05.010.54.018AB	UL20233	300V	54X18AWG	29/0.19	21.3	859.53	21.8Ω/km
ANM05.010.55.018AB	UL20233	300V	55X18AWG	29/0.19	21.3	865.53	21.8Ω/km
ANM05.010.56.018AB	UL20233	300V	56X18AWG	29/0.19	21.3	871.33	21.8Ω/km



ANM05.010.57.018AB	UL20233	300V	57X18AWG	29/0.19	21.9	908.33	21.8Ω/km
ANM05.010.58.018AB	UL20233	300V	58X18AWG	29/0.19	21.9	914.33	21.8Ω/km
ANM05.010.59.018AB	UL20233	300V	59X18AWG	29/0.19	21.9	920.23	21.8Ω/km
ANM05.010.60.018AB	UL20233	300V	60X18AWG	29/0.19	21.9	926.23	21.8Ω/km
ANM05.010.61.018AB	UL20233	300V	61X18AWG	29/0.19	21.9	932.23	21.8Ω/km
ANM05.010.62.018AB	UL20233	300V	62X18AWG	29/0.19	22.5	969.93	21.8Ω/km
ANM05.010.63.018AB	UL20233	300V	63X18AWG	29/0.19	22.5	976.03	21.8Ω/km
ANM05.010.64.018AB	UL20233	300V	64X18AWG	29/0.19	22.5	982.03	21.8Ω/km
ANM05.010.65.018AB	UL20233	300V	65X18AWG	29/0.19	22.5	987.83	21.8Ω/km
ANM05.010.02.017AB	UL20233	300V	2X17AWG	37/0.19	6.2	59.84	17.3Ω/km
ANM05.010.03.017AB	UL20233	300V	3X17AWG	37/0.19	6.6	73.14	17.3Ω/km
ANM05.010.04.017AB	UL20233	300V	4X17AWG	37/0.19	7.2	90.24	17.3Ω/km
ANM05.010.05.017AB	UL20233	300V	5X17AWG	37/0.19	7.8	108.14	17.3Ω/km
ANM05.010.06.017AB	UL20233	300V	6X17AWG	37/0.19	8.8	135.04	17.3Ω/km
ANM05.010.07.017AB	UL20233	300V	7X17AWG	37/0.19	8.8	142.34	17.3Ω/km
ANM05.010.08.017AB	UL20233	300V	8X17AWG	37/0.19	9.5	164.84	17.3Ω/km
ANM05.010.09.017AB	UL20233	300V	9X17AWG	37/0.19	11	208.64	17.3Ω/km
ANM05.010.10.017AB	UL20233	300V	10X17AWG	37/0.19	11.6	232.14	17.3Ω/km
ANM05.010.11.017AB	UL20233	300V	11X17AWG	37/0.19	12	250.54	17.3Ω/km
ANM05.010.12.017AB	UL20233	300V	12X17AWG	37/0.19	12	257.94	17.3Ω/km
ANM05.010.13.017AB	UL20233	300V	13X17AWG	37/0.19	12.6	282.84	17.3Ω/km
ANM05.010.14.017AB	UL20233	300V	14X17AWG	37/0.19	12.6	290.14	17.3Ω/km
ANM05.010.15.017AB	UL20233	300V	15X17AWG	37/0.19	13.3	318.94	17.3Ω/km
ANM05.010.16.017AB	UL20233	300V	16X17AWG	37/0.19	13.3	326.34	17.3Ω/km
ANM05.010.17.017AB	UL20233	300V	17X17AWG	37/0.19	13.9	353.04	17.3Ω/km
ANM05.010.18.017AB	UL20233	300V	18X17AWG	37/0.19	13.9	360.44	17.3Ω/km
ANM05.010.19.017AB	UL20233	300V	19X17AWG	37/0.19	13.9	367.94	17.3Ω/km
ANM05.010.20.017AB	UL20233	300V	20X17AWG	37/0.19	14.3	388.64	17.3Ω/km
ANM05.010.21.017AB	UL20233	300V	21X17AWG	37/0.19	14.6	406.34	17.3Ω/km
ANM05.010.22.017AB	UL20233	300V	22X17AWG	37/0.19	15.5	445.84	17.3Ω/km
ANM05.010.23.017AB	UL20233	300V	23X17AWG	37/0.19	16.1	475.84	17.3Ω/km
ANM05.010.24.017AB	UL20233	300V	24X17AWG	37/0.19	16.1	483.24	17.3Ω/km
ANM05.010.25.017AB	UL20233	300V	25X17AWG	37/0.19	16.5	506.04	17.3Ω/km
ANM05.010.26.017AB	UL20233	300V	26X17AWG	37/0.19	16.5	513.34	17.3Ω/km
ANM05.010.27.017AB	UL20233	300V	27X17AWG	37/0.19	16.5	520.84	17.3Ω/km
ANM05.010.28.017AB	UL20233	300V	28X17AWG	37/0.19	17.1	552.24	17.3Ω/km
ANM05.010.29.017AB	UL20233	300V	29X17AWG	37/0.19	17.1	559.64	17.3Ω/km
ANM05.010.30.017AB	UL20233	300V	30X17AWG	37/0.19	17.1	566.94	17.3Ω/km
ANM05.010.31.017AB	UL20233	300V	31X17AWG	37/0.19	17.7	599.34	17.3Ω/km
ANM05.010.32.017AB	UL20233	300V	32X17AWG	37/0.19	17.7	606.64	17.3Ω/km
ANM05.010.33.017AB	UL20233	300V	33X17AWG	37/0.19	17.7	613.94	17.3Ω/km



ANM05.010.34.017AB	UL20233	300V	34X17AWG	37/0.19	18.3	647.04	17.3 Ω/km
ANM05.010.35.017AB	UL20233	300V	35X17AWG	37/0.19	18.3	654.44	17.3 Ω/km
ANM05.010.36.017AB	UL20233	300V	36X17AWG	37/0.19	18.3	661.84	17.3 Ω/km
ANM05.010.37.017AB	UL20233	300V	37X17AWG	37/0.19	18.3	669.34	17.3 Ω/km
ANM05.010.38.017AB	UL20233	300V	38X17AWG	37/0.19	19	707.74	17.3 Ω/km
ANM05.010.39.017AB	UL20233	300V	39X17AWG	37/0.19	19	715.14	17.3 Ω/km
ANM05.010.40.017AB	UL20233	300V	40X17AWG	37/0.19	19	722.44	17.3 Ω/km
ANM05.010.41.017AB	UL20233	300V	41X17AWG	37/0.19	21.5	850.34	17.3 Ω/km
ANM05.010.42.017AB	UL20233	300V	42X17AWG	37/0.19	21.5	857.64	17.3 Ω/km
ANM05.010.43.017AB	UL20233	300V	43X17AWG	37/0.19	21.5	865.04	17.3 Ω/km
ANM05.010.44.017AB	UL20233	300V	44X17AWG	37/0.19	21.5	872.34	17.3 Ω/km
ANM05.010.45.017AB	UL20233	300V	45X17AWG	37/0.19	21.9	900.54	17.3 Ω/km
ANM05.010.46.017AB	UL20233	300V	46X17AWG	37/0.19	21.9	907.94	17.3 Ω/km
ANM05.010.47.017AB	UL20233	300V	47X17AWG	37/0.19	21.9	915.34	17.3 Ω/km
ANM05.010.48.017AB	UL20233	300V	48X17AWG	37/0.19	21.9	922.64	17.3 Ω/km
ANM05.010.49.017AB	UL20233	300V	49X17AWG	37/0.19	22.5	961.94	17.3 Ω/km
ANM05.010.50.017AB	UL20233	300V	50X17AWG	37/0.19	22.5	969.24	17.3 Ω/km
ANM05.010.51.017AB	UL20233	300V	51X17AWG	37/0.19	22.5	976.54	17.3 Ω/km
ANM05.010.52.017AB	UL20233	300V	52X17AWG	37/0.19	22.5	983.94	17.3 Ω/km
ANM05.010.53.017AB	UL20233	300V	53X17AWG	37/0.19	23.1	1024.04	17.3 Ω/km
ANM05.010.54.017AB	UL20233	300V	54X17AWG	37/0.19	23.1	1031.34	17.3 Ω/km
ANM05.010.55.017AB	UL20233	300V	55X17AWG	37/0.19	23.1	1038.84	17.3 Ω/km
ANM05.010.56.017AB	UL20233	300V	56X17AWG	37/0.19	23.1	1046.14	17.3 Ω/km
ANM05.010.57.017AB	UL20233	300V	57X17AWG	37/0.19	23.7	1087.04	17.3 Ω/km
ANM05.010.58.017AB	UL20233	300V	58X17AWG	37/0.19	23.7	1094.44	17.3 Ω/km
ANM05.010.59.017AB	UL20233	300V	59X17AWG	37/0.19	23.7	1101.74	17.3 Ω/km
ANM05.010.60.017AB	UL20233	300V	60X17AWG	37/0.19	23.7	1109.14	17.3 Ω/km
ANM05.010.61.017AB	UL20233	300V	61X17AWG	37/0.19	23.7	1116.44	17.3 Ω/km
ANM05.010.62.017AB	UL20233	300V	62X17AWG	37/0.19	24.4	1164.24	17.3 Ω/km
ANM05.010.63.017AB	UL20233	300V	63X17AWG	37/0.19	24.4	1171.54	17.3 Ω/km
ANM05.010.64.017AB	UL20233	300V	64X17AWG	37/0.19	24.4	1179.04	17.3 Ω/km
ANM05.010.65.017AB	UL20233	300V	65X17AWG	37/0.19	24.4	1186.34	17.3 Ω/km
ANM05.010.02.016AB	UL20233	300V	2X16AWG	27/0.25	6.4	67.51	13.7 Ω/km
ANM05.010.03.016AB	UL20233	300V	3X16AWG	27/0.25	6.8	83.21	13.7 Ω/km
ANM05.010.04.016AB	UL20233	300V	4X16AWG	27/0.25	7.4	102.71	13.7 Ω/km
ANM05.010.05.016AB	UL20233	300V	5X16AWG	27/0.25	8.5	132.91	13.7 Ω/km
ANM05.010.06.016AB	UL20233	300V	6X16AWG	27/0.25	9.1	154.81	13.7 Ω/km
ANM05.010.07.016AB	UL20233	300V	7X16AWG	27/0.25	9.1	164.41	13.7 Ω/km
ANM05.010.08.016AB	UL20233	300V	8X16AWG	27/0.25	9.8	189.61	13.7 Ω/km
ANM05.010.09.016AB	UL20233	300V	9X16AWG	27/0.25	11.4	239.21	13.7 Ω/km
ANM05.010.10.016AB	UL20233	300V	10X16AWG	27/0.25	12	265.31	13.7 Ω/km



ANM05.010.11.016AB	UL20233	300V	11X16AWG	27/0.25	12.4	286.51	13.7 Ω/km
ANM05.010.12.016AB	UL20233	300V	12X16AWG	27/0.25	12.4	296.11	13.7 Ω/km
ANM05.010.13.016AB	UL20233	300V	13X16AWG	27/0.25	13.1	326.81	13.7 Ω/km
ANM05.010.14.016AB	UL20233	300V	14X16AWG	27/0.25	13.1	336.41	13.7 Ω/km
ANM05.010.15.016AB	UL20233	300V	15X16AWG	27/0.25	13.8	368.31	13.7 Ω/km
ANM05.010.16.016AB	UL20233	300V	16X16AWG	27/0.25	13.8	377.91	13.7 Ω/km
ANM05.010.17.016AB	UL20233	300V	17X16AWG	27/0.25	14.4	407.51	13.7 Ω/km
ANM05.010.18.016AB	UL20233	300V	18X16AWG	27/0.25	14.4	417.11	13.7 Ω/km
ANM05.010.19.016AB	UL20233	300V	19X16AWG	27/0.25	14.4	426.71	13.7 Ω/km
ANM05.010.20.016AB	UL20233	300V	20X16AWG	27/0.25	14.8	450.11	13.7 Ω/km
ANM05.010.21.016AB	UL20233	300V	21X16AWG	27/0.25	15.1	470.41	13.7 Ω/km
ANM05.010.22.016AB	UL20233	300V	22X16AWG	27/0.25	16.1	517.01	13.7 Ω/km
ANM05.010.23.016AB	UL20233	300V	23X16AWG	27/0.25	16.7	550.11	13.7 Ω/km
ANM05.010.24.016AB	UL20233	300V	24X16AWG	27/0.25	16.7	559.71	13.7 Ω/km
ANM05.010.25.016AB	UL20233	300V	25X16AWG	27/0.25	17.1	585.21	13.7 Ω/km
ANM05.010.26.016AB	UL20233	300V	26X16AWG	27/0.25	17.1	594.81	13.7 Ω/km
ANM05.010.27.016AB	UL20233	300V	27X16AWG	27/0.25	17.1	604.31	13.7 Ω/km
ANM05.010.28.016AB	UL20233	300V	28X16AWG	27/0.25	17.7	638.91	13.7 Ω/km
ANM05.010.29.016AB	UL20233	300V	29X16AWG	27/0.25	17.7	648.41	13.7 Ω/km
ANM05.010.30.016AB	UL20233	300V	30X16AWG	27/0.25	17.7	658.01	13.7 Ω/km
ANM05.010.31.016AB	UL20233	300V	31X16AWG	27/0.25	18.4	697.61	13.7 Ω/km
ANM05.010.32.016AB	UL20233	300V	32X16AWG	27/0.25	18.4	707.11	13.7 Ω/km
ANM05.010.33.016AB	UL20233	300V	33X16AWG	27/0.25	18.4	716.71	13.7 Ω/km
ANM05.010.34.016AB	UL20233	300V	34X16AWG	27/0.25	19	753.01	13.7 Ω/km
ANM05.010.35.016AB	UL20233	300V	35X16AWG	27/0.25	19	762.61	13.7 Ω/km
ANM05.010.36.016AB	UL20233	300V	36X16AWG	27/0.25	19	772.21	13.7 Ω/km
ANM05.010.37.016AB	UL20233	300V	37X16AWG	27/0.25	19	781.71	13.7 Ω/km
ANM05.010.38.016AB	UL20233	300V	38X16AWG	27/0.25	20.7	871.61	13.7 Ω/km
ANM05.010.39.016AB	UL20233	300V	39X16AWG	27/0.25	20.7	881.11	13.7 Ω/km
ANM05.010.40.016AB	UL20233	300V	40X16AWG	27/0.25	20.7	890.71	13.7 Ω/km
ANM05.010.41.016AB	UL20233	300V	41X16AWG	27/0.25	22.3	982.51	13.7 Ω/km
ANM05.010.42.016AB	UL20233	300V	42X16AWG	27/0.25	22.3	992.01	13.7 Ω/km
ANM05.010.43.016AB	UL20233	300V	43X16AWG	27/0.25	22.3	1001.61	13.7 Ω/km
ANM05.010.44.016AB	UL20233	300V	44X16AWG	27/0.25	22.3	1011.11	13.7 Ω/km
ANM05.010.45.016AB	UL20233	300V	45X16AWG	27/0.25	22.7	1042.21	13.7 Ω/km
ANM05.010.46.016AB	UL20233	300V	46X16AWG	27/0.25	22.7	1051.71	13.7 Ω/km
ANM05.010.47.016AB	UL20233	300V	47X16AWG	27/0.25	22.7	1061.31	13.7 Ω/km
ANM05.010.48.016AB	UL20233	300V	48X16AWG	27/0.25	22.7	1070.91	13.7 Ω/km
ANM05.010.49.016AB	UL20233	300V	49X16AWG	27/0.25	23.3	1113.31	13.7 Ω/km
ANM05.010.50.016AB	UL20233	300V	50X16AWG	27/0.25	23.3	1122.91	13.7 Ω/km
ANM05.010.51.016AB	UL20233	300V	51X16AWG	27/0.25	23.3	1132.41	13.7 Ω/km



ANM05.010.52.016AB	UL20233	300V	52X16AWG	27/0.25	23.3	1142.01	13.7 Ω/km
ANM05.010.53.016AB	UL20233	300V	53X16AWG	27/0.25	24	1191.21	13.7 Ω/km
ANM05.010.54.016AB	UL20233	300V	54X16AWG	27/0.25	24	1200.71	13.7 Ω/km
ANM05.010.55.016AB	UL20233	300V	55X16AWG	27/0.25	24	1210.31	13.7 Ω/km
ANM05.010.56.016AB	UL20233	300V	56X16AWG	27/0.25	24	1219.81	13.7 Ω/km
ANM05.010.57.016AB	UL20233	300V	57X16AWG	27/0.25	24.6	1264.31	13.7 Ω/km
ANM05.010.58.016AB	UL20233	300V	58X16AWG	27/0.25	24.6	1273.81	13.7 Ω/km
ANM05.010.59.016AB	UL20233	300V	59X16AWG	27/0.25	24.6	1283.41	13.7 Ω/km
ANM05.010.60.016AB	UL20233	300V	60X16AWG	27/0.25	24.6	1293.01	13.7 Ω/km
ANM05.010.61.016AB	UL20233	300V	61X16AWG	27/0.25	24.6	1302.51	13.7 Ω/km
ANM05.010.62.016AB	UL20233	300V	62X16AWG	27/0.25	25.3	1353.91	13.7 Ω/km
ANM05.010.63.016AB	UL20233	300V	63X16AWG	27/0.25	25.3	1363.41	13.7 Ω/km
ANM05.010.64.016AB	UL20233	300V	64X16AWG	27/0.25	25.3	1373.01	13.7 Ω/km
ANM05.010.65.016AB	UL20233	300V	65X16AWG	27/0.25	25.3	1382.61	13.7 Ω/km
ANM05.010.02.015AB	UL20233	300V	2X15AWG	34/0.25	7.2	85.25	10.9 Ω/km
ANM05.010.03.015AB	UL20233	300V	3X15AWG	34/0.25	7.7	105.95	10.9 Ω/km
ANM05.010.04.015AB	UL20233	300V	4X15AWG	34/0.25	8.8	139.25	10.9 Ω/km
ANM05.010.05.015AB	UL20233	300V	5X15AWG	34/0.25	9.5	166.35	10.9 Ω/km
ANM05.010.06.015AB	UL20233	300V	6X15AWG	34/0.25	10.3	196.95	10.9 Ω/km
ANM05.010.07.015AB	UL20233	300V	7X15AWG	34/0.25	10.3	208.95	10.9 Ω/km
ANM05.010.08.015AB	UL20233	300V	8X15AWG	34/0.25	11.8	260.15	10.9 Ω/km
ANM05.010.09.015AB	UL20233	300V	9X15AWG	34/0.25	12.8	301.25	10.9 Ω/km
ANM05.010.10.015AB	UL20233	300V	10X15AWG	34/0.25	13.7	341.55	10.9 Ω/km
ANM05.010.11.015AB	UL20233	300V	11X15AWG	34/0.25	14.2	370.15	10.9 Ω/km
ANM05.010.12.015AB	UL20233	300V	12X15AWG	34/0.25	14.2	382.05	10.9 Ω/km
ANM05.010.13.015AB	UL20233	300V	13X15AWG	34/0.25	14.9	418.15	10.9 Ω/km
ANM05.010.14.015AB	UL20233	300V	14X15AWG	34/0.25	14.9	430.15	10.9 Ω/km
ANM05.010.15.015AB	UL20233	300V	15X15AWG	34/0.25	15.6	467.45	10.9 Ω/km
ANM05.010.16.015AB	UL20233	300V	16X15AWG	34/0.25	15.6	479.45	10.9 Ω/km
ANM05.010.17.015AB	UL20233	300V	17X15AWG	34/0.25	16.4	521.95	10.9 Ω/km
ANM05.010.18.015AB	UL20233	300V	18X15AWG	34/0.25	16.4	533.95	10.9 Ω/km
ANM05.010.19.015AB	UL20233	300V	19X15AWG	34/0.25	16.4	545.95	10.9 Ω/km
ANM05.010.20.015AB	UL20233	300V	20X15AWG	34/0.25	16.9	577.65	10.9 Ω/km
ANM05.010.21.015AB	UL20233	300V	21X15AWG	34/0.25	17.3	605.85	10.9 Ω/km
ANM05.010.22.015AB	UL20233	300V	22X15AWG	34/0.25	18.3	660.35	10.9 Ω/km
ANM05.010.23.015AB	UL20233	300V	23X15AWG	34/0.25	19.1	707.95	10.9 Ω/km
ANM05.010.24.015AB	UL20233	300V	24X15AWG	34/0.25	19.1	719.85	10.9 Ω/km
ANM05.010.25.015AB	UL20233	300V	25X15AWG	34/0.25	20.6	802.65	10.9 Ω/km
ANM05.010.26.015AB	UL20233	300V	26X15AWG	34/0.25	20.6	814.55	10.9 Ω/km
ANM05.010.27.015AB	UL20233	300V	27X15AWG	34/0.25	20.6	826.55	10.9 Ω/km
ANM05.010.28.015AB	UL20233	300V	28X15AWG	34/0.25	21.3	873.55	10.9 Ω/km



ANM05.010.29.015AB	UL20233	300V	29X15AWG	34/0.25	21.3	885.55	10.9Ω/km
ANM05.010.30.015AB	UL20233	300V	30X15AWG	34/0.25	21.3	897.45	10.9Ω/km
ANM05.010.31.015AB	UL20233	300V	31X15AWG	34/0.25	22	945.55	10.9Ω/km
ANM05.010.32.015AB	UL20233	300V	32X15AWG	34/0.25	22	957.55	10.9Ω/km
ANM05.010.33.015AB	UL20233	300V	33X15AWG	34/0.25	22	969.45	10.9Ω/km
ANM05.010.34.015AB	UL20233	300V	34X15AWG	34/0.25	22.8	1024.25	10.9Ω/km
ANM05.010.35.015AB	UL20233	300V	35X15AWG	34/0.25	22.8	1036.25	10.9Ω/km
ANM05.010.36.015AB	UL20233	300V	36X15AWG	34/0.25	22.8	1048.25	10.9Ω/km
ANM05.010.37.015AB	UL20233	300V	37X15AWG	34/0.25	22.8	1060.25	10.9Ω/km
ANM05.010.38.015AB	UL20233	300V	38X15AWG	34/0.25	23.7	1122.15	10.9Ω/km
ANM05.010.39.015AB	UL20233	300V	39X15AWG	34/0.25	23.7	1134.05	10.9Ω/km
ANM05.010.40.015AB	UL20233	300V	40X15AWG	34/0.25	23.7	1146.05	10.9Ω/km
ANM05.010.41.015AB	UL20233	300V	41X15AWG	34/0.25	25.5	1263.95	10.9Ω/km
ANM05.010.42.015AB	UL20233	300V	42X15AWG	34/0.25	25.5	1275.85	10.9Ω/km
ANM05.010.43.015AB	UL20233	300V	43X15AWG	34/0.25	25.5	1287.85	10.9Ω/km
ANM05.010.44.015AB	UL20233	300V	44X15AWG	34/0.25	25.5	1299.85	10.9Ω/km
ANM05.010.45.015AB	UL20233	300V	45X15AWG	34/0.25	26	1342.75	10.9Ω/km
ANM05.010.46.015AB	UL20233	300V	46X15AWG	34/0.25	26	1354.65	10.9Ω/km
ANM05.010.47.015AB	UL20233	300V	47X15AWG	34/0.25	26	1366.65	10.9Ω/km
ANM05.010.48.015AB	UL20233	300V	48X15AWG	34/0.25	26	1378.55	10.9Ω/km
ANM05.010.49.015AB	UL20233	300V	49X15AWG	34/0.25	26.7	1434.65	10.9Ω/km
ANM05.010.50.015AB	UL20233	300V	50X15AWG	34/0.25	26.7	1446.65	10.9Ω/km
ANM05.010.51.015AB	UL20233	300V	51X15AWG	34/0.25	26.7	1458.55	10.9Ω/km
ANM05.010.52.015AB	UL20233	300V	52X15AWG	34/0.25	26.7	1470.55	10.9Ω/km
ANM05.010.53.015AB	UL20233	300V	53X15AWG	34/0.25	27.4	1527.75	10.9Ω/km
ANM05.010.54.015AB	UL20233	300V	54X15AWG	34/0.25	27.4	1539.75	10.9Ω/km
ANM05.010.55.015AB	UL20233	300V	55X15AWG	34/0.25	27.4	1551.75	10.9Ω/km
ANM05.010.56.015AB	UL20233	300V	56X15AWG	34/0.25	27.4	1563.75	10.9Ω/km
ANM05.010.57.015AB	UL20233	300V	57X15AWG	34/0.25	28.2	1628.95	10.9Ω/km
ANM05.010.58.015AB	UL20233	300V	58X15AWG	34/0.25	28.2	1640.95	10.9Ω/km
ANM05.010.59.015AB	UL20233	300V	59X15AWG	34/0.25	28.2	1652.85	10.9Ω/km
ANM05.010.60.015AB	UL20233	300V	60X15AWG	34/0.25	28.2	1664.85	10.9Ω/km
ANM05.010.61.015AB	UL20233	300V	61X15AWG	34/0.25	28.2	1676.75	10.9Ω/km
ANM05.010.62.015AB	UL20233	300V	62X15AWG	34/0.25	30.1	1820.55	10.9Ω/km
ANM05.010.63.015AB	UL20233	300V	63X15AWG	34/0.25	30.1	1832.55	10.9Ω/km
ANM05.010.64.015AB	UL20233	300V	64X15AWG	34/0.25	30.1	1844.55	10.9Ω/km
ANM05.010.65.015AB	UL20233	300V	65X15AWG	34/0.25	30.1	1856.45	10.9Ω/km
ANM05.010.02.014AB	UL20233	300V	2X14AWG	43/0.25	7.6	98.88	8.62Ω/km
ANM05.010.03.014AB	UL20233	300V	3X14AWG	43/0.25	8.5	131.18	8.62Ω/km
ANM05.010.04.014AB	UL20233	300V	4X14AWG	43/0.25	9.3	163.08	8.62Ω/km
ANM05.010.05.014AB	UL20233	300V	5X14AWG	43/0.25	10.1	196.58	8.62Ω/km



ANM05.010.06.014AB	UL20233	300V	6X14AWG	43/0.25	11.5	247.48	8.62 Ω/km
ANM05.010.07.014AB	UL20233	300V	7X14AWG	43/0.25	11.5	262.58	8.62 Ω/km
ANM05.010.08.014AB	UL20233	300V	8X14AWG	43/0.25	12.4	303.08	8.62 Ω/km
ANM05.010.09.014AB	UL20233	300V	9X14AWG	43/0.25	13.7	358.58	8.62 Ω/km
ANM05.010.10.014AB	UL20233	300V	10X14AWG	43/0.25	14.5	400.58	8.62 Ω/km
ANM05.010.11.014AB	UL20233	300V	11X14AWG	43/0.25	15	433.18	8.62 Ω/km
ANM05.010.12.014AB	UL20233	300V	12X14AWG	43/0.25	15	448.38	8.62 Ω/km
ANM05.010.13.014AB	UL20233	300V	13X14AWG	43/0.25	15.8	492.88	8.62 Ω/km
ANM05.010.14.014AB	UL20233	300V	14X14AWG	43/0.25	15.8	507.98	8.62 Ω/km
ANM05.010.15.014AB	UL20233	300V	15X14AWG	43/0.25	16.6	553.88	8.62 Ω/km
ANM05.010.16.014AB	UL20233	300V	16X14AWG	43/0.25	16.6	569.08	8.62 Ω/km
ANM05.010.17.014AB	UL20233	300V	17X14AWG	43/0.25	17.4	616.58	8.62 Ω/km
ANM05.010.18.014AB	UL20233	300V	18X14AWG	43/0.25	17.4	631.78	8.62 Ω/km
ANM05.010.19.014AB	UL20233	300V	19X14AWG	43/0.25	17.4	646.88	8.62 Ω/km
ANM05.010.20.014AB	UL20233	300V	20X14AWG	43/0.25	17.9	683.08	8.62 Ω/km
ANM05.010.21.014AB	UL20233	300V	21X14AWG	43/0.25	18.3	715.48	8.62 Ω/km
ANM05.010.22.014AB	UL20233	300V	22X14AWG	43/0.25	20.5	832.08	8.62 Ω/km
ANM05.010.23.014AB	UL20233	300V	23X14AWG	43/0.25	21.3	887.18	8.62 Ω/km
ANM05.010.24.014AB	UL20233	300V	24X14AWG	43/0.25	21.3	902.38	8.62 Ω/km
ANM05.010.25.014AB	UL20233	300V	25X14AWG	43/0.25	21.8	943.18	8.62 Ω/km
ANM05.010.26.014AB	UL20233	300V	26X14AWG	43/0.25	21.8	958.28	8.62 Ω/km
ANM05.010.27.014AB	UL20233	300V	27X14AWG	43/0.25	21.8	973.38	8.62 Ω/km
ANM05.010.28.014AB	UL20233	300V	28X14AWG	43/0.25	22.6	1031.08	8.62 Ω/km
ANM05.010.29.014AB	UL20233	300V	29X14AWG	43/0.25	22.6	1046.18	8.62 Ω/km
ANM05.010.30.014AB	UL20233	300V	30X14AWG	43/0.25	22.6	1061.28	8.62 Ω/km
ANM05.010.31.014AB	UL20233	300V	31X14AWG	43/0.25	23.4	1120.48	8.62 Ω/km
ANM05.010.32.014AB	UL20233	300V	32X14AWG	43/0.25	23.4	1135.58	8.62 Ω/km
ANM05.010.33.014AB	UL20233	300V	33X14AWG	43/0.25	23.4	1150.78	8.62 Ω/km
ANM05.010.34.014AB	UL20233	300V	34X14AWG	43/0.25	24.2	1211.38	8.62 Ω/km
ANM05.010.35.014AB	UL20233	300V	35X14AWG	43/0.25	24.2	1226.48	8.62 Ω/km
ANM05.010.36.014AB	UL20233	300V	36X14AWG	43/0.25	24.2	1241.68	8.62 Ω/km
ANM05.010.37.014AB	UL20233	300V	37X14AWG	43/0.25	24.2	1256.88	8.62 Ω/km
ANM05.010.38.014AB	UL20233	300V	38X14AWG	43/0.25	25.1	1324.98	8.62 Ω/km
ANM05.010.39.014AB	UL20233	300V	39X14AWG	43/0.25	25.1	1340.08	8.62 Ω/km
ANM05.010.40.014AB	UL20233	300V	40X14AWG	43/0.25	25.1	1355.38	8.62 Ω/km
ANM05.010.41.014AB	UL20233	300V	41X14AWG	43/0.25	27.1	1495.38	8.62 Ω/km
ANM05.010.42.014AB	UL20233	300V	42X14AWG	43/0.25	27.1	1510.48	8.62 Ω/km
ANM05.010.43.014AB	UL20233	300V	43X14AWG	43/0.25	27.1	1525.58	8.62 Ω/km
ANM05.010.44.014AB	UL20233	300V	44X14AWG	43/0.25	27.1	1540.68	8.62 Ω/km
ANM05.010.45.014AB	UL20233	300V	45X14AWG	43/0.25	27.6	1588.68	8.62 Ω/km
ANM05.010.46.014AB	UL20233	300V	46X14AWG	43/0.25	27.6	1603.78	8.62 Ω/km



ANM05.010.47.014AB	UL20233	300V	47X14AWG	43/0.25	27.6	1618.78	8.62 Ω/km
ANM05.010.48.014AB	UL20233	300V	48X14AWG	43/0.25	27.6	1633.98	8.62 Ω/km
ANM05.010.49.014AB	UL20233	300V	49X14AWG	43/0.25	28.4	1702.88	8.62 Ω/km
ANM05.010.50.014AB	UL20233	300V	50X14AWG	43/0.25	28.4	1717.98	8.62 Ω/km
ANM05.010.51.014AB	UL20233	300V	51X14AWG	43/0.25	28.4	1733.18	8.62 Ω/km
ANM05.010.52.014AB	UL20233	300V	52X14AWG	43/0.25	28.4	1748.28	8.62 Ω/km
ANM05.010.02.013AB	UL20233	300V	2X13AWG	54/0.25	8.6	126.03	6.82 Ω/km
ANM05.010.03.013AB	UL20233	300V	3X13AWG	54/0.25	9.1	155.23	6.82 Ω/km
ANM05.010.04.013AB	UL20233	300V	4X13AWG	54/0.25	10	194.33	6.82 Ω/km
ANM05.010.05.013AB	UL20233	300V	5X13AWG	54/0.25	11.5	251.23	6.82 Ω/km
ANM05.010.06.013AB	UL20233	300V	6X13AWG	54/0.25	12.4	295.53	6.82 Ω/km
ANM05.010.07.013AB	UL20233	300V	7X13AWG	54/0.25	12.4	314.33	6.82 Ω/km
ANM05.010.08.013AB	UL20233	300V	8X13AWG	54/0.25	13.5	367.03	6.82 Ω/km
ANM05.010.09.013AB	UL20233	300V	9X13AWG	54/0.25	14.8	429.63	6.82 Ω/km
ANM05.010.10.013AB	UL20233	300V	10X13AWG	54/0.25	15.7	481.13	6.82 Ω/km
ANM05.010.11.013AB	UL20233	300V	11X13AWG	54/0.25	16.2	518.83	6.82 Ω/km
ANM05.010.12.013AB	UL20233	300V	12X13AWG	54/0.25	16.2	537.63	6.82 Ω/km
ANM05.010.13.013AB	UL20233	300V	13X13AWG	54/0.25	17.1	592.13	6.82 Ω/km
ANM05.010.14.013AB	UL20233	300V	14X13AWG	54/0.25	17.1	611.03	6.82 Ω/km
ANM05.010.15.013AB	UL20233	300V	15X13AWG	54/0.25	18	667.53	6.82 Ω/km
ANM05.010.16.013AB	UL20233	300V	16X13AWG	54/0.25	18	686.33	6.82 Ω/km
ANM05.010.17.013AB	UL20233	300V	17X13AWG	54/0.25	18.9	744.83	6.82 Ω/km
ANM05.010.18.013AB	UL20233	300V	18X13AWG	54/0.25	18.9	763.73	6.82 Ω/km
ANM05.010.19.013AB	UL20233	300V	19X13AWG	54/0.25	18.9	782.53	6.82 Ω/km
ANM05.010.20.013AB	UL20233	300V	20X13AWG	54/0.25	19.4	824.13	6.82 Ω/km
ANM05.010.21.013AB	UL20233	300V	21X13AWG	54/0.25	20.9	914.83	6.82 Ω/km
ANM05.010.22.013AB	UL20233	300V	22X13AWG	54/0.25	22.2	1000.53	6.82 Ω/km
ANM05.010.23.013AB	UL20233	300V	23X13AWG	54/0.25	23.1	1068.03	6.82 Ω/km
ANM05.010.24.013AB	UL20233	300V	24X13AWG	54/0.25	23.1	1086.73	6.82 Ω/km
ANM05.010.25.013AB	UL20233	300V	25X13AWG	54/0.25	23.6	1133.43	6.82 Ω/km
ANM05.010.26.013AB	UL20233	300V	26X13AWG	54/0.25	23.6	1152.23	6.82 Ω/km
ANM05.010.27.013AB	UL20233	300V	27X13AWG	54/0.25	23.6	1171.13	6.82 Ω/km
ANM05.010.28.013AB	UL20233	300V	28X13AWG	54/0.25	24.5	1241.83	6.82 Ω/km
ANM05.010.29.013AB	UL20233	300V	29X13AWG	54/0.25	24.5	1260.63	6.82 Ω/km
ANM05.010.30.013AB	UL20233	300V	30X13AWG	54/0.25	24.5	1279.43	6.82 Ω/km
ANM05.010.31.013AB	UL20233	300V	31X13AWG	54/0.25	25.4	1351.93	6.82 Ω/km
ANM05.010.32.013AB	UL20233	300V	32X13AWG	54/0.25	25.4	1370.73	6.82 Ω/km
ANM05.010.33.013AB	UL20233	300V	33X13AWG	54/0.25	25.4	1389.53	6.82 Ω/km
ANM05.010.34.013AB	UL20233	300V	34X13AWG	54/0.25	26.3	1464.13	6.82 Ω/km
ANM05.010.35.013AB	UL20233	300V	35X13AWG	54/0.25	26.3	1482.93	6.82 Ω/km
ANM05.010.36.013AB	UL20233	300V	36X13AWG	54/0.25	26.3	1501.83	6.82 Ω/km





ANM05.010.37.013AB	UL20233	300V	37X13AWG	54/0.25	26.3	1520.63	6.82 Ω/km
ANM05.010.38.013AB	UL20233	300V	38X13AWG	54/0.25	27.3	1603.63	6.82 Ω/km
ANM05.010.39.013AB	UL20233	300V	39X13AWG	54/0.25	27.3	1622.43	6.82 Ω/km
ANM05.010.40.013AB	UL20233	300V	40X13AWG	54/0.25	27.3	1641.23	6.82 Ω/km
ANM05.010.41.013AB	UL20233	300V	41X13AWG	54/0.25	30.5	1880.83	6.82 Ω/km
ANM05.010.42.013AB	UL20233	300V	42X13AWG	54/0.25	30.5	1899.63	6.82 Ω/km
ANM05.010.43.013AB	UL20233	300V	43X13AWG	54/0.25	30.5	1918.43	6.82 Ω/km
ANM05.010.44.013AB	UL20233	300V	44X13AWG	54/0.25	30.5	1937.33	6.82 Ω/km
ANM05.010.45.013AB	UL20233	300V	45X13AWG	54/0.25	31	1993.03	6.82 Ω/km
ANM05.010.46.013AB	UL20233	300V	46X13AWG	54/0.25	31	2011.83	6.82 Ω/km
ANM05.010.47.013AB	UL20233	300V	47X13AWG	54/0.25	31	2030.53	6.82 Ω/km
ANM05.010.48.013AB	UL20233	300V	48X13AWG	54/0.25	31	2049.33	6.82 Ω/km
ANM05.010.49.013AB	UL20233	300V	49X13AWG	54/0.25	31.9	2136.03	6.82 Ω/km
ANM05.010.50.013AB	UL20233	300V	50X13AWG	54/0.25	31.9	2154.83	6.82 Ω/km
ANM05.010.51.013AB	UL20233	300V	51X13AWG	54/0.25	31.9	2173.63	6.82 Ω/km
ANM05.010.52.013AB	UL20233	300V	52X13AWG	54/0.25	31.9	2192.43	6.82 Ω/km
ANM05.010.02.012AB	UL20233	300V	2X12AWG	68/0.25	9.4	154.11	5.43 Ω/km
ANM05.010.03.012AB	UL20233	300V	3X12AWG	68/0.25	10	191.91	5.43 Ω/km
ANM05.010.04.012AB	UL20233	300V	4X12AWG	68/0.25	11.5	254.31	5.43 Ω/km
ANM05.010.05.012AB	UL20233	300V	5X12AWG	68/0.25	12.6	309.71	5.43 Ω/km
ANM05.010.06.012AB	UL20233	300V	6X12AWG	68/0.25	13.7	368.01	5.43 Ω/km
ANM05.010.07.012AB	UL20233	300V	7X12AWG	68/0.25	13.7	392.01	5.43 Ω/km
ANM05.010.08.012AB	UL20233	300V	8X12AWG	68/0.25	14.8	453.61	5.43 Ω/km
ANM05.010.09.012AB	UL20233	300V	9X12AWG	68/0.25	16.3	533.11	5.43 Ω/km
ANM05.010.10.012AB	UL20233	300V	10X12AWG	68/0.25	17.3	597.21	5.43 Ω/km
ANM05.010.11.012AB	UL20233	300V	11X12AWG	68/0.25	17.9	646.51	5.43 Ω/km
ANM05.010.12.012AB	UL20233	300V	12X12AWG	68/0.25	17.9	670.61	5.43 Ω/km
ANM05.010.13.012AB	UL20233	300V	13X12AWG	68/0.25	18.8	734.01	5.43 Ω/km
ANM05.010.14.012AB	UL20233	300V	14X12AWG	68/0.25	18.8	758.01	5.43 Ω/km
ANM05.010.15.012AB	UL20233	300V	15X12AWG	68/0.25	20.9	881.31	5.43 Ω/km
ANM05.010.16.012AB	UL20233	300V	16X12AWG	68/0.25	20.9	905.41	5.43 Ω/km
ANM05.010.17.012AB	UL20233	300V	17X12AWG	68/0.25	21.9	980.51	5.43 Ω/km
ANM05.010.18.012AB	UL20233	300V	18X12AWG	68/0.25	21.9	1004.51	5.43 Ω/km
ANM05.010.19.012AB	UL20233	300V	19X12AWG	68/0.25	21.9	1028.81	5.43 Ω/km
ANM05.010.20.012AB	UL20233	300V	20X12AWG	68/0.25	22.5	1084.71	5.43 Ω/km
ANM05.010.21.012AB	UL20233	300V	21X12AWG	68/0.25	23	1135.91	5.43 Ω/km
ANM05.010.22.012AB	UL20233	300V	22X12AWG	68/0.25	24.5	1245.21	5.43 Ω/km
ANM05.010.23.012AB	UL20233	300V	23X12AWG	68/0.25	25.5	1329.11	5.43 Ω/km
ANM05.010.24.012AB	UL20233	300V	24X12AWG	68/0.25	25.5	1353.11	5.43 Ω/km
ANM05.010.25.012AB	UL20233	300V	25X12AWG	68/0.25	26.1	1414.31	5.43 Ω/km
ANM05.010.26.012AB	UL20233	300V	26X12AWG	68/0.25	26.1	1438.41	5.43 Ω/km



ANM05.010.27.012AB	UL20233	300V	27X12AWG	68/0.25	26.1	1462.51	5.43 Ω/km
ANM05.010.28.012AB	UL20233	300V	28X12AWG	68/0.25	27	1543.71	5.43 Ω/km
ANM05.010.29.012AB	UL20233	300V	29X12AWG	68/0.25	27	1567.71	5.43 Ω/km
ANM05.010.30.012AB	UL20233	300V	30X12AWG	68/0.25	27	1591.91	5.43 Ω/km
ANM05.010.31.012AB	UL20233	300V	31X12AWG	68/0.25	28.1	1688.61	5.43 Ω/km
ANM05.010.32.012AB	UL20233	300V	32X12AWG	68/0.25	28.1	1712.71	5.43 Ω/km
ANM05.010.33.012AB	UL20233	300V	33X12AWG	68/0.25	28.1	1736.81	5.43 Ω/km
ANM05.010.34.012AB	UL20233	300V	34X12AWG	68/0.25	30.1	1899.51	5.43 Ω/km
ANM05.010.35.012AB	UL20233	300V	35X12AWG	68/0.25	30.1	1923.51	5.43 Ω/km
ANM05.010.36.012AB	UL20233	300V	36X12AWG	68/0.25	30.1	1947.51	5.43 Ω/km
ANM05.010.37.012AB	UL20233	300V	37X12AWG	68/0.25	30.1	1971.71	5.43 Ω/km
ANM05.010.02.011AB	UL20233	300V	2X11AWG	85/0.25	10.2	184.67	4.30 Ω/km
ANM05.010.03.011AB	UL20233	300V	3X11AWG	85/0.25	11.5	247.67	4.30 Ω/km
ANM05.010.04.011AB	UL20233	300V	4X11AWG	85/0.25	12.5	305.77	4.30 Ω/km
ANM05.010.05.011AB	UL20233	300V	5X11AWG	85/0.25	13.7	372.67	4.30 Ω/km
ANM05.010.06.011AB	UL20233	300V	6X11AWG	85/0.25	14.9	443.07	4.30 Ω/km
ANM05.010.07.011AB	UL20233	300V	7X11AWG	85/0.25	14.9	472.77	4.30 Ω/km
ANM05.010.08.011AB	UL20233	300V	8X11AWG	85/0.25	16.1	546.87	4.30 Ω/km
ANM05.010.09.011AB	UL20233	300V	9X11AWG	85/0.25	17.7	640.87	4.30 Ω/km
ANM05.010.10.011AB	UL20233	300V	10X11AWG	85/0.25	18.9	722.87	4.30 Ω/km
ANM05.010.11.011AB	UL20233	300V	11X11AWG	85/0.25	20.6	832.37	4.30 Ω/km
ANM05.010.12.011AB	UL20233	300V	12X11AWG	85/0.25	20.6	861.97	4.30 Ω/km
ANM05.010.13.011AB	UL20233	300V	13X11AWG	85/0.25	21.6	942.07	4.30 Ω/km
ANM05.010.14.011AB	UL20233	300V	14X11AWG	85/0.25	21.6	971.67	4.30 Ω/km
ANM05.010.15.011AB	UL20233	300V	15X11AWG	85/0.25	22.7	1059.47	4.30 Ω/km
ANM05.010.16.011AB	UL20233	300V	16X11AWG	85/0.25	22.7	1089.27	4.30 Ω/km
ANM05.010.17.011AB	UL20233	300V	17X11AWG	85/0.25	23.9	1185.57	4.30 Ω/km
ANM05.010.18.011AB	UL20233	300V	18X11AWG	85/0.25	23.9	1215.27	4.30 Ω/km
ANM05.010.19.011AB	UL20233	300V	19X11AWG	85/0.25	23.9	1244.97	4.30 Ω/km
ANM05.010.20.011AB	UL20233	300V	20X11AWG	85/0.25	24.6	1315.17	4.30 Ω/km
ANM05.010.21.011AB	UL20233	300V	21X11AWG	85/0.25	25.1	1374.67	4.30 Ω/km
ANM05.010.22.011AB	UL20233	300V	22X11AWG	85/0.25	26.7	1503.47	4.30 Ω/km
ANM05.010.23.011AB	UL20233	300V	23X11AWG	85/0.25	27.9	1611.67	4.30 Ω/km
ANM05.010.24.011AB	UL20233	300V	24X11AWG	85/0.25	27.9	1641.27	4.30 Ω/km
ANM05.010.25.011AB	UL20233	300V	25X11AWG	85/0.25	29.6	1787.17	4.30 Ω/km
ANM05.010.26.011AB	UL20233	300V	26X11AWG	85/0.25	29.6	1816.77	4.30 Ω/km
ANM05.010.27.011AB	UL20233	300V	27X11AWG	85/0.25	29.6	1846.47	4.30 Ω/km
ANM05.010.28.011AB	UL20233	300V	28X11AWG	85/0.25	30.6	1948.37	4.30 Ω/km
ANM05.010.29.011AB	UL20233	300V	29X11AWG	85/0.25	30.6	1977.97	4.30 Ω/km
ANM05.010.30.011AB	UL20233	300V	30X11AWG	85/0.25	30.6	2007.57	4.30 Ω/km
ANM05.010.31.011AB	UL20233	300V	31X11AWG	85/0.25	31.7	2119.37	4.30 Ω/km



ANM05.010.32.011AB	UL20233	300V	32X11AWG	85/0.25	31.7	2148.97	4.30 Ω/km
ANM05.010.33.011AB	UL20233	300V	33X11AWG	85/0.25	31.7	2178.67	4.30 Ω/km
ANM05.010.34.011AB	UL20233	300V	34X11AWG	85/0.25	32.9	2301.17	4.30 Ω/km
ANM05.010.35.011AB	UL20233	300V	35X11AWG	85/0.25	32.9	2330.77	4.30 Ω/km
ANM05.010.36.011AB	UL20233	300V	36X11AWG	85/0.25	32.9	2360.57	4.30 Ω/km
ANM05.010.37.011AB	UL20233	300V	37X11AWG	85/0.25	32.9	2390.07	4.30 Ω/km
ANM05.010.02.010AB	UL20233	300V	2X10AWG	108/0.25	12	244.47	3.409 Ω/km
ANM05.010.03.010AB	UL20233	300V	3X10AWG	108/0.25	12.8	303.47	3.409 Ω/km
ANM05.010.04.010AB	UL20233	300V	4X10AWG	108/0.25	14.1	380.37	3.409 Ω/km
ANM05.010.05.010AB	UL20233	300V	5X10AWG	108/0.25	15.4	461.47	3.409 Ω/km
ANM05.010.06.010AB	UL20233	300V	6X10AWG	108/0.25	16.7	546.57	3.409 Ω/km
ANM05.010.07.010AB	UL20233	300V	7X10AWG	108/0.25	16.7	581.97	3.409 Ω/km
ANM05.010.08.010AB	UL20233	300V	8X10AWG	108/0.25	18.1	675.37	3.409 Ω/km
ANM05.010.09.010AB	UL20233	300V	9X10AWG	108/0.25	21	845.77	3.409 Ω/km
ANM05.010.10.010AB	UL20233	300V	10X10AWG	108/0.25	22.3	948.57	3.409 Ω/km
ANM05.010.11.010AB	UL20233	300V	11X10AWG	108/0.25	23.1	1027.17	3.409 Ω/km
ANM05.010.12.010AB	UL20233	300V	12X10AWG	108/0.25	23.1	1062.57	3.409 Ω/km
ANM05.010.13.010AB	UL20233	300V	13X10AWG	108/0.25	24.3	1166.17	3.409 Ω/km
ANM05.010.14.010AB	UL20233	300V	14X10AWG	108/0.25	24.3	1201.47	3.409 Ω/km
ANM05.010.15.010AB	UL20233	300V	15X10AWG	108/0.25	25.6	1314.47	3.409 Ω/km
ANM05.010.16.010AB	UL20233	300V	16X10AWG	108/0.25	25.6	1349.97	3.409 Ω/km
ANM05.010.17.010AB	UL20233	300V	17X10AWG	108/0.25	26.9	1466.97	3.409 Ω/km
ANM05.010.18.010AB	UL20233	300V	18X10AWG	108/0.25	26.9	1502.37	3.409 Ω/km
ANM05.010.19.010AB	UL20233	300V	19X10AWG	108/0.25	26.9	1537.87	3.409 Ω/km
ANM05.010.20.010AB	UL20233	300V	20X10AWG	108/0.25	27.7	1625.57	3.409 Ω/km
ANM05.010.21.010AB	UL20233	300V	21X10AWG	108/0.25	28.3	1701.17	3.409 Ω/km
ANM05.010.22.010AB	UL20233	300V	22X10AWG	108/0.25	31.2	1942.57	3.409 Ω/km
ANM05.010.23.010AB	UL20233	300V	23X10AWG	108/0.25	32.5	2077.27	3.409 Ω/km
ANM05.010.24.010AB	UL20233	300V	24X10AWG	108/0.25	32.5	2112.57	3.409 Ω/km
ANM05.010.25.010AB	UL20233	300V	25X10AWG	108/0.25	33.3	2211.17	3.409 Ω/km
ANM05.010.26.010AB	UL20233	300V	26X10AWG	108/0.25	33.3	2246.57	3.409 Ω/km
ANM05.010.27.010AB	UL20233	300V	27X10AWG	108/0.25	33.3	2281.87	3.409 Ω/km
ANM05.010.28.010AB	UL20233	300V	28X10AWG	108/0.25	34.5	2414.97	3.409 Ω/km
ANM05.010.29.010AB	UL20233	300V	29X10AWG	108/0.25	34.5	2450.37	3.409 Ω/km
ANM05.010.30.010AB	UL20233	300V	30X10AWG	108/0.25	34.5	2485.77	3.409 Ω/km
ANM05.010.31.010AB	UL20233	300V	31X10AWG	108/0.25	36.1	2656.67	3.409 Ω/km
ANM05.010.32.010AB	UL20233	300V	32X10AWG	108/0.25	36.1	2692.07	3.409 Ω/km
ANM05.010.33.010AB	UL20233	300V	33X10AWG	108/0.25	36.1	2727.47	3.409 Ω/km
ANM05.010.34.010AB	UL20233	300V	34X10AWG	108/0.25	37.4	2877.37	3.409 Ω/km
ANM05.010.35.010AB	UL20233	300V	35X10AWG	108/0.25	37.4	2912.87	3.409 Ω/km
ANM05.010.36.010AB	UL20233	300V	36X10AWG	108/0.25	37.4	2948.27	3.409 Ω/km



ANM05.010.37.010AB	UL20233	300V	37X10AWG	108/0.25	37.4	2983.57	3.409 Ω/km
ANM05.010.02.009AB	UL20233	300V	2X9AWG	136/0.25	13.5	311.84	2.705 Ω/km
ANM05.010.03.009AB	UL20233	300V	3X9AWG	136/0.25	14.4	387.14	2.705 Ω/km
ANM05.010.04.009AB	UL20233	300V	4X9AWG	136/0.25	15.7	479.44	2.705 Ω/km
ANM05.010.05.009AB	UL20233	300V	5X9AWG	136/0.25	17.3	587.84	2.705 Ω/km
ANM05.010.06.009AB	UL20233	300V	6X9AWG	136/0.25	18.8	698.14	2.705 Ω/km
ANM05.010.07.009AB	UL20233	300V	7X9AWG	136/0.25	18.8	743.64	2.705 Ω/km
ANM05.010.08.009AB	UL20233	300V	8X9AWG	136/0.25	21.4	913.84	2.705 Ω/km
ANM05.010.09.009AB	UL20233	300V	9X9AWG	136/0.25	23.6	1077.74	2.705 Ω/km
ANM05.010.10.009AB	UL20233	300V	10X9AWG	136/0.25	25.1	1210.74	2.705 Ω/km
ANM05.010.11.009AB	UL20233	300V	11X9AWG	136/0.25	26	1311.54	2.705 Ω/km
ANM05.010.12.009AB	UL20233	300V	12X9AWG	136/0.25	26	1357.04	2.705 Ω/km
ANM05.010.13.009AB	UL20233	300V	13X9AWG	136/0.25	27.3	1485.64	2.705 Ω/km
ANM05.010.14.009AB	UL20233	300V	14X9AWG	136/0.25	27.3	1531.24	2.705 Ω/km
ANM05.010.15.009AB	UL20233	300V	15X9AWG	136/0.25	29.9	1754.34	2.705 Ω/km
ANM05.010.16.009AB	UL20233	300V	16X9AWG	136/0.25	29.9	1799.94	2.705 Ω/km
ANM05.010.17.009AB	UL20233	300V	17X9AWG	136/0.25	31.4	1955.74	2.705 Ω/km
ANM05.010.18.009AB	UL20233	300V	18X9AWG	136/0.25	31.4	2001.34	2.705 Ω/km
ANM05.010.19.009AB	UL20233	300V	19X9AWG	136/0.25	31.4	2046.94	2.705 Ω/km
ANM05.010.20.009AB	UL20233	300V	20X9AWG	136/0.25	32.3	2161.44	2.705 Ω/km
ANM05.010.21.009AB	UL20233	300V	21X9AWG	136/0.25	33	2261.74	2.705 Ω/km
ANM05.010.22.009AB	UL20233	300V	22X9AWG	136/0.25	35.5	2512.84	2.705 Ω/km
ANM05.010.23.009AB	UL20233	300V	23X9AWG	136/0.25	37	2688.94	2.705 Ω/km
ANM05.010.24.009AB	UL20233	300V	24X9AWG	136/0.25	37	2734.54	2.705 Ω/km
ANM05.010.25.009AB	UL20233	300V	25X9AWG	136/0.25	37.9	2861.04	2.705 Ω/km
ANM05.010.26.009AB	UL20233	300V	26X9AWG	136/0.25	37.9	2906.64	2.705 Ω/km
ANM05.010.27.009AB	UL20233	300V	27X9AWG	136/0.25	37.9	2952.24	2.705 Ω/km
ANM05.010.28.009AB	UL20233	300V	28X9AWG	136/0.25	39.2	3118.24	2.705 Ω/km
ANM05.010.29.009AB	UL20233	300V	29X9AWG	136/0.25	39.2	3163.94	2.705 Ω/km
ANM05.010.30.009AB	UL20233	300V	30X9AWG	136/0.25	39.2	3209.64	2.705 Ω/km
ANM05.010.31.009AB	UL20233	300V	31X9AWG	136/0.25	40.8	3408.94	2.705 Ω/km
ANM05.010.32.009AB	UL20233	300V	32X9AWG	136/0.25	40.8	3454.54	2.705 Ω/km
ANM05.010.33.009AB	UL20233	300V	33X9AWG	136/0.25	40.8	3500.24	2.705 Ω/km
ANM05.010.34.009AB	UL20233	300V	34X9AWG	136/0.25	42.3	3695.54	2.705 Ω/km
ANM05.010.35.009AB	UL20233	300V	35X9AWG	136/0.25	42.3	3741.14	2.705 Ω/km
ANM05.010.36.009AB	UL20233	300V	36X9AWG	136/0.25	42.3	3786.74	2.705 Ω/km
ANM05.010.37.009AB	UL20233	300V	37X9AWG	136/0.25	42.3	3832.44	2.705 Ω/km
物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻 Ω/km
芯线 HDPE 材质							
ANM07.004.02.028AB	UL20233	300V	2X28AWG	11/0.1	3.4	14.39	223 Ω/km
ANM07.004.03.028AB	UL20233	300V	3X28AWG	11/0.1	3.6	16.59	223 Ω/km



ANM07.004.04.028AB	UL20233	300V	4X28AWG	11/0.1	3.8	18.79	223 Ω /km
ANM07.004.05.028AB	UL20233	300V	5X28AWG	11/0.1	4	21.09	223 Ω /km
ANM07.004.06.028AB	UL20233	300V	6X28AWG	11/0.1	4.2	23.69	223 Ω /km
ANM07.004.07.028AB	UL20233	300V	7X28AWG	11/0.1	4.2	24.29	223 Ω /km
ANM07.004.08.028AB	UL20233	300V	8X28AWG	11/0.1	4.5	27.79	223 Ω /km
ANM07.004.09.028AB	UL20233	300V	9X28AWG	11/0.1	4.8	31.59	223 Ω /km
ANM07.004.10.028AB	UL20233	300V	10X28AWG	11/0.1	5	34.39	223 Ω /km
ANM07.004.11.028AB	UL20233	300V	11X28AWG	11/0.1	5.2	37.39	223 Ω /km
ANM07.004.12.028AB	UL20233	300V	12X28AWG	11/0.1	5.2	37.99	223 Ω /km
ANM07.004.13.028AB	UL20233	300V	13X28AWG	11/0.1	5.4	40.99	223 Ω /km
ANM07.004.14.028AB	UL20233	300V	14X28AWG	11/0.1	5.4	41.59	223 Ω /km
ANM07.004.15.028AB	UL20233	300V	15X28AWG	11/0.1	5.6	44.69	223 Ω /km
ANM07.004.16.028AB	UL20233	300V	16X28AWG	11/0.1	5.6	45.29	223 Ω /km
ANM07.004.17.028AB	UL20233	300V	17X28AWG	11/0.1	5.8	48.49	223 Ω /km
ANM07.004.18.028AB	UL20233	300V	18X28AWG	11/0.1	5.8	49.19	223 Ω /km
ANM07.004.19.028AB	UL20233	300V	19X28AWG	11/0.1	5.8	49.79	223 Ω /km
ANM07.004.20.028AB	UL20233	300V	20X28AWG	11/0.1	6	52.99	223 Ω /km
ANM07.004.21.028AB	UL20233	300V	21X28AWG	11/0.1	6.1	55.09	223 Ω /km
ANM07.004.22.028AB	UL20233	300V	22X28AWG	11/0.1	6.4	59.99	223 Ω /km
ANM07.004.23.028AB	UL20233	300V	23X28AWG	11/0.1	6.6	63.69	223 Ω /km
ANM07.004.24.028AB	UL20233	300V	24X28AWG	11/0.1	6.6	64.29	223 Ω /km
ANM07.004.25.028AB	UL20233	300V	25X28AWG	11/0.1	6.8	67.99	223 Ω /km
ANM07.004.26.028AB	UL20233	300V	26X28AWG	11/0.1	6.8	68.59	223 Ω /km
ANM07.004.27.028AB	UL20233	300V	27X28AWG	11/0.1	6.8	69.19	223 Ω /km
ANM07.004.28.028AB	UL20233	300V	28X28AWG	11/0.1	7	72.89	223 Ω /km
ANM07.004.29.028AB	UL20233	300V	29X28AWG	11/0.1	7	73.49	223 Ω /km
ANM07.004.30.028AB	UL20233	300V	30X28AWG	11/0.1	7	74.09	223 Ω /km
ANM07.004.31.028AB	UL20233	300V	31X28AWG	11/0.1	7.2	78.09	223 Ω /km
ANM07.004.32.028AB	UL20233	300V	32X28AWG	11/0.1	7.2	78.59	223 Ω /km
ANM07.004.33.028AB	UL20233	300V	33X28AWG	11/0.1	7.2	79.19	223 Ω /km
ANM07.004.34.028AB	UL20233	300V	34X28AWG	11/0.1	7.4	83.19	223 Ω /km
ANM07.004.35.028AB	UL20233	300V	35X28AWG	11/0.1	7.4	83.79	223 Ω /km
ANM07.004.36.028AB	UL20233	300V	36X28AWG	11/0.1	7.4	84.49	223 Ω /km
ANM07.004.37.028AB	UL20233	300V	37X28AWG	11/0.1	7.4	84.99	223 Ω /km
ANM07.004.38.028AB	UL20233	300V	38X28AWG	11/0.1	7.7	90.89	223 Ω /km
ANM07.004.39.028AB	UL20233	300V	39X28AWG	11/0.1	7.7	91.49	223 Ω /km
ANM07.004.40.028AB	UL20233	300V	40X28AWG	11/0.1	7.7	92.09	223 Ω /km
ANM07.004.41.028AB	UL20233	300V	41X28AWG	11/0.1	8.6	109.89	223 Ω /km
ANM07.004.42.028AB	UL20233	300V	42X28AWG	11/0.1	8.6	110.49	223 Ω /km
ANM07.004.43.028AB	UL20233	300V	43X28AWG	11/0.1	8.6	111.19	223 Ω /km
ANM07.004.44.028AB	UL20233	300V	44X28AWG	11/0.1	8.6	111.69	223 Ω /km



ANM07.004.45.028AB	UL20233	300V	45X28AWG	11/0.1	8.8	116.39	223 Ω /km
ANM07.004.46.028AB	UL20233	300V	46X28AWG	11/0.1	8.8	116.99	223 Ω /km
ANM07.004.47.028AB	UL20233	300V	47X28AWG	11/0.1	8.8	117.59	223 Ω /km
ANM07.004.48.028AB	UL20233	300V	48X28AWG	11/0.1	8.8	118.19	223 Ω /km
ANM07.004.49.028AB	UL20233	300V	49X28AWG	11/0.1	9	122.99	223 Ω /km
ANM07.004.50.028AB	UL20233	300V	50X28AWG	11/0.1	9	123.59	223 Ω /km
ANM07.004.51.028AB	UL20233	300V	51X28AWG	11/0.1	9	124.09	223 Ω /km
ANM07.004.52.028AB	UL20233	300V	52X28AWG	11/0.1	9	124.79	223 Ω /km
ANM07.004.53.028AB	UL20233	300V	53X28AWG	11/0.1	9.2	129.59	223 Ω /km
ANM07.004.54.028AB	UL20233	300V	54X28AWG	11/0.1	9.2	130.19	223 Ω /km
ANM07.004.55.028AB	UL20233	300V	55X28AWG	11/0.1	9.2	130.79	223 Ω /km
ANM07.004.56.028AB	UL20233	300V	56X28AWG	11/0.1	9.2	131.29	223 Ω /km
ANM07.004.57.028AB	UL20233	300V	57X28AWG	11/0.1	9.4	136.39	223 Ω /km
ANM07.004.58.028AB	UL20233	300V	58X28AWG	11/0.1	9.4	136.89	223 Ω /km
ANM07.004.59.028AB	UL20233	300V	59X28AWG	11/0.1	9.4	137.49	223 Ω /km
ANM07.004.60.028AB	UL20233	300V	60X28AWG	11/0.1	9.4	138.09	223 Ω /km
ANM07.004.61.028AB	UL20233	300V	61X28AWG	11/0.1	9.4	138.69	223 Ω /km
ANM07.004.62.028AB	UL20233	300V	62X28AWG	11/0.1	9.7	146.09	223 Ω /km
ANM07.004.63.028AB	UL20233	300V	63X28AWG	11/0.1	9.7	146.59	223 Ω /km
ANM07.004.64.028AB	UL20233	300V	64X28AWG	11/0.1	9.7	147.19	223 Ω /km
ANM07.004.65.028AB	UL20233	300V	65X28AWG	11/0.1	9.7	147.79	223 Ω /km
ANM07.004.02.027AB	UL20233	300V	2X27AWG	7/0.14	3.6	16.11	175 Ω /km
ANM07.004.03.027AB	UL20233	300V	3X27AWG	7/0.14	3.8	18.31	175 Ω /km
ANM07.004.04.027AB	UL20233	300V	4X27AWG	7/0.14	4	20.81	175 Ω /km
ANM07.004.05.027AB	UL20233	300V	5X27AWG	7/0.14	4.3	24.41	175 Ω /km
ANM07.004.06.027AB	UL20233	300V	6X27AWG	7/0.14	4.5	26.91	175 Ω /km
ANM07.004.07.027AB	UL20233	300V	7X27AWG	7/0.14	4.5	27.71	175 Ω /km
ANM07.004.08.027AB	UL20233	300V	8X27AWG	7/0.14	4.8	31.41	175 Ω /km
ANM07.004.09.027AB	UL20233	300V	9X27AWG	7/0.14	5.2	36.71	175 Ω /km
ANM07.004.10.027AB	UL20233	300V	10X27AWG	7/0.14	5.4	39.81	175 Ω /km
ANM07.004.11.027AB	UL20233	300V	11X27AWG	7/0.14	5.6	42.91	175 Ω /km
ANM07.004.12.027AB	UL20233	300V	12X27AWG	7/0.14	5.6	43.61	175 Ω /km
ANM07.004.13.027AB	UL20233	300V	13X27AWG	7/0.14	5.8	47.01	175 Ω /km
ANM07.004.14.027AB	UL20233	300V	14X27AWG	7/0.14	5.8	47.61	175 Ω /km
ANM07.004.15.027AB	UL20233	300V	15X27AWG	7/0.14	6.1	52.41	175 Ω /km
ANM07.004.16.027AB	UL20233	300V	16X27AWG	7/0.14	6.1	53.11	175 Ω /km
ANM07.004.17.027AB	UL20233	300V	17X27AWG	7/0.14	6.3	56.51	175 Ω /km
ANM07.004.18.027AB	UL20233	300V	18X27AWG	7/0.14	6.3	57.21	175 Ω /km
ANM07.004.19.027AB	UL20233	300V	19X27AWG	7/0.14	6.3	57.91	175 Ω /km
ANM07.004.20.027AB	UL20233	300V	20X27AWG	7/0.14	6.5	61.51	175 Ω /km
ANM07.004.21.027AB	UL20233	300V	21X27AWG	7/0.14	6.6	63.71	175 Ω /km



ANM07.004.22.027AB	UL20233	300V	22X27AWG	7/0.14	7	70.61	175 Ω /km
ANM07.004.23.027AB	UL20233	300V	23X27AWG	7/0.14	7.2	74.61	175 Ω /km
ANM07.004.24.027AB	UL20233	300V	24X27AWG	7/0.14	7.2	75.31	175 Ω /km
ANM07.004.25.027AB	UL20233	300V	25X27AWG	7/0.14	7.4	79.31	175 Ω /km
ANM07.004.26.027AB	UL20233	300V	26X27AWG	7/0.14	7.4	80.11	175 Ω /km
ANM07.004.27.027AB	UL20233	300V	27X27AWG	7/0.14	7.4	80.71	175 Ω /km
ANM07.004.28.027AB	UL20233	300V	28X27AWG	7/0.14	7.6	84.81	175 Ω /km
ANM07.004.29.027AB	UL20233	300V	29X27AWG	7/0.14	7.6	85.51	175 Ω /km
ANM07.004.30.027AB	UL20233	300V	30X27AWG	7/0.14	7.6	86.01	175 Ω /km
ANM07.004.31.027AB	UL20233	300V	31X27AWG	7/0.14	7.9	92.21	175 Ω /km
ANM07.004.32.027AB	UL20233	300V	32X27AWG	7/0.14	7.9	92.81	175 Ω /km
ANM07.004.33.027AB	UL20233	300V	33X27AWG	7/0.14	7.9	93.41	175 Ω /km
ANM07.004.34.027AB	UL20233	300V	34X27AWG	7/0.14	8.5	105.81	175 Ω /km
ANM07.004.35.027AB	UL20233	300V	35X27AWG	7/0.14	8.5	106.51	175 Ω /km
ANM07.004.36.027AB	UL20233	300V	36X27AWG	7/0.14	8.5	107.11	175 Ω /km
ANM07.004.37.027AB	UL20233	300V	37X27AWG	7/0.14	8.5	107.81	175 Ω /km
ANM07.004.38.027AB	UL20233	300V	38X27AWG	7/0.14	8.8	114.41	175 Ω /km
ANM07.004.39.027AB	UL20233	300V	39X27AWG	7/0.14	8.8	115.11	175 Ω /km
ANM07.004.40.027AB	UL20233	300V	40X27AWG	7/0.14	8.8	115.71	175 Ω /km
ANM07.004.41.027AB	UL20233	300V	41X27AWG	7/0.14	9.4	129.21	175 Ω /km
ANM07.004.42.027AB	UL20233	300V	42X27AWG	7/0.14	9.4	129.91	175 Ω /km
ANM07.004.43.027AB	UL20233	300V	43X27AWG	7/0.14	9.4	130.61	175 Ω /km
ANM07.004.44.027AB	UL20233	300V	44X27AWG	7/0.14	9.4	131.21	175 Ω /km
ANM07.004.45.027AB	UL20233	300V	45X27AWG	7/0.14	9.6	136.31	175 Ω /km
ANM07.004.46.027AB	UL20233	300V	46X27AWG	7/0.14	9.6	136.91	175 Ω /km
ANM07.004.47.027AB	UL20233	300V	47X27AWG	7/0.14	9.6	137.61	175 Ω /km
ANM07.004.48.027AB	UL20233	300V	48X27AWG	7/0.14	9.6	138.21	175 Ω /km
ANM07.004.49.027AB	UL20233	300V	49X27AWG	7/0.14	9.8	143.41	175 Ω /km
ANM07.004.50.027AB	UL20233	300V	50X27AWG	7/0.14	9.8	144.21	175 Ω /km
ANM07.004.51.027AB	UL20233	300V	51X27AWG	7/0.14	9.8	144.81	175 Ω /km
ANM07.004.52.027AB	UL20233	300V	52X27AWG	7/0.14	9.8	145.41	175 Ω /km
ANM07.004.53.027AB	UL20233	300V	53X27AWG	7/0.14	10.1	153.21	175 Ω /km
ANM07.004.54.027AB	UL20233	300V	54X27AWG	7/0.14	10.1	153.81	175 Ω /km
ANM07.004.55.027AB	UL20233	300V	55X27AWG	7/0.14	10.1	154.41	175 Ω /km
ANM07.004.56.027AB	UL20233	300V	56X27AWG	7/0.14	10.1	155.01	175 Ω /km
ANM07.004.57.027AB	UL20233	300V	57X27AWG	7/0.14	10.3	160.51	175 Ω /km
ANM07.004.58.027AB	UL20233	300V	58X27AWG	7/0.14	10.3	161.21	175 Ω /km
ANM07.004.59.027AB	UL20233	300V	59X27AWG	7/0.14	10.3	161.81	175 Ω /km
ANM07.004.60.027AB	UL20233	300V	60X27AWG	7/0.14	10.3	162.41	175 Ω /km
ANM07.004.61.027AB	UL20233	300V	61X27AWG	7/0.14	10.3	163.01	175 Ω /km
ANM07.004.62.027AB	UL20233	300V	62X27AWG	7/0.14	11.2	186.71	175 Ω /km



ANM07.004.63.027AB	UL20233	300V	63X27AWG	7/0.14	11.2	187.31	175 Ω/km
ANM07.004.64.027AB	UL20233	300V	64X27AWG	7/0.14	11.2	187.91	175 Ω/km
ANM07.004.65.027AB	UL20233	300V	65X27AWG	7/0.14	11.2	188.61	175 Ω/km
ANM07.004.02.026AB	UL20233	300V	2X26AWG	9/0.14	3.6	16.63	140 Ω/km
ANM07.004.03.026AB	UL20233	300V	3X26AWG	9/0.14	3.8	19.13	140 Ω/km
ANM07.004.04.026AB	UL20233	300V	4X26AWG	9/0.14	4	21.83	140 Ω/km
ANM07.004.05.026AB	UL20233	300V	5X26AWG	9/0.14	4.3	25.63	140 Ω/km
ANM07.004.06.026AB	UL20233	300V	6X26AWG	9/0.14	4.5	28.43	140 Ω/km
ANM07.004.07.026AB	UL20233	300V	7X26AWG	9/0.14	4.5	29.43	140 Ω/km
ANM07.004.08.026AB	UL20233	300V	8X26AWG	9/0.14	4.8	33.43	140 Ω/km
ANM07.004.09.026AB	UL20233	300V	9X26AWG	9/0.14	5.2	38.93	140 Ω/km
ANM07.004.10.026AB	UL20233	300V	10X26AWG	9/0.14	5.4	42.23	140 Ω/km
ANM07.004.11.026AB	UL20233	300V	11X26AWG	9/0.14	5.6	45.63	140 Ω/km
ANM07.004.12.026AB	UL20233	300V	12X26AWG	9/0.14	5.6	46.53	140 Ω/km
ANM07.004.13.026AB	UL20233	300V	13X26AWG	9/0.14	5.8	50.13	140 Ω/km
ANM07.004.14.026AB	UL20233	300V	14X26AWG	9/0.14	5.8	51.13	140 Ω/km
ANM07.004.15.026AB	UL20233	300V	15X26AWG	9/0.14	6.1	56.13	140 Ω/km
ANM07.004.16.026AB	UL20233	300V	16X26AWG	9/0.14	6.1	57.13	140 Ω/km
ANM07.004.17.026AB	UL20233	300V	17X26AWG	9/0.14	6.3	60.73	140 Ω/km
ANM07.004.18.026AB	UL20233	300V	18X26AWG	9/0.14	6.3	61.63	140 Ω/km
ANM07.004.19.026AB	UL20233	300V	19X26AWG	9/0.14	6.3	62.63	140 Ω/km
ANM07.004.20.026AB	UL20233	300V	20X26AWG	9/0.14	6.5	66.43	140 Ω/km
ANM07.004.21.026AB	UL20233	300V	21X26AWG	9/0.14	6.6	68.83	140 Ω/km
ANM07.004.22.026AB	UL20233	300V	22X26AWG	9/0.14	7	76.03	140 Ω/km
ANM07.004.23.026AB	UL20233	300V	23X26AWG	9/0.14	7.2	80.23	140 Ω/km
ANM07.004.24.026AB	UL20233	300V	24X26AWG	9/0.14	7.2	81.23	140 Ω/km
ANM07.004.25.026AB	UL20233	300V	25X26AWG	9/0.14	7.4	85.43	140 Ω/km
ANM07.004.26.026AB	UL20233	300V	26X26AWG	9/0.14	7.4	86.43	140 Ω/km
ANM07.004.27.026AB	UL20233	300V	27X26AWG	9/0.14	7.4	87.43	140 Ω/km
ANM07.004.28.026AB	UL20233	300V	28X26AWG	9/0.14	7.6	91.73	140 Ω/km
ANM07.004.29.026AB	UL20233	300V	29X26AWG	9/0.14	7.6	92.63	140 Ω/km
ANM07.004.30.026AB	UL20233	300V	30X26AWG	9/0.14	7.6	93.43	140 Ω/km
ANM07.004.31.026AB	UL20233	300V	31X26AWG	9/0.14	7.9	99.83	140 Ω/km
ANM07.004.32.026AB	UL20233	300V	32X26AWG	9/0.14	7.9	100.73	140 Ω/km
ANM07.004.33.026AB	UL20233	300V	33X26AWG	9/0.14	7.9	101.53	140 Ω/km
ANM07.004.34.026AB	UL20233	300V	34X26AWG	9/0.14	8.5	114.13	140 Ω/km
ANM07.004.35.026AB	UL20233	300V	35X26AWG	9/0.14	8.5	115.13	140 Ω/km
ANM07.004.36.026AB	UL20233	300V	36X26AWG	9/0.14	8.5	115.93	140 Ω/km
ANM07.004.37.026AB	UL20233	300V	37X26AWG	9/0.14	8.5	116.83	140 Ω/km
ANM07.004.38.026AB	UL20233	300V	38X26AWG	9/0.14	8.8	123.73	140 Ω/km
ANM07.004.39.026AB	UL20233	300V	39X26AWG	9/0.14	8.8	124.63	140 Ω/km





ANM07.004.40.026AB	UL20233	300V	40X26AWG	9/0.14	8.8	125.63	140 Ω /km
ANM07.004.41.026AB	UL20233	300V	41X26AWG	9/0.14	9.4	139.33	140 Ω /km
ANM07.004.42.026AB	UL20233	300V	42X26AWG	9/0.14	9.4	140.23	140 Ω /km
ANM07.004.43.026AB	UL20233	300V	43X26AWG	9/0.14	9.4	141.23	140 Ω /km
ANM07.004.44.026AB	UL20233	300V	44X26AWG	9/0.14	9.4	142.03	140 Ω /km
ANM07.004.45.026AB	UL20233	300V	45X26AWG	9/0.14	9.6	147.33	140 Ω /km
ANM07.004.46.026AB	UL20233	300V	46X26AWG	9/0.14	9.6	148.23	140 Ω /km
ANM07.004.47.026AB	UL20233	300V	47X26AWG	9/0.14	9.6	149.13	140 Ω /km
ANM07.004.48.026AB	UL20233	300V	48X26AWG	9/0.14	9.6	150.03	140 Ω /km
ANM07.004.49.026AB	UL20233	300V	49X26AWG	9/0.14	9.8	155.43	140 Ω /km
ANM07.004.50.026AB	UL20233	300V	50X26AWG	9/0.14	9.8	156.43	140 Ω /km
ANM07.004.51.026AB	UL20233	300V	51X26AWG	9/0.14	9.8	157.33	140 Ω /km
ANM07.004.52.026AB	UL20233	300V	52X26AWG	9/0.14	9.8	158.13	140 Ω /km
ANM07.004.53.026AB	UL20233	300V	53X26AWG	9/0.14	10.1	166.23	140 Ω /km
ANM07.004.54.026AB	UL20233	300V	54X26AWG	9/0.14	10.1	167.13	140 Ω /km
ANM07.004.55.026AB	UL20233	300V	55X26AWG	9/0.14	10.1	167.93	140 Ω /km
ANM07.004.56.026AB	UL20233	300V	56X26AWG	9/0.14	10.1	168.83	140 Ω /km
ANM07.004.57.026AB	UL20233	300V	57X26AWG	9/0.14	10.3	174.53	140 Ω /km
ANM07.004.58.026AB	UL20233	300V	58X26AWG	9/0.14	10.3	175.43	140 Ω /km
ANM07.004.59.026AB	UL20233	300V	59X26AWG	9/0.14	10.3	176.33	140 Ω /km
ANM07.004.60.026AB	UL20233	300V	60X26AWG	9/0.14	10.3	177.13	140 Ω /km
ANM07.004.61.026AB	UL20233	300V	61X26AWG	9/0.14	10.3	178.03	140 Ω /km
ANM07.004.62.026AB	UL20233	300V	62X26AWG	9/0.14	11.2	201.93	140 Ω /km
ANM07.004.63.026AB	UL20233	300V	63X26AWG	9/0.14	11.2	202.73	140 Ω /km
ANM07.004.64.026AB	UL20233	300V	64X26AWG	9/0.14	11.2	203.63	140 Ω /km
ANM07.004.65.026AB	UL20233	300V	65X26AWG	9/0.14	11.2	204.53	140 Ω /km
ANM07.004.02.025AB	UL20233	300V	2X25AWG	11/0.14	3.8	18.67	111 Ω /km
ANM07.004.03.025AB	UL20233	300V	3X25AWG	11/0.14	4	21.47	111 Ω /km
ANM07.004.04.025AB	UL20233	300V	4X25AWG	11/0.14	4.3	25.47	111 Ω /km
ANM07.004.05.025AB	UL20233	300V	5X25AWG	11/0.14	4.5	28.57	111 Ω /km
ANM07.004.06.025AB	UL20233	300V	6X25AWG	11/0.14	4.8	32.77	111 Ω /km
ANM07.004.07.025AB	UL20233	300V	7X25AWG	11/0.14	4.8	33.87	111 Ω /km
ANM07.004.08.025AB	UL20233	300V	8X25AWG	11/0.14	5.1	38.37	111 Ω /km
ANM07.004.09.025AB	UL20233	300V	9X25AWG	11/0.14	5.5	44.47	111 Ω /km
ANM07.004.10.025AB	UL20233	300V	10X25AWG	11/0.14	5.8	49.37	111 Ω /km
ANM07.004.11.025AB	UL20233	300V	11X25AWG	11/0.14	6	53.27	111 Ω /km
ANM07.004.12.025AB	UL20233	300V	12X25AWG	11/0.14	6	54.27	111 Ω /km
ANM07.004.13.025AB	UL20233	300V	13X25AWG	11/0.14	6.3	59.57	111 Ω /km
ANM07.004.14.025AB	UL20233	300V	14X25AWG	11/0.14	6.3	60.67	111 Ω /km
ANM07.004.15.025AB	UL20233	300V	15X25AWG	11/0.14	6.5	64.77	111 Ω /km
ANM07.004.16.025AB	UL20233	300V	16X25AWG	11/0.14	6.5	65.87	111 Ω /km



ANM07.004.17.025AB	UL20233	300V	17X25AWG	11/0.14	6.8	71.57	111 Ω /km
ANM07.004.18.025AB	UL20233	300V	18X25AWG	11/0.14	6.8	72.77	111 Ω /km
ANM07.004.19.025AB	UL20233	300V	19X25AWG	11/0.14	6.8	73.87	111 Ω /km
ANM07.004.20.025AB	UL20233	300V	20X25AWG	11/0.14	7	77.97	111 Ω /km
ANM07.004.21.025AB	UL20233	300V	21X25AWG	11/0.14	7.1	80.77	111 Ω /km
ANM07.004.22.025AB	UL20233	300V	22X25AWG	11/0.14	7.5	88.67	111 Ω /km
ANM07.004.23.025AB	UL20233	300V	23X25AWG	11/0.14	7.8	95.17	111 Ω /km
ANM07.004.24.025AB	UL20233	300V	24X25AWG	11/0.14	7.8	96.17	111 Ω /km
ANM07.004.25.025AB	UL20233	300V	25X25AWG	11/0.14	8.4	108.87	111 Ω /km
ANM07.004.26.025AB	UL20233	300V	26X25AWG	11/0.14	8.4	109.87	111 Ω /km
ANM07.004.27.025AB	UL20233	300V	27X25AWG	11/0.14	8.4	110.87	111 Ω /km
ANM07.004.28.025AB	UL20233	300V	28X25AWG	11/0.14	8.7	118.07	111 Ω /km
ANM07.004.29.025AB	UL20233	300V	29X25AWG	11/0.14	8.7	119.17	111 Ω /km
ANM07.004.30.025AB	UL20233	300V	30X25AWG	11/0.14	8.7	120.27	111 Ω /km
ANM07.004.31.025AB	UL20233	300V	31X25AWG	11/0.14	8.9	125.37	111 Ω /km
ANM07.004.32.025AB	UL20233	300V	32X25AWG	11/0.14	8.9	126.57	111 Ω /km
ANM07.004.33.025AB	UL20233	300V	33X25AWG	11/0.14	8.9	127.67	111 Ω /km
ANM07.004.34.025AB	UL20233	300V	34X25AWG	11/0.14	9.2	134.97	111 Ω /km
ANM07.004.35.025AB	UL20233	300V	35X25AWG	11/0.14	9.2	136.07	111 Ω /km
ANM07.004.36.025AB	UL20233	300V	36X25AWG	11/0.14	9.2	137.17	111 Ω /km
ANM07.004.37.025AB	UL20233	300V	37X25AWG	11/0.14	9.2	138.27	111 Ω /km
ANM07.004.38.025AB	UL20233	300V	38X25AWG	11/0.14	9.5	145.97	111 Ω /km
ANM07.004.39.025AB	UL20233	300V	39X25AWG	11/0.14	9.5	147.07	111 Ω /km
ANM07.004.40.025AB	UL20233	300V	40X25AWG	11/0.14	9.5	148.17	111 Ω /km
ANM07.004.41.025AB	UL20233	300V	41X25AWG	11/0.14	10.2	165.47	111 Ω /km
ANM07.004.42.025AB	UL20233	300V	42X25AWG	11/0.14	10.2	166.57	111 Ω /km
ANM07.004.43.025AB	UL20233	300V	43X25AWG	11/0.14	10.2	167.67	111 Ω /km
ANM07.004.44.025AB	UL20233	300V	44X25AWG	11/0.14	10.2	168.77	111 Ω /km
ANM07.004.45.025AB	UL20233	300V	45X25AWG	11/0.14	11	189.97	111 Ω /km
ANM07.004.46.025AB	UL20233	300V	46X25AWG	11/0.14	11	191.07	111 Ω /km
ANM07.004.47.025AB	UL20233	300V	47X25AWG	11/0.14	11	192.07	111 Ω /km
ANM07.004.48.025AB	UL20233	300V	48X25AWG	11/0.14	11	193.07	111 Ω /km
ANM07.004.49.025AB	UL20233	300V	49X25AWG	11/0.14	11.3	202.07	111 Ω /km
ANM07.004.50.025AB	UL20233	300V	50X25AWG	11/0.14	11.3	203.27	111 Ω /km
ANM07.004.51.025AB	UL20233	300V	51X25AWG	11/0.14	11.3	204.27	111 Ω /km
ANM07.004.52.025AB	UL20233	300V	52X25AWG	11/0.14	11.3	205.37	111 Ω /km
ANM07.004.53.025AB	UL20233	300V	53X25AWG	11/0.14	11.5	211.87	111 Ω /km
ANM07.004.54.025AB	UL20233	300V	54X25AWG	11/0.14	11.5	212.87	111 Ω /km
ANM07.004.55.025AB	UL20233	300V	55X25AWG	11/0.14	11.5	213.87	111 Ω /km
ANM07.004.56.025AB	UL20233	300V	56X25AWG	11/0.14	11.5	214.97	111 Ω /km
ANM07.004.57.025AB	UL20233	300V	57X25AWG	11/0.14	11.8	224.47	111 Ω /km



ANM07.004.58.025AB	UL20233	300V	58X25AWG	11/0.14	11.8	225.47	111 Ω/km
ANM07.004.59.025AB	UL20233	300V	59X25AWG	11/0.14	11.8	226.57	111 Ω/km
ANM07.004.60.025AB	UL20233	300V	60X25AWG	11/0.14	11.8	227.57	111 Ω/km
ANM07.004.61.025AB	UL20233	300V	61X25AWG	11/0.14	11.8	228.67	111 Ω/km
ANM07.004.62.025AB	UL20233	300V	62X25AWG	11/0.14	12.1	238.17	111 Ω/km
ANM07.004.63.025AB	UL20233	300V	63X25AWG	11/0.14	12.1	239.27	111 Ω/km
ANM07.004.64.025AB	UL20233	300V	64X25AWG	11/0.14	12.1	240.47	111 Ω/km
ANM07.004.65.025AB	UL20233	300V	65X25AWG	11/0.14	12.1	241.47	111 Ω/km
ANM07.004.02.024AB	UL20233	300V	2X24AWG	14/0.14	3.8	19.51	87.6 Ω/km
ANM07.004.03.024AB	UL20233	300V	3X24AWG	14/0.14	4	22.81	87.6 Ω/km
ANM07.004.04.024AB	UL20233	300V	4X24AWG	14/0.14	4.3	27.11	87.6 Ω/km
ANM07.004.05.024AB	UL20233	300V	5X24AWG	14/0.14	4.5	30.61	87.6 Ω/km
ANM07.004.06.024AB	UL20233	300V	6X24AWG	14/0.14	4.8	35.31	87.6 Ω/km
ANM07.004.07.024AB	UL20233	300V	7X24AWG	14/0.14	4.8	36.81	87.6 Ω/km
ANM07.004.08.024AB	UL20233	300V	8X24AWG	14/0.14	5.1	41.61	87.6 Ω/km
ANM07.004.09.024AB	UL20233	300V	9X24AWG	14/0.14	5.5	48.21	87.6 Ω/km
ANM07.004.10.024AB	UL20233	300V	10X24AWG	14/0.14	5.8	53.51	87.6 Ω/km
ANM07.004.11.024AB	UL20233	300V	11X24AWG	14/0.14	6	57.71	87.6 Ω/km
ANM07.004.12.024AB	UL20233	300V	12X24AWG	14/0.14	6	59.21	87.6 Ω/km
ANM07.004.13.024AB	UL20233	300V	13X24AWG	14/0.14	6.3	64.91	87.6 Ω/km
ANM07.004.14.024AB	UL20233	300V	14X24AWG	14/0.14	6.3	66.41	87.6 Ω/km
ANM07.004.15.024AB	UL20233	300V	15X24AWG	14/0.14	6.5	70.91	87.6 Ω/km
ANM07.004.16.024AB	UL20233	300V	16X24AWG	14/0.14	6.5	72.41	87.6 Ω/km
ANM07.004.17.024AB	UL20233	300V	17X24AWG	14/0.14	6.8	78.51	87.6 Ω/km
ANM07.004.18.024AB	UL20233	300V	18X24AWG	14/0.14	6.8	80.11	87.6 Ω/km
ANM07.004.19.024AB	UL20233	300V	19X24AWG	14/0.14	6.8	81.61	87.6 Ω/km
ANM07.004.20.024AB	UL20233	300V	20X24AWG	14/0.14	7	86.11	87.6 Ω/km
ANM07.004.21.024AB	UL20233	300V	21X24AWG	14/0.14	7.1	89.41	87.6 Ω/km
ANM07.004.22.024AB	UL20233	300V	22X24AWG	14/0.14	7.5	97.61	87.6 Ω/km
ANM07.004.23.024AB	UL20233	300V	23X24AWG	14/0.14	7.8	104.51	87.6 Ω/km
ANM07.004.24.024AB	UL20233	300V	24X24AWG	14/0.14	7.8	106.01	87.6 Ω/km
ANM07.004.25.024AB	UL20233	300V	25X24AWG	14/0.14	8.4	119.01	87.6 Ω/km
ANM07.004.26.024AB	UL20233	300V	26X24AWG	14/0.14	8.4	120.41	87.6 Ω/km
ANM07.004.27.024AB	UL20233	300V	27X24AWG	14/0.14	8.4	121.91	87.6 Ω/km
ANM07.004.28.024AB	UL20233	300V	28X24AWG	14/0.14	8.7	129.51	87.6 Ω/km
ANM07.004.29.024AB	UL20233	300V	29X24AWG	14/0.14	8.7	130.91	87.6 Ω/km
ANM07.004.30.024AB	UL20233	300V	30X24AWG	14/0.14	8.7	132.51	87.6 Ω/km
ANM07.004.31.024AB	UL20233	300V	31X24AWG	14/0.14	8.9	138.01	87.6 Ω/km
ANM07.004.32.024AB	UL20233	300V	32X24AWG	14/0.14	8.9	139.51	87.6 Ω/km
ANM07.004.33.024AB	UL20233	300V	33X24AWG	14/0.14	8.9	141.11	87.6 Ω/km
ANM07.004.34.024AB	UL20233	300V	34X24AWG	14/0.14	9.2	148.81	87.6 Ω/km



ANM07.004.35.024AB	UL20233	300V	35X24AWG	14/0.14	9.2	150.31	87.6Ω/km
ANM07.004.36.024AB	UL20233	300V	36X24AWG	14/0.14	9.2	151.81	87.6Ω/km
ANM07.004.37.024AB	UL20233	300V	37X24AWG	14/0.14	9.2	153.31	87.6Ω/km
ANM07.004.38.024AB	UL20233	300V	38X24AWG	14/0.14	9.5	161.41	87.6Ω/km
ANM07.004.39.024AB	UL20233	300V	39X24AWG	14/0.14	9.5	162.91	87.6Ω/km
ANM07.004.40.024AB	UL20233	300V	40X24AWG	14/0.14	9.5	164.41	87.6Ω/km
ANM07.004.41.024AB	UL20233	300V	41X24AWG	14/0.14	10.2	182.11	87.6Ω/km
ANM07.004.42.024AB	UL20233	300V	42X24AWG	14/0.14	10.2	183.71	87.6Ω/km
ANM07.004.43.024AB	UL20233	300V	43X24AWG	14/0.14	10.2	185.11	87.6Ω/km
ANM07.004.44.024AB	UL20233	300V	44X24AWG	14/0.14	10.2	186.61	87.6Ω/km
ANM07.004.45.024AB	UL20233	300V	45X24AWG	14/0.14	11	208.31	87.6Ω/km
ANM07.004.46.024AB	UL20233	300V	46X24AWG	14/0.14	11	209.71	87.6Ω/km
ANM07.004.47.024AB	UL20233	300V	47X24AWG	14/0.14	11	211.11	87.6Ω/km
ANM07.004.48.024AB	UL20233	300V	48X24AWG	14/0.14	11	212.61	87.6Ω/km
ANM07.004.49.024AB	UL20233	300V	49X24AWG	14/0.14	11.3	222.01	87.6Ω/km
ANM07.004.50.024AB	UL20233	300V	50X24AWG	14/0.14	11.3	223.51	87.6Ω/km
ANM07.004.51.024AB	UL20233	300V	51X24AWG	14/0.14	11.3	225.01	87.6Ω/km
ANM07.004.52.024AB	UL20233	300V	52X24AWG	14/0.14	11.3	226.51	87.6Ω/km
ANM07.004.53.024AB	UL20233	300V	53X24AWG	14/0.14	11.5	233.41	87.6Ω/km
ANM07.004.54.024AB	UL20233	300V	54X24AWG	14/0.14	11.5	234.81	87.6Ω/km
ANM07.004.55.024AB	UL20233	300V	55X24AWG	14/0.14	11.5	236.21	87.6Ω/km
ANM07.004.56.024AB	UL20233	300V	56X24AWG	14/0.14	11.5	237.81	87.6Ω/km
ANM07.004.57.024AB	UL20233	300V	57X24AWG	14/0.14	11.8	247.61	87.6Ω/km
ANM07.004.58.024AB	UL20233	300V	58X24AWG	14/0.14	11.8	249.01	87.6Ω/km
ANM07.004.59.024AB	UL20233	300V	59X24AWG	14/0.14	11.8	250.61	87.6Ω/km
ANM07.004.60.024AB	UL20233	300V	60X24AWG	14/0.14	11.8	252.01	87.6Ω/km
ANM07.004.61.024AB	UL20233	300V	61X24AWG	14/0.14	11.8	253.41	87.6Ω/km
ANM07.004.62.024AB	UL20233	300V	62X24AWG	14/0.14	12.1	263.41	87.6Ω/km
ANM07.004.63.024AB	UL20233	300V	63X24AWG	14/0.14	12.1	264.91	87.6Ω/km
ANM07.004.64.024AB	UL20233	300V	64X24AWG	14/0.14	12.1	266.41	87.6Ω/km
ANM07.004.65.024AB	UL20233	300V	65X24AWG	14/0.14	12.1	267.91	87.6Ω/km
ANM07.004.02.023AB	UL20233	300V	2X23AWG	17/0.14	4.4	25.76	69.2Ω/km
ANM07.004.03.023AB	UL20233	300V	3X23AWG	17/0.14	4.7	30.76	69.2Ω/km
ANM07.004.04.023AB	UL20233	300V	4X23AWG	17/0.14	5	35.96	69.2Ω/km
ANM07.004.05.023AB	UL20233	300V	5X23AWG	17/0.14	5.4	42.66	69.2Ω/km
ANM07.004.06.023AB	UL20233	300V	6X23AWG	17/0.14	5.7	48.26	69.2Ω/km
ANM07.004.07.023AB	UL20233	300V	7X23AWG	17/0.14	5.7	50.16	69.2Ω/km
ANM07.004.08.023AB	UL20233	300V	8X23AWG	17/0.14	6.1	57.46	69.2Ω/km
ANM07.004.09.023AB	UL20233	300V	9X23AWG	17/0.14	6.7	68.06	69.2Ω/km
ANM07.004.10.023AB	UL20233	300V	10X23AWG	17/0.14	7	74.86	69.2Ω/km
ANM07.004.11.023AB	UL20233	300V	11X23AWG	17/0.14	7.3	81.66	69.2Ω/km



ANM07.004.12.023AB	UL20233	300V	12X23AWG	17/0.14	7.3	83.46	69.2 Ω/km
ANM07.004.13.023AB	UL20233	300V	13X23AWG	17/0.14	7.6	90.46	69.2 Ω/km
ANM07.004.14.023AB	UL20233	300V	14X23AWG	17/0.14	7.6	92.36	69.2 Ω/km
ANM07.004.15.023AB	UL20233	300V	15X23AWG	17/0.14	8.4	109.26	69.2 Ω/km
ANM07.004.16.023AB	UL20233	300V	16X23AWG	17/0.14	8.4	111.06	69.2 Ω/km
ANM07.004.17.023AB	UL20233	300V	17X23AWG	17/0.14	8.7	118.96	69.2 Ω/km
ANM07.004.18.023AB	UL20233	300V	18X23AWG	17/0.14	8.7	120.76	69.2 Ω/km
ANM07.004.19.023AB	UL20233	300V	19X23AWG	17/0.14	8.7	122.66	69.2 Ω/km
ANM07.004.20.023AB	UL20233	300V	20X23AWG	17/0.14	9	130.66	69.2 Ω/km
ANM07.004.21.023AB	UL20233	300V	21X23AWG	17/0.14	9.1	134.66	69.2 Ω/km
ANM07.004.22.023AB	UL20233	300V	22X23AWG	17/0.14	9.7	149.76	69.2 Ω/km
ANM07.004.23.023AB	UL20233	300V	23X23AWG	17/0.14	10	158.46	69.2 Ω/km
ANM07.004.24.023AB	UL20233	300V	24X23AWG	17/0.14	10	160.46	69.2 Ω/km
ANM07.004.25.023AB	UL20233	300V	25X23AWG	17/0.14	10.3	169.36	69.2 Ω/km
ANM07.004.26.023AB	UL20233	300V	26X23AWG	17/0.14	10.3	171.16	69.2 Ω/km
ANM07.004.27.023AB	UL20233	300V	27X23AWG	17/0.14	10.3	172.96	69.2 Ω/km
ANM07.004.28.023AB	UL20233	300V	28X23AWG	17/0.14	11.2	197.76	69.2 Ω/km
ANM07.004.29.023AB	UL20233	300V	29X23AWG	17/0.14	11.2	199.56	69.2 Ω/km
ANM07.004.30.023AB	UL20233	300V	30X23AWG	17/0.14	11.2	201.46	69.2 Ω/km
ANM07.004.31.023AB	UL20233	300V	31X23AWG	17/0.14	11.6	214.06	69.2 Ω/km
ANM07.004.32.023AB	UL20233	300V	32X23AWG	17/0.14	11.6	215.76	69.2 Ω/km
ANM07.004.33.023AB	UL20233	300V	33X23AWG	17/0.14	11.6	217.76	69.2 Ω/km
ANM07.004.34.023AB	UL20233	300V	34X23AWG	17/0.14	11.9	227.86	69.2 Ω/km
ANM07.004.35.023AB	UL20233	300V	35X23AWG	17/0.14	11.9	229.66	69.2 Ω/km
ANM07.004.36.023AB	UL20233	300V	36X23AWG	17/0.14	11.9	231.46	69.2 Ω/km
ANM07.004.37.023AB	UL20233	300V	37X23AWG	17/0.14	11.9	233.26	69.2 Ω/km
ANM07.004.38.023AB	UL20233	300V	38X23AWG	17/0.14	12.3	246.66	69.2 Ω/km
ANM07.004.39.023AB	UL20233	300V	39X23AWG	17/0.14	12.3	248.36	69.2 Ω/km
ANM07.004.40.023AB	UL20233	300V	40X23AWG	17/0.14	12.3	250.26	69.2 Ω/km
ANM07.004.41.023AB	UL20233	300V	41X23AWG	17/0.14	13.3	282.26	69.2 Ω/km
ANM07.004.42.023AB	UL20233	300V	42X23AWG	17/0.14	13.3	284.16	69.2 Ω/km
ANM07.004.43.023AB	UL20233	300V	43X23AWG	17/0.14	13.3	285.96	69.2 Ω/km
ANM07.004.44.023AB	UL20233	300V	44X23AWG	17/0.14	13.3	287.86	69.2 Ω/km
ANM07.004.45.023AB	UL20233	300V	45X23AWG	17/0.14	13.6	299.16	69.2 Ω/km
ANM07.004.46.023AB	UL20233	300V	46X23AWG	17/0.14	13.6	300.96	69.2 Ω/km
ANM07.004.47.023AB	UL20233	300V	47X23AWG	17/0.14	13.6	302.76	69.2 Ω/km
ANM07.004.48.023AB	UL20233	300V	48X23AWG	17/0.14	13.6	304.66	69.2 Ω/km
ANM07.004.49.023AB	UL20233	300V	49X23AWG	17/0.14	13.9	316.26	69.2 Ω/km
ANM07.004.50.023AB	UL20233	300V	50X23AWG	17/0.14	13.9	318.06	69.2 Ω/km
ANM07.004.51.023AB	UL20233	300V	51X23AWG	17/0.14	13.9	319.86	69.2 Ω/km
ANM07.004.52.023AB	UL20233	300V	52X23AWG	17/0.14	13.9	321.76	69.2 Ω/km



ANM07.004.53.023AB	UL20233	300V	53X23AWG	17/0.14	14.3	337.06	69.2 Ω/km
ANM07.004.54.023AB	UL20233	300V	54X23AWG	17/0.14	14.3	338.76	69.2 Ω/km
ANM07.004.55.023AB	UL20233	300V	55X23AWG	17/0.14	14.3	340.56	69.2 Ω/km
ANM07.004.56.023AB	UL20233	300V	56X23AWG	17/0.14	14.3	342.46	69.2 Ω/km
ANM07.004.57.023AB	UL20233	300V	57X23AWG	17/0.14	14.6	354.56	69.2 Ω/km
ANM07.004.58.023AB	UL20233	300V	58X23AWG	17/0.14	14.6	356.46	69.2 Ω/km
ANM07.004.59.023AB	UL20233	300V	59X23AWG	17/0.14	14.6	358.16	69.2 Ω/km
ANM07.004.60.023AB	UL20233	300V	60X23AWG	17/0.14	14.6	360.06	69.2 Ω/km
ANM07.004.61.023AB	UL20233	300V	61X23AWG	17/0.14	14.6	361.76	69.2 Ω/km
ANM07.004.62.023AB	UL20233	300V	62X23AWG	17/0.14	15	377.76	69.2 Ω/km
ANM07.004.63.023AB	UL20233	300V	63X23AWG	17/0.14	15	379.56	69.2 Ω/km
ANM07.004.64.023AB	UL20233	300V	64X23AWG	17/0.14	15	381.36	69.2 Ω/km
ANM07.004.65.023AB	UL20233	300V	65X23AWG	17/0.14	15	383.26	69.2 Ω/km
ANM07.004.02.022AB	UL20233	300V	2X22AWG	22/0.14	4.6	28.93	55.4 Ω/km
ANM07.004.03.022AB	UL20233	300V	3X22AWG	22/0.14	4.9	34.33	55.4 Ω/km
ANM07.004.04.022AB	UL20233	300V	4X22AWG	22/0.14	5.2	40.13	55.4 Ω/km
ANM07.004.05.022AB	UL20233	300V	5X22AWG	22/0.14	5.6	47.33	55.4 Ω/km
ANM07.004.06.022AB	UL20233	300V	6X22AWG	22/0.14	6	54.93	55.4 Ω/km
ANM07.004.07.022AB	UL20233	300V	7X22AWG	22/0.14	6	57.23	55.4 Ω/km
ANM07.004.08.022AB	UL20233	300V	8X22AWG	22/0.14	6.5	66.83	55.4 Ω/km
ANM07.004.09.022AB	UL20233	300V	9X22AWG	22/0.14	7	76.93	55.4 Ω/km
ANM07.004.10.022AB	UL20233	300V	10X22AWG	22/0.14	7.4	85.93	55.4 Ω/km
ANM07.004.11.022AB	UL20233	300V	11X22AWG	22/0.14	7.7	93.53	55.4 Ω/km
ANM07.004.12.022AB	UL20233	300V	12X22AWG	22/0.14	7.7	95.73	55.4 Ω/km
ANM07.004.13.022AB	UL20233	300V	13X22AWG	22/0.14	8.4	111.33	55.4 Ω/km
ANM07.004.14.022AB	UL20233	300V	14X22AWG	22/0.14	8.4	113.43	55.4 Ω/km
ANM07.004.15.022AB	UL20233	300V	15X22AWG	22/0.14	8.8	123.83	55.4 Ω/km
ANM07.004.16.022AB	UL20233	300V	16X22AWG	22/0.14	8.8	126.13	55.4 Ω/km
ANM07.004.17.022AB	UL20233	300V	17X22AWG	22/0.14	9.2	136.83	55.4 Ω/km
ANM07.004.18.022AB	UL20233	300V	18X22AWG	22/0.14	9.2	139.13	55.4 Ω/km
ANM07.004.19.022AB	UL20233	300V	19X22AWG	22/0.14	9.2	141.33	55.4 Ω/km
ANM07.004.20.022AB	UL20233	300V	20X22AWG	22/0.14	9.5	150.23	55.4 Ω/km
ANM07.004.21.022AB	UL20233	300V	21X22AWG	22/0.14	9.7	157.03	55.4 Ω/km
ANM07.004.22.022AB	UL20233	300V	22X22AWG	22/0.14	10.2	170.93	55.4 Ω/km
ANM07.004.23.022AB	UL20233	300V	23X22AWG	22/0.14	11.2	198.63	55.4 Ω/km
ANM07.004.24.022AB	UL20233	300V	24X22AWG	22/0.14	11.2	200.83	55.4 Ω/km
ANM07.004.25.022AB	UL20233	300V	25X22AWG	22/0.14	11.5	211.13	55.4 Ω/km
ANM07.004.26.022AB	UL20233	300V	26X22AWG	22/0.14	11.5	213.33	55.4 Ω/km
ANM07.004.27.022AB	UL20233	300V	27X22AWG	22/0.14	11.5	215.63	55.4 Ω/km
ANM07.004.28.022AB	UL20233	300V	28X22AWG	22/0.14	11.8	226.03	55.4 Ω/km
ANM07.004.29.022AB	UL20233	300V	29X22AWG	22/0.14	11.8	228.43	55.4 Ω/km



ANM07.004.30.022AB	UL20233	300V	30X22AWG	22/0.14	11.8	230.63	55.4 Ω/km
ANM07.004.31.022AB	UL20233	300V	31X22AWG	22/0.14	12.2	244.23	55.4 Ω/km
ANM07.004.32.022AB	UL20233	300V	32X22AWG	22/0.14	12.2	246.63	55.4 Ω/km
ANM07.004.33.022AB	UL20233	300V	33X22AWG	22/0.14	12.2	248.73	55.4 Ω/km
ANM07.004.34.022AB	UL20233	300V	34X22AWG	22/0.14	12.6	262.83	55.4 Ω/km
ANM07.004.35.022AB	UL20233	300V	35X22AWG	22/0.14	12.6	265.03	55.4 Ω/km
ANM07.004.36.022AB	UL20233	300V	36X22AWG	22/0.14	12.6	267.33	55.4 Ω/km
ANM07.004.37.022AB	UL20233	300V	37X22AWG	22/0.14	12.6	269.53	55.4 Ω/km
ANM07.004.38.022AB	UL20233	300V	38X22AWG	22/0.14	13.2	290.23	55.4 Ω/km
ANM07.004.39.022AB	UL20233	300V	39X22AWG	22/0.14	13.2	292.43	55.4 Ω/km
ANM07.004.40.022AB	UL20233	300V	40X22AWG	22/0.14	13.2	294.63	55.4 Ω/km
ANM07.004.41.022AB	UL20233	300V	41X22AWG	22/0.14	14.1	326.03	55.4 Ω/km
ANM07.004.42.022AB	UL20233	300V	42X22AWG	22/0.14	14.1	328.23	55.4 Ω/km
ANM07.004.43.022AB	UL20233	300V	43X22AWG	22/0.14	14.1	330.63	55.4 Ω/km
ANM07.004.44.022AB	UL20233	300V	44X22AWG	22/0.14	14.1	332.73	55.4 Ω/km
ANM07.004.45.022AB	UL20233	300V	45X22AWG	22/0.14	14.4	345.23	55.4 Ω/km
ANM07.004.46.022AB	UL20233	300V	46X22AWG	22/0.14	14.4	347.53	55.4 Ω/km
ANM07.004.47.022AB	UL20233	300V	47X22AWG	22/0.14	14.4	349.63	55.4 Ω/km
ANM07.004.48.022AB	UL20233	300V	48X22AWG	22/0.14	14.4	352.03	55.4 Ω/km
ANM07.004.49.022AB	UL20233	300V	49X22AWG	22/0.14	14.7	364.63	55.4 Ω/km
ANM07.004.50.022AB	UL20233	300V	50X22AWG	22/0.14	14.7	366.83	55.4 Ω/km
ANM07.004.51.022AB	UL20233	300V	51X22AWG	22/0.14	14.7	369.03	55.4 Ω/km
ANM07.004.52.022AB	UL20233	300V	52X22AWG	22/0.14	14.7	371.33	55.4 Ω/km
ANM07.004.53.022AB	UL20233	300V	53X22AWG	22/0.14	15.1	387.83	55.4 Ω/km
ANM07.004.54.022AB	UL20233	300V	54X22AWG	22/0.14	15.1	390.03	55.4 Ω/km
ANM07.004.55.022AB	UL20233	300V	55X22AWG	22/0.14	15.1	392.33	55.4 Ω/km
ANM07.004.56.022AB	UL20233	300V	56X22AWG	22/0.14	15.1	394.53	55.4 Ω/km
ANM07.004.57.022AB	UL20233	300V	57X22AWG	22/0.14	15.5	411.33	55.4 Ω/km
ANM07.004.58.022AB	UL20233	300V	58X22AWG	22/0.14	15.5	413.43	55.4 Ω/km
ANM07.004.59.022AB	UL20233	300V	59X22AWG	22/0.14	15.5	415.83	55.4 Ω/km
ANM07.004.60.022AB	UL20233	300V	60X22AWG	22/0.14	15.5	418.03	55.4 Ω/km
ANM07.004.61.022AB	UL20233	300V	61X22AWG	22/0.14	15.5	420.23	55.4 Ω/km
ANM07.004.62.022AB	UL20233	300V	62X22AWG	22/0.14	16	441.43	55.4 Ω/km
ANM07.004.63.022AB	UL20233	300V	63X22AWG	22/0.14	16	443.53	55.4 Ω/km
ANM07.004.64.022AB	UL20233	300V	64X22AWG	22/0.14	16	445.83	55.4 Ω/km
ANM07.004.65.022AB	UL20233	300V	65X22AWG	22/0.14	16	448.03	55.4 Ω/km
ANM07.004.02.021AB	UL20233	300V	2X21AWG	27/0.14	4.8	32.32	43.6 Ω/km
ANM07.004.03.021AB	UL20233	300V	3X21AWG	27/0.14	5.1	38.62	43.6 Ω/km
ANM07.004.04.021AB	UL20233	300V	4X21AWG	27/0.14	5.5	46.52	43.6 Ω/km
ANM07.004.05.021AB	UL20233	300V	5X21AWG	27/0.14	5.9	54.62	43.6 Ω/km
ANM07.004.06.021AB	UL20233	300V	6X21AWG	27/0.14	6.3	63.12	43.6 Ω/km



ANM07.004.07.021AB	UL20233	300V	7X21AWG	27/0.14	6.3	66.02	43.6Ω/km
ANM07.004.08.021AB	UL20233	300V	8X21AWG	27/0.14	6.8	76.52	43.6Ω/km
ANM07.004.09.021AB	UL20233	300V	9X21AWG	27/0.14	7.4	89.32	43.6Ω/km
ANM07.004.10.021AB	UL20233	300V	10X21AWG	27/0.14	7.8	99.32	43.6Ω/km
ANM07.004.11.021AB	UL20233	300V	11X21AWG	27/0.14	8.5	115.72	43.6Ω/km
ANM07.004.12.021AB	UL20233	300V	12X21AWG	27/0.14	8.5	118.62	43.6Ω/km
ANM07.004.13.021AB	UL20233	300V	13X21AWG	27/0.14	8.9	129.72	43.6Ω/km
ANM07.004.14.021AB	UL20233	300V	14X21AWG	27/0.14	8.9	132.52	43.6Ω/km
ANM07.004.15.021AB	UL20233	300V	15X21AWG	27/0.14	9.3	144.02	43.6Ω/km
ANM07.004.16.021AB	UL20233	300V	16X21AWG	27/0.14	9.3	146.82	43.6Ω/km
ANM07.004.17.021AB	UL20233	300V	17X21AWG	27/0.14	9.7	158.62	43.6Ω/km
ANM07.004.18.021AB	UL20233	300V	18X21AWG	27/0.14	9.7	161.52	43.6Ω/km
ANM07.004.19.021AB	UL20233	300V	19X21AWG	27/0.14	9.7	164.52	43.6Ω/km
ANM07.004.20.021AB	UL20233	300V	20X21AWG	27/0.14	10	174.32	43.6Ω/km
ANM07.004.21.021AB	UL20233	300V	21X21AWG	27/0.14	10.2	181.92	43.6Ω/km
ANM07.004.22.021AB	UL20233	300V	22X21AWG	27/0.14	11.4	215.42	43.6Ω/km
ANM07.004.23.021AB	UL20233	300V	23X21AWG	27/0.14	11.8	229.22	43.6Ω/km
ANM07.004.24.021AB	UL20233	300V	24X21AWG	27/0.14	11.8	232.12	43.6Ω/km
ANM07.004.25.021AB	UL20233	300V	25X21AWG	27/0.14	12.1	243.52	43.6Ω/km
ANM07.004.26.021AB	UL20233	300V	26X21AWG	27/0.14	12.1	246.42	43.6Ω/km
ANM07.004.27.021AB	UL20233	300V	27X21AWG	27/0.14	12.1	249.22	43.6Ω/km
ANM07.004.28.021AB	UL20233	300V	28X21AWG	27/0.14	12.5	263.82	43.6Ω/km
ANM07.004.29.021AB	UL20233	300V	29X21AWG	27/0.14	12.5	266.72	43.6Ω/km
ANM07.004.30.021AB	UL20233	300V	30X21AWG	27/0.14	12.5	269.62	43.6Ω/km
ANM07.004.31.021AB	UL20233	300V	31X21AWG	27/0.14	13	287.42	43.6Ω/km
ANM07.004.32.021AB	UL20233	300V	32X21AWG	27/0.14	13	290.32	43.6Ω/km
ANM07.004.33.021AB	UL20233	300V	33X21AWG	27/0.14	13	293.22	43.6Ω/km
ANM07.004.34.021AB	UL20233	300V	34X21AWG	27/0.14	13.4	308.62	43.6Ω/km
ANM07.004.35.021AB	UL20233	300V	35X21AWG	27/0.14	13.4	311.52	43.6Ω/km
ANM07.004.36.021AB	UL20233	300V	36X21AWG	27/0.14	13.4	314.42	43.6Ω/km
ANM07.004.37.021AB	UL20233	300V	37X21AWG	27/0.14	13.4	317.32	43.6Ω/km
ANM07.004.38.021AB	UL20233	300V	38X21AWG	27/0.14	13.9	336.32	43.6Ω/km
ANM07.004.39.021AB	UL20233	300V	39X21AWG	27/0.14	13.9	339.22	43.6Ω/km
ANM07.004.40.021AB	UL20233	300V	40X21AWG	27/0.14	13.9	342.02	43.6Ω/km
ANM07.004.41.021AB	UL20233	300V	41X21AWG	27/0.14	14.9	379.22	43.6Ω/km
ANM07.004.42.021AB	UL20233	300V	42X21AWG	27/0.14	14.9	382.02	43.6Ω/km
ANM07.004.43.021AB	UL20233	300V	43X21AWG	27/0.14	14.9	384.92	43.6Ω/km
ANM07.004.44.021AB	UL20233	300V	44X21AWG	27/0.14	14.9	387.82	43.6Ω/km
ANM07.004.45.021AB	UL20233	300V	45X21AWG	27/0.14	15.2	401.42	43.6Ω/km
ANM07.004.46.021AB	UL20233	300V	46X21AWG	27/0.14	15.2	404.22	43.6Ω/km
ANM07.004.47.021AB	UL20233	300V	47X21AWG	27/0.14	15.2	407.12	43.6Ω/km





ANM07.004.48.021AB	UL20233	300V	48X21AWG	27/0.14	15.2	409.92	43.6Ω/km
ANM07.004.49.021AB	UL20233	300V	49X21AWG	27/0.14	15.6	427.52	43.6Ω/km
ANM07.004.50.021AB	UL20233	300V	50X21AWG	27/0.14	15.6	430.42	43.6Ω/km
ANM07.004.51.021AB	UL20233	300V	51X21AWG	27/0.14	15.6	433.32	43.6Ω/km
ANM07.004.52.021AB	UL20233	300V	52X21AWG	27/0.14	15.6	436.12	43.6Ω/km
ANM07.004.53.021AB	UL20233	300V	53X21AWG	27/0.14	16	454.12	43.6Ω/km
ANM07.004.54.021AB	UL20233	300V	54X21AWG	27/0.14	16	456.92	43.6Ω/km
ANM07.004.55.021AB	UL20233	300V	55X21AWG	27/0.14	16	459.92	43.6Ω/km
ANM07.004.56.021AB	UL20233	300V	56X21AWG	27/0.14	16	462.72	43.6Ω/km
ANM07.004.57.021AB	UL20233	300V	57X21AWG	27/0.14	16.4	481.12	43.6Ω/km
ANM07.004.58.021AB	UL20233	300V	58X21AWG	27/0.14	16.4	483.92	43.6Ω/km
ANM07.004.59.021AB	UL20233	300V	59X21AWG	27/0.14	16.4	486.82	43.6Ω/km
ANM07.004.60.021AB	UL20233	300V	60X21AWG	27/0.14	16.4	489.72	43.6Ω/km
ANM07.004.61.021AB	UL20233	300V	61X21AWG	27/0.14	16.4	492.52	43.6Ω/km
ANM07.004.62.021AB	UL20233	300V	62X21AWG	27/0.14	16.9	515.22	43.6Ω/km
ANM07.004.63.021AB	UL20233	300V	63X21AWG	27/0.14	16.9	518.02	43.6Ω/km
ANM07.004.64.021AB	UL20233	300V	64X21AWG	27/0.14	16.9	520.92	43.6Ω/km
ANM07.004.65.021AB	UL20233	300V	65X21AWG	27/0.14	16.9	523.82	43.6Ω/km
ANM07.004.02.020AB	UL20233	300V	2X20AWG	34/0.14	5.4	41.02	34.6Ω/km
ANM07.004.03.020AB	UL20233	300V	3X20AWG	34/0.14	5.7	48.42	34.6Ω/km
ANM07.004.04.020AB	UL20233	300V	4X20AWG	34/0.14	6.2	59.12	34.6Ω/km
ANM07.004.05.020AB	UL20233	300V	5X20AWG	34/0.14	6.7	70.12	34.6Ω/km
ANM07.004.06.020AB	UL20233	300V	6X20AWG	34/0.14	7.2	82.02	34.6Ω/km
ANM07.004.07.020AB	UL20233	300V	7X20AWG	34/0.14	7.2	85.52	34.6Ω/km
ANM07.004.08.020AB	UL20233	300V	8X20AWG	34/0.14	7.8	99.82	34.6Ω/km
ANM07.004.09.020AB	UL20233	300V	9X20AWG	34/0.14	8.9	125.12	34.6Ω/km
ANM07.004.10.020AB	UL20233	300V	10X20AWG	34/0.14	9.4	139.52	34.6Ω/km
ANM07.004.11.020AB	UL20233	300V	11X20AWG	34/0.14	9.7	149.92	34.6Ω/km
ANM07.004.12.020AB	UL20233	300V	12X20AWG	34/0.14	9.7	153.52	34.6Ω/km
ANM07.004.13.020AB	UL20233	300V	13X20AWG	34/0.14	10.2	168.82	34.6Ω/km
ANM07.004.14.020AB	UL20233	300V	14X20AWG	34/0.14	10.2	172.52	34.6Ω/km
ANM07.004.15.020AB	UL20233	300V	15X20AWG	34/0.14	11.3	204.12	34.6Ω/km
ANM07.004.16.020AB	UL20233	300V	16X20AWG	34/0.14	11.3	207.82	34.6Ω/km
ANM07.004.17.020AB	UL20233	300V	17X20AWG	34/0.14	11.8	225.12	34.6Ω/km
ANM07.004.18.020AB	UL20233	300V	18X20AWG	34/0.14	11.8	228.72	34.6Ω/km
ANM07.004.19.020AB	UL20233	300V	19X20AWG	34/0.14	11.8	232.42	34.6Ω/km
ANM07.004.20.020AB	UL20233	300V	20X20AWG	34/0.14	12.1	244.42	34.6Ω/km
ANM07.004.21.020AB	UL20233	300V	21X20AWG	34/0.14	12.4	256.82	34.6Ω/km
ANM07.004.22.020AB	UL20233	300V	22X20AWG	34/0.14	13.2	284.72	34.6Ω/km
ANM07.004.23.020AB	UL20233	300V	23X20AWG	34/0.14	13.7	304.32	34.6Ω/km
ANM07.004.24.020AB	UL20233	300V	24X20AWG	34/0.14	13.7	307.92	34.6Ω/km



ANM07.004.25.020AB	UL20233	300V	25X20AWG	34/0.14	14	321.52	34.6Ω/km
ANM07.004.26.020AB	UL20233	300V	26X20AWG	34/0.14	14	325.02	34.6Ω/km
ANM07.004.27.020AB	UL20233	300V	27X20AWG	34/0.14	14	328.62	34.6Ω/km
ANM07.004.28.020AB	UL20233	300V	28X20AWG	34/0.14	14.5	349.22	34.6Ω/km
ANM07.004.29.020AB	UL20233	300V	29X20AWG	34/0.14	14.5	352.92	34.6Ω/km
ANM07.004.30.020AB	UL20233	300V	30X20AWG	34/0.14	14.5	356.52	34.6Ω/km
ANM07.004.31.020AB	UL20233	300V	31X20AWG	34/0.14	15	377.62	34.6Ω/km
ANM07.004.32.020AB	UL20233	300V	32X20AWG	34/0.14	15	381.22	34.6Ω/km
ANM07.004.33.020AB	UL20233	300V	33X20AWG	34/0.14	15	384.92	34.6Ω/km
ANM07.004.34.020AB	UL20233	300V	34X20AWG	34/0.14	15.5	406.72	34.6Ω/km
ANM07.004.35.020AB	UL20233	300V	35X20AWG	34/0.14	15.5	410.32	34.6Ω/km
ANM07.004.36.020AB	UL20233	300V	36X20AWG	34/0.14	15.5	413.92	34.6Ω/km
ANM07.004.37.020AB	UL20233	300V	37X20AWG	34/0.14	15.5	417.52	34.6Ω/km
ANM07.004.38.020AB	UL20233	300V	38X20AWG	34/0.14	16.1	443.92	34.6Ω/km
ANM07.004.39.020AB	UL20233	300V	39X20AWG	34/0.14	16.1	447.42	34.6Ω/km
ANM07.004.40.020AB	UL20233	300V	40X20AWG	34/0.14	16.1	451.12	34.6Ω/km
ANM07.004.41.020AB	UL20233	300V	41X20AWG	34/0.14	17.3	502.42	34.6Ω/km
ANM07.004.42.020AB	UL20233	300V	42X20AWG	34/0.14	17.3	506.12	34.6Ω/km
ANM07.004.43.020AB	UL20233	300V	43X20AWG	34/0.14	17.3	509.72	34.6Ω/km
ANM07.004.44.020AB	UL20233	300V	44X20AWG	34/0.14	17.3	513.42	34.6Ω/km
ANM07.004.45.020AB	UL20233	300V	45X20AWG	34/0.14	17.6	529.42	34.6Ω/km
ANM07.004.46.020AB	UL20233	300V	46X20AWG	34/0.14	17.6	533.12	34.6Ω/km
ANM07.004.47.020AB	UL20233	300V	47X20AWG	34/0.14	17.6	536.72	34.6Ω/km
ANM07.004.48.020AB	UL20233	300V	48X20AWG	34/0.14	17.6	540.42	34.6Ω/km
ANM07.004.49.020AB	UL20233	300V	49X20AWG	34/0.14	18.1	565.22	34.6Ω/km
ANM07.004.50.020AB	UL20233	300V	50X20AWG	34/0.14	18.1	568.92	34.6Ω/km
ANM07.004.51.020AB	UL20233	300V	51X20AWG	34/0.14	18.1	572.62	34.6Ω/km
ANM07.004.52.020AB	UL20233	300V	52X20AWG	34/0.14	18.1	576.22	34.6Ω/km
ANM07.004.53.020AB	UL20233	300V	53X20AWG	34/0.14	18.6	601.82	34.6Ω/km
ANM07.004.54.020AB	UL20233	300V	54X20AWG	34/0.14	18.6	605.32	34.6Ω/km
ANM07.004.55.020AB	UL20233	300V	55X20AWG	34/0.14	18.6	609.02	34.6Ω/km
ANM07.004.56.020AB	UL20233	300V	56X20AWG	34/0.14	18.6	612.52	34.6Ω/km
ANM07.004.57.020AB	UL20233	300V	57X20AWG	34/0.14	19.1	638.72	34.6Ω/km
ANM07.004.58.020AB	UL20233	300V	58X20AWG	34/0.14	19.1	642.22	34.6Ω/km
ANM07.004.59.020AB	UL20233	300V	59X20AWG	34/0.14	19.1	645.92	34.6Ω/km
ANM07.004.60.020AB	UL20233	300V	60X20AWG	34/0.14	19.1	649.52	34.6Ω/km
ANM07.004.61.020AB	UL20233	300V	61X20AWG	34/0.14	19.1	653.22	34.6Ω/km
ANM07.004.62.020AB	UL20233	300V	62X20AWG	34/0.14	20.7	732.52	34.6Ω/km
ANM07.004.63.020AB	UL20233	300V	63X20AWG	34/0.14	20.7	736.12	34.6Ω/km
ANM07.004.64.020AB	UL20233	300V	64X20AWG	34/0.14	20.7	739.72	34.6Ω/km
ANM07.004.65.020AB	UL20233	300V	65X20AWG	34/0.14	20.7	743.42	34.6Ω/km



ANM07.004.02.019AB	UL20233	300V	2X19AWG	43/0.14	5.6	45.76	27.4 Ω/km
ANM07.004.03.019AB	UL20233	300V	3X19AWG	43/0.14	5.9	54.36	27.4 Ω/km
ANM07.004.04.019AB	UL20233	300V	4X19AWG	43/0.14	6.4	66.26	27.4 Ω/km
ANM07.004.05.019AB	UL20233	300V	5X19AWG	43/0.14	7	80.16	27.4 Ω/km
ANM07.004.06.019AB	UL20233	300V	6X19AWG	43/0.14	7.5	93.36	27.4 Ω/km
ANM07.004.07.019AB	UL20233	300V	7X19AWG	43/0.14	7.5	97.86	27.4 Ω/km
ANM07.004.08.019AB	UL20233	300V	8X19AWG	43/0.14	8.5	121.46	27.4 Ω/km
ANM07.004.09.019AB	UL20233	300V	9X19AWG	43/0.14	9.3	142.76	27.4 Ω/km
ANM07.004.10.019AB	UL20233	300V	10X19AWG	43/0.14	9.8	158.76	27.4 Ω/km
ANM07.004.11.019AB	UL20233	300V	11X19AWG	43/0.14	10.1	170.36	27.4 Ω/km
ANM07.004.12.019AB	UL20233	300V	12X19AWG	43/0.14	10.1	175.06	27.4 Ω/km
ANM07.004.13.019AB	UL20233	300V	13X19AWG	43/0.14	11.2	207.26	27.4 Ω/km
ANM07.004.14.019AB	UL20233	300V	14X19AWG	43/0.14	11.2	211.96	27.4 Ω/km
ANM07.004.15.019AB	UL20233	300V	15X19AWG	43/0.14	11.8	232.86	27.4 Ω/km
ANM07.004.16.019AB	UL20233	300V	16X19AWG	43/0.14	11.8	237.56	27.4 Ω/km
ANM07.004.17.019AB	UL20233	300V	17X19AWG	43/0.14	12.3	256.46	27.4 Ω/km
ANM07.004.18.019AB	UL20233	300V	18X19AWG	43/0.14	12.3	261.16	27.4 Ω/km
ANM07.004.19.019AB	UL20233	300V	19X19AWG	43/0.14	12.3	265.76	27.4 Ω/km
ANM07.004.20.019AB	UL20233	300V	20X19AWG	43/0.14	12.6	279.26	27.4 Ω/km
ANM07.004.21.019AB	UL20233	300V	21X19AWG	43/0.14	13	295.86	27.4 Ω/km
ANM07.004.22.019AB	UL20233	300V	22X19AWG	43/0.14	13.8	326.06	27.4 Ω/km
ANM07.004.23.019AB	UL20233	300V	23X19AWG	43/0.14	14.3	347.26	27.4 Ω/km
ANM07.004.24.019AB	UL20233	300V	24X19AWG	43/0.14	14.3	351.96	27.4 Ω/km
ANM07.004.25.019AB	UL20233	300V	25X19AWG	43/0.14	14.6	366.86	27.4 Ω/km
ANM07.004.26.019AB	UL20233	300V	26X19AWG	43/0.14	14.6	371.56	27.4 Ω/km
ANM07.004.27.019AB	UL20233	300V	27X19AWG	43/0.14	14.6	376.06	27.4 Ω/km
ANM07.004.28.019AB	UL20233	300V	28X19AWG	43/0.14	15.1	398.46	27.4 Ω/km
ANM07.004.29.019AB	UL20233	300V	29X19AWG	43/0.14	15.1	403.06	27.4 Ω/km
ANM07.004.30.019AB	UL20233	300V	30X19AWG	43/0.14	15.1	407.66	27.4 Ω/km
ANM07.004.31.019AB	UL20233	300V	31X19AWG	43/0.14	15.7	434.36	27.4 Ω/km
ANM07.004.32.019AB	UL20233	300V	32X19AWG	43/0.14	15.7	438.96	27.4 Ω/km
ANM07.004.33.019AB	UL20233	300V	33X19AWG	43/0.14	15.7	443.56	27.4 Ω/km
ANM07.004.34.019AB	UL20233	300V	34X19AWG	43/0.14	16.2	467.16	27.4 Ω/km
ANM07.004.35.019AB	UL20233	300V	35X19AWG	43/0.14	16.2	471.66	27.4 Ω/km
ANM07.004.36.019AB	UL20233	300V	36X19AWG	43/0.14	16.2	476.46	27.4 Ω/km
ANM07.004.37.019AB	UL20233	300V	37X19AWG	43/0.14	16.2	480.96	27.4 Ω/km
ANM07.004.38.019AB	UL20233	300V	38X19AWG	43/0.14	16.8	509.26	27.4 Ω/km
ANM07.004.39.019AB	UL20233	300V	39X19AWG	43/0.14	16.8	513.76	27.4 Ω/km
ANM07.004.40.019AB	UL20233	300V	40X19AWG	43/0.14	16.8	518.56	27.4 Ω/km
ANM07.004.41.019AB	UL20233	300V	41X19AWG	43/0.14	18.1	577.16	27.4 Ω/km
ANM07.004.42.019AB	UL20233	300V	42X19AWG	43/0.14	18.1	581.76	27.4 Ω/km



ANM07.004.43.019AB	UL20233	300V	43X19AWG	43/0.14	18.1	586.46	27.4 Ω/km
ANM07.004.44.019AB	UL20233	300V	44X19AWG	43/0.14	18.1	591.06	27.4 Ω/km
ANM07.004.45.019AB	UL20233	300V	45X19AWG	43/0.14	18.4	608.76	27.4 Ω/km
ANM07.004.46.019AB	UL20233	300V	46X19AWG	43/0.14	18.4	613.36	27.4 Ω/km
ANM07.004.47.019AB	UL20233	300V	47X19AWG	43/0.14	18.4	617.96	27.4 Ω/km
ANM07.004.48.019AB	UL20233	300V	48X19AWG	43/0.14	18.4	622.66	27.4 Ω/km
ANM07.004.49.019AB	UL20233	300V	49X19AWG	43/0.14	18.9	649.56	27.4 Ω/km
ANM07.004.50.019AB	UL20233	300V	50X19AWG	43/0.14	18.9	654.26	27.4 Ω/km
ANM07.004.51.019AB	UL20233	300V	51X19AWG	43/0.14	18.9	658.76	27.4 Ω/km
ANM07.004.52.019AB	UL20233	300V	52X19AWG	43/0.14	18.9	663.56	27.4 Ω/km
ANM07.004.53.019AB	UL20233	300V	53X19AWG	43/0.14	20.5	743.06	27.4 Ω/km
ANM07.004.54.019AB	UL20233	300V	54X19AWG	43/0.14	20.5	747.56	27.4 Ω/km
ANM07.004.55.019AB	UL20233	300V	55X19AWG	43/0.14	20.5	752.36	27.4 Ω/km
ANM07.004.56.019AB	UL20233	300V	56X19AWG	43/0.14	20.5	756.86	27.4 Ω/km
ANM07.004.57.019AB	UL20233	300V	57X19AWG	43/0.14	21	786.36	27.4 Ω/km
ANM07.004.58.019AB	UL20233	300V	58X19AWG	43/0.14	21	790.86	27.4 Ω/km
ANM07.004.59.019AB	UL20233	300V	59X19AWG	43/0.14	21	795.56	27.4 Ω/km
ANM07.004.60.019AB	UL20233	300V	60X19AWG	43/0.14	21	800.16	27.4 Ω/km
ANM07.004.61.019AB	UL20233	300V	61X19AWG	43/0.14	21	804.76	27.4 Ω/km
ANM07.004.62.019AB	UL20233	300V	62X19AWG	43/0.14	21.6	839.86	27.4 Ω/km
ANM07.004.63.019AB	UL20233	300V	63X19AWG	43/0.14	21.6	844.56	27.4 Ω/km
ANM07.004.64.019AB	UL20233	300V	64X19AWG	43/0.14	21.6	849.16	27.4 Ω/km
ANM07.004.65.019AB	UL20233	300V	65X19AWG	43/0.14	21.6	853.76	27.4 Ω/km
ANM07.004.02.018AB	UL20233	300V	2X18AWG	29/0.19	5.8	51.23	21.8 Ω/km
ANM07.004.03.018AB	UL20233	300V	3X18AWG	29/0.19	6.2	62.63	21.8 Ω/km
ANM07.004.04.018AB	UL20233	300V	4X18AWG	29/0.19	6.7	76.23	21.8 Ω/km
ANM07.004.05.018AB	UL20233	300V	5X18AWG	29/0.19	7.2	90.33	21.8 Ω/km
ANM07.004.06.018AB	UL20233	300V	6X18AWG	29/0.19	7.8	106.73	21.8 Ω/km
ANM07.004.07.018AB	UL20233	300V	7X18AWG	29/0.19	7.8	112.83	21.8 Ω/km
ANM07.004.08.018AB	UL20233	300V	8X18AWG	29/0.19	8.8	138.33	21.8 Ω/km
ANM07.004.09.018AB	UL20233	300V	9X18AWG	29/0.19	9.6	161.53	21.8 Ω/km
ANM07.004.10.018AB	UL20233	300V	10X18AWG	29/0.19	10.2	181.63	21.8 Ω/km
ANM07.004.11.018AB	UL20233	300V	11X18AWG	29/0.19	11.2	212.93	21.8 Ω/km
ANM07.004.12.018AB	UL20233	300V	12X18AWG	29/0.19	11.2	218.73	21.8 Ω/km
ANM07.004.13.018AB	UL20233	300V	13X18AWG	29/0.19	11.7	238.33	21.8 Ω/km
ANM07.004.14.018AB	UL20233	300V	14X18AWG	29/0.19	11.7	244.23	21.8 Ω/km
ANM07.004.15.018AB	UL20233	300V	15X18AWG	29/0.19	12.2	264.33	21.8 Ω/km
ANM07.004.16.018AB	UL20233	300V	16X18AWG	29/0.19	12.2	270.43	21.8 Ω/km
ANM07.004.17.018AB	UL20233	300V	17X18AWG	29/0.19	12.8	294.03	21.8 Ω/km
ANM07.004.18.018AB	UL20233	300V	18X18AWG	29/0.19	12.8	300.03	21.8 Ω/km
ANM07.004.19.018AB	UL20233	300V	19X18AWG	29/0.19	12.8	306.13	21.8 Ω/km



ANM07.004.20.018AB	UL20233	300V	20X18AWG	29/0.19	13.3	327.43	21.8Ω/km
ANM07.004.21.018AB	UL20233	300V	21X18AWG	29/0.19	13.5	339.83	21.8Ω/km
ANM07.004.22.018AB	UL20233	300V	22X18AWG	29/0.19	14.3	372.23	21.8Ω/km
ANM07.004.23.018AB	UL20233	300V	23X18AWG	29/0.19	14.9	398.93	21.8Ω/km
ANM07.004.24.018AB	UL20233	300V	24X18AWG	29/0.19	14.9	404.83	21.8Ω/km
ANM07.004.25.018AB	UL20233	300V	25X18AWG	29/0.19	15.3	425.33	21.8Ω/km
ANM07.004.26.018AB	UL20233	300V	26X18AWG	29/0.19	15.3	431.13	21.8Ω/km
ANM07.004.27.018AB	UL20233	300V	27X18AWG	29/0.19	15.3	437.13	21.8Ω/km
ANM07.004.28.018AB	UL20233	300V	28X18AWG	29/0.19	15.8	461.53	21.8Ω/km
ANM07.004.29.018AB	UL20233	300V	29X18AWG	29/0.19	15.8	467.63	21.8Ω/km
ANM07.004.30.018AB	UL20233	300V	30X18AWG	29/0.19	15.8	473.63	21.8Ω/km
ANM07.004.31.018AB	UL20233	300V	31X18AWG	29/0.19	16.3	498.53	21.8Ω/km
ANM07.004.32.018AB	UL20233	300V	32X18AWG	29/0.19	16.3	504.53	21.8Ω/km
ANM07.004.33.018AB	UL20233	300V	33X18AWG	29/0.19	16.3	510.53	21.8Ω/km
ANM07.004.34.018AB	UL20233	300V	34X18AWG	29/0.19	16.9	540.13	21.8Ω/km
ANM07.004.35.018AB	UL20233	300V	35X18AWG	29/0.19	16.9	546.23	21.8Ω/km
ANM07.004.36.018AB	UL20233	300V	36X18AWG	29/0.19	16.9	552.13	21.8Ω/km
ANM07.004.37.018AB	UL20233	300V	37X18AWG	29/0.19	16.9	558.03	21.8Ω/km
ANM07.004.38.018AB	UL20233	300V	38X18AWG	29/0.19	17.5	588.63	21.8Ω/km
ANM07.004.39.018AB	UL20233	300V	39X18AWG	29/0.19	17.5	594.63	21.8Ω/km
ANM07.004.40.018AB	UL20233	300V	40X18AWG	29/0.19	17.5	600.53	21.8Ω/km
ANM07.004.41.018AB	UL20233	300V	41X18AWG	29/0.19	18.9	667.33	21.8Ω/km
ANM07.004.42.018AB	UL20233	300V	42X18AWG	29/0.19	18.9	673.23	21.8Ω/km
ANM07.004.43.018AB	UL20233	300V	43X18AWG	29/0.19	18.9	679.23	21.8Ω/km
ANM07.004.44.018AB	UL20233	300V	44X18AWG	29/0.19	18.9	685.23	21.8Ω/km
ANM07.004.45.018AB	UL20233	300V	45X18AWG	29/0.19	19.3	709.33	21.8Ω/km
ANM07.004.46.018AB	UL20233	300V	46X18AWG	29/0.19	19.3	715.23	21.8Ω/km
ANM07.004.47.018AB	UL20233	300V	47X18AWG	29/0.19	19.3	721.33	21.8Ω/km
ANM07.004.48.018AB	UL20233	300V	48X18AWG	29/0.19	19.3	727.13	21.8Ω/km
ANM07.004.49.018AB	UL20233	300V	49X18AWG	29/0.19	20.8	804.63	21.8Ω/km
ANM07.004.50.018AB	UL20233	300V	50X18AWG	29/0.19	20.8	810.73	21.8Ω/km
ANM07.004.51.018AB	UL20233	300V	51X18AWG	29/0.19	20.8	816.53	21.8Ω/km
ANM07.004.52.018AB	UL20233	300V	52X18AWG	29/0.19	20.8	822.53	21.8Ω/km
ANM07.004.53.018AB	UL20233	300V	53X18AWG	29/0.19	21.3	853.63	21.8Ω/km
ANM07.004.54.018AB	UL20233	300V	54X18AWG	29/0.19	21.3	859.53	21.8Ω/km
ANM07.004.55.018AB	UL20233	300V	55X18AWG	29/0.19	21.3	865.53	21.8Ω/km
ANM07.004.56.018AB	UL20233	300V	56X18AWG	29/0.19	21.3	871.33	21.8Ω/km
ANM07.004.57.018AB	UL20233	300V	57X18AWG	29/0.19	21.9	908.33	21.8Ω/km
ANM07.004.58.018AB	UL20233	300V	58X18AWG	29/0.19	21.9	914.33	21.8Ω/km
ANM07.004.59.018AB	UL20233	300V	59X18AWG	29/0.19	21.9	920.23	21.8Ω/km
ANM07.004.60.018AB	UL20233	300V	60X18AWG	29/0.19	21.9	926.23	21.8Ω/km



ANM07.004.61.018AB	UL20233	300V	61X18AWG	29/0.19	21.9	932.23	21.8 Ω/km
ANM07.004.62.018AB	UL20233	300V	62X18AWG	29/0.19	22.5	969.93	21.8 Ω/km
ANM07.004.63.018AB	UL20233	300V	63X18AWG	29/0.19	22.5	976.03	21.8 Ω/km
ANM07.004.64.018AB	UL20233	300V	64X18AWG	29/0.19	22.5	982.03	21.8 Ω/km
ANM07.004.65.018AB	UL20233	300V	65X18AWG	29/0.19	22.5	987.83	21.8 Ω/km
ANM07.004.02.017AB	UL20233	300V	2X17AWG	37/0.19	6.2	59.84	17.3 Ω/km
ANM07.004.03.017AB	UL20233	300V	3X17AWG	37/0.19	6.6	73.14	17.3 Ω/km
ANM07.004.04.017AB	UL20233	300V	4X17AWG	37/0.19	7.2	90.24	17.3 Ω/km
ANM07.004.05.017AB	UL20233	300V	5X17AWG	37/0.19	7.8	108.14	17.3 Ω/km
ANM07.004.06.017AB	UL20233	300V	6X17AWG	37/0.19	8.8	135.04	17.3 Ω/km
ANM07.004.07.017AB	UL20233	300V	7X17AWG	37/0.19	8.8	142.34	17.3 Ω/km
ANM07.004.08.017AB	UL20233	300V	8X17AWG	37/0.19	9.5	164.84	17.3 Ω/km
ANM07.004.09.017AB	UL20233	300V	9X17AWG	37/0.19	11	208.64	17.3 Ω/km
ANM07.004.10.017AB	UL20233	300V	10X17AWG	37/0.19	11.6	232.14	17.3 Ω/km
ANM07.004.11.017AB	UL20233	300V	11X17AWG	37/0.19	12	250.54	17.3 Ω/km
ANM07.004.12.017AB	UL20233	300V	12X17AWG	37/0.19	12	257.94	17.3 Ω/km
ANM07.004.13.017AB	UL20233	300V	13X17AWG	37/0.19	12.6	282.84	17.3 Ω/km
ANM07.004.14.017AB	UL20233	300V	14X17AWG	37/0.19	12.6	290.14	17.3 Ω/km
ANM07.004.15.017AB	UL20233	300V	15X17AWG	37/0.19	13.3	318.94	17.3 Ω/km
ANM07.004.16.017AB	UL20233	300V	16X17AWG	37/0.19	13.3	326.34	17.3 Ω/km
ANM07.004.17.017AB	UL20233	300V	17X17AWG	37/0.19	13.9	353.04	17.3 Ω/km
ANM07.004.18.017AB	UL20233	300V	18X17AWG	37/0.19	13.9	360.44	17.3 Ω/km
ANM07.004.19.017AB	UL20233	300V	19X17AWG	37/0.19	13.9	367.94	17.3 Ω/km
ANM07.004.20.017AB	UL20233	300V	20X17AWG	37/0.19	14.3	388.64	17.3 Ω/km
ANM07.004.21.017AB	UL20233	300V	21X17AWG	37/0.19	14.6	406.34	17.3 Ω/km
ANM07.004.22.017AB	UL20233	300V	22X17AWG	37/0.19	15.5	445.84	17.3 Ω/km
ANM07.004.23.017AB	UL20233	300V	23X17AWG	37/0.19	16.1	475.84	17.3 Ω/km
ANM07.004.24.017AB	UL20233	300V	24X17AWG	37/0.19	16.1	483.24	17.3 Ω/km
ANM07.004.25.017AB	UL20233	300V	25X17AWG	37/0.19	16.5	506.04	17.3 Ω/km
ANM07.004.26.017AB	UL20233	300V	26X17AWG	37/0.19	16.5	513.34	17.3 Ω/km
ANM07.004.27.017AB	UL20233	300V	27X17AWG	37/0.19	16.5	520.84	17.3 Ω/km
ANM07.004.28.017AB	UL20233	300V	28X17AWG	37/0.19	17.1	552.24	17.3 Ω/km
ANM07.004.29.017AB	UL20233	300V	29X17AWG	37/0.19	17.1	559.64	17.3 Ω/km
ANM07.004.30.017AB	UL20233	300V	30X17AWG	37/0.19	17.1	566.94	17.3 Ω/km
ANM07.004.31.017AB	UL20233	300V	31X17AWG	37/0.19	17.7	599.34	17.3 Ω/km
ANM07.004.32.017AB	UL20233	300V	32X17AWG	37/0.19	17.7	606.64	17.3 Ω/km
ANM07.004.33.017AB	UL20233	300V	33X17AWG	37/0.19	17.7	613.94	17.3 Ω/km
ANM07.004.34.017AB	UL20233	300V	34X17AWG	37/0.19	18.3	647.04	17.3 Ω/km
ANM07.004.35.017AB	UL20233	300V	35X17AWG	37/0.19	18.3	654.44	17.3 Ω/km
ANM07.004.36.017AB	UL20233	300V	36X17AWG	37/0.19	18.3	661.84	17.3 Ω/km
ANM07.004.37.017AB	UL20233	300V	37X17AWG	37/0.19	18.3	669.34	17.3 Ω/km



ANM07.004.38.017AB	UL20233	300V	38X17AWG	37/0.19	19	707.74	17.3 Ω/km
ANM07.004.39.017AB	UL20233	300V	39X17AWG	37/0.19	19	715.14	17.3 Ω/km
ANM07.004.40.017AB	UL20233	300V	40X17AWG	37/0.19	19	722.44	17.3 Ω/km
ANM07.004.41.017AB	UL20233	300V	41X17AWG	37/0.19	21.5	850.34	17.3 Ω/km
ANM07.004.42.017AB	UL20233	300V	42X17AWG	37/0.19	21.5	857.64	17.3 Ω/km
ANM07.004.43.017AB	UL20233	300V	43X17AWG	37/0.19	21.5	865.04	17.3 Ω/km
ANM07.004.44.017AB	UL20233	300V	44X17AWG	37/0.19	21.5	872.34	17.3 Ω/km
ANM07.004.45.017AB	UL20233	300V	45X17AWG	37/0.19	21.9	900.54	17.3 Ω/km
ANM07.004.46.017AB	UL20233	300V	46X17AWG	37/0.19	21.9	907.94	17.3 Ω/km
ANM07.004.47.017AB	UL20233	300V	47X17AWG	37/0.19	21.9	915.34	17.3 Ω/km
ANM07.004.48.017AB	UL20233	300V	48X17AWG	37/0.19	21.9	922.64	17.3 Ω/km
ANM07.004.49.017AB	UL20233	300V	49X17AWG	37/0.19	22.5	961.94	17.3 Ω/km
ANM07.004.50.017AB	UL20233	300V	50X17AWG	37/0.19	22.5	969.24	17.3 Ω/km
ANM07.004.51.017AB	UL20233	300V	51X17AWG	37/0.19	22.5	976.54	17.3 Ω/km
ANM07.004.52.017AB	UL20233	300V	52X17AWG	37/0.19	22.5	983.94	17.3 Ω/km
ANM07.004.53.017AB	UL20233	300V	53X17AWG	37/0.19	23.1	1024.04	17.3 Ω/km
ANM07.004.54.017AB	UL20233	300V	54X17AWG	37/0.19	23.1	1031.34	17.3 Ω/km
ANM07.004.55.017AB	UL20233	300V	55X17AWG	37/0.19	23.1	1038.84	17.3 Ω/km
ANM07.004.56.017AB	UL20233	300V	56X17AWG	37/0.19	23.1	1046.14	17.3 Ω/km
ANM07.004.57.017AB	UL20233	300V	57X17AWG	37/0.19	23.7	1087.04	17.3 Ω/km
ANM07.004.58.017AB	UL20233	300V	58X17AWG	37/0.19	23.7	1094.44	17.3 Ω/km
ANM07.004.59.017AB	UL20233	300V	59X17AWG	37/0.19	23.7	1101.74	17.3 Ω/km
ANM07.004.60.017AB	UL20233	300V	60X17AWG	37/0.19	23.7	1109.14	17.3 Ω/km
ANM07.004.61.017AB	UL20233	300V	61X17AWG	37/0.19	23.7	1116.44	17.3 Ω/km
ANM07.004.62.017AB	UL20233	300V	62X17AWG	37/0.19	24.4	1164.24	17.3 Ω/km
ANM07.004.63.017AB	UL20233	300V	63X17AWG	37/0.19	24.4	1171.54	17.3 Ω/km
ANM07.004.64.017AB	UL20233	300V	64X17AWG	37/0.19	24.4	1179.04	17.3 Ω/km
ANM07.004.65.017AB	UL20233	300V	65X17AWG	37/0.19	24.4	1186.34	17.3 Ω/km
ANM07.004.02.016AB	UL20233	300V	2X16AWG	27/0.25	6.4	67.51	13.7 Ω/km
ANM07.004.03.016AB	UL20233	300V	3X16AWG	27/0.25	6.8	83.21	13.7 Ω/km
ANM07.004.04.016AB	UL20233	300V	4X16AWG	27/0.25	7.4	102.71	13.7 Ω/km
ANM07.004.05.016AB	UL20233	300V	5X16AWG	27/0.25	8.5	132.91	13.7 Ω/km
ANM07.004.06.016AB	UL20233	300V	6X16AWG	27/0.25	9.1	154.81	13.7 Ω/km
ANM07.004.07.016AB	UL20233	300V	7X16AWG	27/0.25	9.1	164.41	13.7 Ω/km
ANM07.004.08.016AB	UL20233	300V	8X16AWG	27/0.25	9.8	189.61	13.7 Ω/km
ANM07.004.09.016AB	UL20233	300V	9X16AWG	27/0.25	11.4	239.21	13.7 Ω/km
ANM07.004.10.016AB	UL20233	300V	10X16AWG	27/0.25	12	265.31	13.7 Ω/km
ANM07.004.11.016AB	UL20233	300V	11X16AWG	27/0.25	12.4	286.51	13.7 Ω/km
ANM07.004.12.016AB	UL20233	300V	12X16AWG	27/0.25	12.4	296.11	13.7 Ω/km
ANM07.004.13.016AB	UL20233	300V	13X16AWG	27/0.25	13.1	326.81	13.7 Ω/km
ANM07.004.14.016AB	UL20233	300V	14X16AWG	27/0.25	13.1	336.41	13.7 Ω/km



ANM07.004.15.016AB	UL20233	300V	15X16AWG	27/0.25	13.8	368.31	13.7 Ω/km
ANM07.004.16.016AB	UL20233	300V	16X16AWG	27/0.25	13.8	377.91	13.7 Ω/km
ANM07.004.17.016AB	UL20233	300V	17X16AWG	27/0.25	14.4	407.51	13.7 Ω/km
ANM07.004.18.016AB	UL20233	300V	18X16AWG	27/0.25	14.4	417.11	13.7 Ω/km
ANM07.004.19.016AB	UL20233	300V	19X16AWG	27/0.25	14.4	426.71	13.7 Ω/km
ANM07.004.20.016AB	UL20233	300V	20X16AWG	27/0.25	14.8	450.11	13.7 Ω/km
ANM07.004.21.016AB	UL20233	300V	21X16AWG	27/0.25	15.1	470.41	13.7 Ω/km
ANM07.004.22.016AB	UL20233	300V	22X16AWG	27/0.25	16.1	517.01	13.7 Ω/km
ANM07.004.23.016AB	UL20233	300V	23X16AWG	27/0.25	16.7	550.11	13.7 Ω/km
ANM07.004.24.016AB	UL20233	300V	24X16AWG	27/0.25	16.7	559.71	13.7 Ω/km
ANM07.004.25.016AB	UL20233	300V	25X16AWG	27/0.25	17.1	585.21	13.7 Ω/km
ANM07.004.26.016AB	UL20233	300V	26X16AWG	27/0.25	17.1	594.81	13.7 Ω/km
ANM07.004.27.016AB	UL20233	300V	27X16AWG	27/0.25	17.1	604.31	13.7 Ω/km
ANM07.004.28.016AB	UL20233	300V	28X16AWG	27/0.25	17.7	638.91	13.7 Ω/km
ANM07.004.29.016AB	UL20233	300V	29X16AWG	27/0.25	17.7	648.41	13.7 Ω/km
ANM07.004.30.016AB	UL20233	300V	30X16AWG	27/0.25	17.7	658.01	13.7 Ω/km
ANM07.004.31.016AB	UL20233	300V	31X16AWG	27/0.25	18.4	697.61	13.7 Ω/km
ANM07.004.32.016AB	UL20233	300V	32X16AWG	27/0.25	18.4	707.11	13.7 Ω/km
ANM07.004.33.016AB	UL20233	300V	33X16AWG	27/0.25	18.4	716.71	13.7 Ω/km
ANM07.004.34.016AB	UL20233	300V	34X16AWG	27/0.25	19	753.01	13.7 Ω/km
ANM07.004.35.016AB	UL20233	300V	35X16AWG	27/0.25	19	762.61	13.7 Ω/km
ANM07.004.36.016AB	UL20233	300V	36X16AWG	27/0.25	19	772.21	13.7 Ω/km
ANM07.004.37.016AB	UL20233	300V	37X16AWG	27/0.25	19	781.71	13.7 Ω/km
ANM07.004.38.016AB	UL20233	300V	38X16AWG	27/0.25	20.7	871.61	13.7 Ω/km
ANM07.004.39.016AB	UL20233	300V	39X16AWG	27/0.25	20.7	881.11	13.7 Ω/km
ANM07.004.40.016AB	UL20233	300V	40X16AWG	27/0.25	20.7	890.71	13.7 Ω/km
ANM07.004.41.016AB	UL20233	300V	41X16AWG	27/0.25	22.3	982.51	13.7 Ω/km
ANM07.004.42.016AB	UL20233	300V	42X16AWG	27/0.25	22.3	992.01	13.7 Ω/km
ANM07.004.43.016AB	UL20233	300V	43X16AWG	27/0.25	22.3	1001.61	13.7 Ω/km
ANM07.004.44.016AB	UL20233	300V	44X16AWG	27/0.25	22.3	1011.11	13.7 Ω/km
ANM07.004.45.016AB	UL20233	300V	45X16AWG	27/0.25	22.7	1042.21	13.7 Ω/km
ANM07.004.46.016AB	UL20233	300V	46X16AWG	27/0.25	22.7	1051.71	13.7 Ω/km
ANM07.004.47.016AB	UL20233	300V	47X16AWG	27/0.25	22.7	1061.31	13.7 Ω/km
ANM07.004.48.016AB	UL20233	300V	48X16AWG	27/0.25	22.7	1070.91	13.7 Ω/km
ANM07.004.49.016AB	UL20233	300V	49X16AWG	27/0.25	23.3	1113.31	13.7 Ω/km
ANM07.004.50.016AB	UL20233	300V	50X16AWG	27/0.25	23.3	1122.91	13.7 Ω/km
ANM07.004.51.016AB	UL20233	300V	51X16AWG	27/0.25	23.3	1132.41	13.7 Ω/km
ANM07.004.52.016AB	UL20233	300V	52X16AWG	27/0.25	23.3	1142.01	13.7 Ω/km
ANM07.004.53.016AB	UL20233	300V	53X16AWG	27/0.25	24	1191.21	13.7 Ω/km
ANM07.004.54.016AB	UL20233	300V	54X16AWG	27/0.25	24	1200.71	13.7 Ω/km
ANM07.004.55.016AB	UL20233	300V	55X16AWG	27/0.25	24	1210.31	13.7 Ω/km





ANM07.004.56.016AB	UL20233	300V	56X16AWG	27/0.25	24	1219.81	13.7 Ω/km
ANM07.004.57.016AB	UL20233	300V	57X16AWG	27/0.25	24.6	1264.31	13.7 Ω/km
ANM07.004.58.016AB	UL20233	300V	58X16AWG	27/0.25	24.6	1273.81	13.7 Ω/km
ANM07.004.59.016AB	UL20233	300V	59X16AWG	27/0.25	24.6	1283.41	13.7 Ω/km
ANM07.004.60.016AB	UL20233	300V	60X16AWG	27/0.25	24.6	1293.01	13.7 Ω/km
ANM07.004.61.016AB	UL20233	300V	61X16AWG	27/0.25	24.6	1302.51	13.7 Ω/km
ANM07.004.62.016AB	UL20233	300V	62X16AWG	27/0.25	25.3	1353.91	13.7 Ω/km
ANM07.004.63.016AB	UL20233	300V	63X16AWG	27/0.25	25.3	1363.41	13.7 Ω/km
ANM07.004.64.016AB	UL20233	300V	64X16AWG	27/0.25	25.3	1373.01	13.7 Ω/km
ANM07.004.65.016AB	UL20233	300V	65X16AWG	27/0.25	25.3	1382.61	13.7 Ω/km
物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻 Ω/km
芯线 TPE 材质							
ANM07.001.02.028AB	UL20233	300V	2X28AWG	11/0.1	4.2	21.29	223 Ω/km
ANM07.001.03.028AB	UL20233	300V	3X28AWG	11/0.1	4.4	23.69	223 Ω/km
ANM07.001.04.028AB	UL20233	300V	4X28AWG	11/0.1	4.7	27.49	223 Ω/km
ANM07.001.05.028AB	UL20233	300V	5X28AWG	11/0.1	5.1	32.49	223 Ω/km
ANM07.001.06.028AB	UL20233	300V	6X28AWG	11/0.1	5.4	36.79	223 Ω/km
ANM07.001.07.028AB	UL20233	300V	7X28AWG	11/0.1	5.4	37.29	223 Ω/km
ANM07.001.08.028AB	UL20233	300V	8X28AWG	11/0.1	5.8	43.19	223 Ω/km
ANM07.001.09.028AB	UL20233	300V	9X28AWG	11/0.1	6.3	50.69	223 Ω/km
ANM07.001.10.028AB	UL20233	300V	10X28AWG	11/0.1	6.6	55.79	223 Ω/km
ANM07.001.11.028AB	UL20233	300V	11X28AWG	11/0.1	6.8	59.49	223 Ω/km
ANM07.001.12.028AB	UL20233	300V	12X28AWG	11/0.1	6.8	60.19	223 Ω/km
ANM07.001.13.028AB	UL20233	300V	13X28AWG	11/0.1	7.1	65.49	223 Ω/km
ANM07.001.14.028AB	UL20233	300V	14X28AWG	11/0.1	7.1	66.19	223 Ω/km
ANM07.001.15.028AB	UL20233	300V	15X28AWG	11/0.1	7.5	73.39	223 Ω/km
ANM07.001.16.028AB	UL20233	300V	16X28AWG	11/0.1	7.5	74.09	223 Ω/km
ANM07.001.17.028AB	UL20233	300V	17X28AWG	11/0.1	7.8	79.89	223 Ω/km
ANM07.001.18.028AB	UL20233	300V	18X28AWG	11/0.1	7.8	80.59	223 Ω/km
ANM07.001.19.028AB	UL20233	300V	19X28AWG	11/0.1	7.8	81.19	223 Ω/km
ANM07.001.20.028AB	UL20233	300V	20X28AWG	11/0.1	8.4	93.19	223 Ω/km
ANM07.001.21.028AB	UL20233	300V	21X28AWG	11/0.1	8.6	97.79	223 Ω/km
ANM07.001.22.028AB	UL20233	300V	22X28AWG	11/0.1	9.1	108.69	223 Ω/km
ANM07.001.23.028AB	UL20233	300V	23X28AWG	11/0.1	9.4	115.79	223 Ω/km
ANM07.001.24.028AB	UL20233	300V	24X28AWG	11/0.1	9.4	116.49	223 Ω/km
ANM07.001.25.028AB	UL20233	300V	25X28AWG	11/0.1	9.6	121.49	223 Ω/km
ANM07.001.26.028AB	UL20233	300V	26X28AWG	11/0.1	9.6	121.99	223 Ω/km
ANM07.001.27.028AB	UL20233	300V	27X28AWG	11/0.1	9.6	122.59	223 Ω/km
ANM07.001.28.028AB	UL20233	300V	28X28AWG	11/0.1	9.9	130.09	223 Ω/km
ANM07.001.29.028AB	UL20233	300V	29X28AWG	11/0.1	9.9	130.59	223 Ω/km
ANM07.001.30.028AB	UL20233	300V	30X28AWG	11/0.1	9.9	131.19	223 Ω/km



ANM07.001.31.028AB	UL20233	300V	31X28AWG	11/0.1	10.3	141.39	223 Ω /km
ANM07.001.32.028AB	UL20233	300V	32X28AWG	11/0.1	10.3	141.79	223 Ω /km
ANM07.001.33.028AB	UL20233	300V	33X28AWG	11/0.1	10.3	142.49	223 Ω /km
ANM07.001.34.028AB	UL20233	300V	34X28AWG	11/0.1	11.2	165.89	223 Ω /km
ANM07.001.35.028AB	UL20233	300V	35X28AWG	11/0.1	11.2	166.49	223 Ω /km
ANM07.001.36.028AB	UL20233	300V	36X28AWG	11/0.1	11.2	167.09	223 Ω /km
ANM07.001.37.028AB	UL20233	300V	37X28AWG	11/0.1	11.2	167.69	223 Ω /km
ANM07.001.38.028AB	UL20233	300V	38X28AWG	11/0.1	11.6	178.99	223 Ω /km
ANM07.001.39.028AB	UL20233	300V	39X28AWG	11/0.1	11.6	179.59	223 Ω /km
ANM07.001.40.028AB	UL20233	300V	40X28AWG	11/0.1	11.6	180.19	223 Ω /km
ANM07.001.41.028AB	UL20233	300V	41X28AWG	11/0.1	12.4	203.39	223 Ω /km
ANM07.001.42.028AB	UL20233	300V	42X28AWG	11/0.1	12.4	203.99	223 Ω /km
ANM07.001.43.028AB	UL20233	300V	43X28AWG	11/0.1	12.4	204.59	223 Ω /km
ANM07.001.44.028AB	UL20233	300V	44X28AWG	11/0.1	12.4	205.09	223 Ω /km
ANM07.001.45.028AB	UL20233	300V	45X28AWG	11/0.1	12.6	211.69	223 Ω /km
ANM07.001.46.028AB	UL20233	300V	46X28AWG	11/0.1	12.6	212.19	223 Ω /km
ANM07.001.47.028AB	UL20233	300V	47X28AWG	11/0.1	12.6	212.79	223 Ω /km
ANM07.001.48.028AB	UL20233	300V	48X28AWG	11/0.1	12.6	213.39	223 Ω /km
ANM07.001.49.028AB	UL20233	300V	49X28AWG	11/0.1	13	225.99	223 Ω /km
ANM07.001.50.028AB	UL20233	300V	50X28AWG	11/0.1	13	226.69	223 Ω /km
ANM07.001.51.028AB	UL20233	300V	51X28AWG	11/0.1	13	227.09	223 Ω /km
ANM07.001.52.028AB	UL20233	300V	52X28AWG	11/0.1	13	227.79	223 Ω /km
ANM07.001.53.028AB	UL20233	300V	53X28AWG	11/0.1	13.4	240.89	223 Ω /km
ANM07.001.54.028AB	UL20233	300V	54X28AWG	11/0.1	13.4	241.49	223 Ω /km
ANM07.001.55.028AB	UL20233	300V	55X28AWG	11/0.1	13.4	241.99	223 Ω /km
ANM07.001.56.028AB	UL20233	300V	56X28AWG	11/0.1	13.4	242.59	223 Ω /km
ANM07.001.57.028AB	UL20233	300V	57X28AWG	11/0.1	13.7	252.79	223 Ω /km
ANM07.001.58.028AB	UL20233	300V	58X28AWG	11/0.1	13.7	253.39	223 Ω /km
ANM07.001.59.028AB	UL20233	300V	59X28AWG	11/0.1	13.7	253.89	223 Ω /km
ANM07.001.60.028AB	UL20233	300V	60X28AWG	11/0.1	13.7	254.59	223 Ω /km
ANM07.001.61.028AB	UL20233	300V	61X28AWG	11/0.1	13.7	254.99	223 Ω /km
ANM07.001.62.028AB	UL20233	300V	62X28AWG	11/0.1	14.1	268.89	223 Ω /km
ANM07.001.63.028AB	UL20233	300V	63X28AWG	11/0.1	14.1	269.39	223 Ω /km
ANM07.001.64.028AB	UL20233	300V	64X28AWG	11/0.1	14.1	269.99	223 Ω /km
ANM07.001.65.028AB	UL20233	300V	65X28AWG	11/0.1	14.1	270.59	223 Ω /km
ANM07.001.02.027AB	UL20233	300V	2X27AWG	7/0.14	4.4	23.31	175 Ω /km
ANM07.001.03.027AB	UL20233	300V	3X27AWG	7/0.14	4.7	27.01	175 Ω /km
ANM07.001.04.027AB	UL20233	300V	4X27AWG	7/0.14	5	31.11	175 Ω /km
ANM07.001.05.027AB	UL20233	300V	5X27AWG	7/0.14	5.4	36.51	175 Ω /km
ANM07.001.06.027AB	UL20233	300V	6X27AWG	7/0.14	5.7	40.91	175 Ω /km
ANM07.001.07.027AB	UL20233	300V	7X27AWG	7/0.14	5.7	41.61	175 Ω /km



ANM07.001.08.027AB	UL20233	300V	8X27AWG	7/0.14	6.1	47.71	175 Ω /km
ANM07.001.09.027AB	UL20233	300V	9X27AWG	7/0.14	6.7	57.21	175 Ω /km
ANM07.001.10.027AB	UL20233	300V	10X27AWG	7/0.14	7	62.71	175 Ω /km
ANM07.001.11.027AB	UL20233	300V	11X27AWG	7/0.14	7.3	68.31	175 Ω /km
ANM07.001.12.027AB	UL20233	300V	12X27AWG	7/0.14	7.3	68.91	175 Ω /km
ANM07.001.13.027AB	UL20233	300V	13X27AWG	7/0.14	7.6	74.81	175 Ω /km
ANM07.001.14.027AB	UL20233	300V	14X27AWG	7/0.14	7.6	75.41	175 Ω /km
ANM07.001.15.027AB	UL20233	300V	15X27AWG	7/0.14	8.4	91.11	175 Ω /km
ANM07.001.16.027AB	UL20233	300V	16X27AWG	7/0.14	8.4	91.71	175 Ω /km
ANM07.001.17.027AB	UL20233	300V	17X27AWG	7/0.14	8.7	98.41	175 Ω /km
ANM07.001.18.027AB	UL20233	300V	18X27AWG	7/0.14	8.7	99.11	175 Ω /km
ANM07.001.19.027AB	UL20233	300V	19X27AWG	7/0.14	8.7	99.71	175 Ω /km
ANM07.001.20.027AB	UL20233	300V	20X27AWG	7/0.14	9	106.61	175 Ω /km
ANM07.001.21.027AB	UL20233	300V	21X27AWG	7/0.14	9.1	109.41	175 Ω /km
ANM07.001.22.027AB	UL20233	300V	22X27AWG	7/0.14	9.7	123.31	175 Ω /km
ANM07.001.23.027AB	UL20233	300V	23X27AWG	7/0.14	10	130.91	175 Ω /km
ANM07.001.24.027AB	UL20233	300V	24X27AWG	7/0.14	10	131.51	175 Ω /km
ANM07.001.25.027AB	UL20233	300V	25X27AWG	7/0.14	10.3	139.31	175 Ω /km
ANM07.001.26.027AB	UL20233	300V	26X27AWG	7/0.14	10.3	139.91	175 Ω /km
ANM07.001.27.027AB	UL20233	300V	27X27AWG	7/0.14	10.3	140.51	175 Ω /km
ANM07.001.28.027AB	UL20233	300V	28X27AWG	7/0.14	11.2	164.11	175 Ω /km
ANM07.001.29.027AB	UL20233	300V	29X27AWG	7/0.14	11.2	164.71	175 Ω /km
ANM07.001.30.027AB	UL20233	300V	30X27AWG	7/0.14	11.2	165.31	175 Ω /km
ANM07.001.31.027AB	UL20233	300V	31X27AWG	7/0.14	11.6	176.81	175 Ω /km
ANM07.001.32.027AB	UL20233	300V	32X27AWG	7/0.14	11.6	177.31	175 Ω /km
ANM07.001.33.027AB	UL20233	300V	33X27AWG	7/0.14	11.6	178.01	175 Ω /km
ANM07.001.34.027AB	UL20233	300V	34X27AWG	7/0.14	11.9	187.01	175 Ω /km
ANM07.001.35.027AB	UL20233	300V	35X27AWG	7/0.14	11.9	187.51	175 Ω /km
ANM07.001.36.027AB	UL20233	300V	36X27AWG	7/0.14	11.9	188.21	175 Ω /km
ANM07.001.37.027AB	UL20233	300V	37X27AWG	7/0.14	11.9	188.91	175 Ω /km
ANM07.001.38.027AB	UL20233	300V	38X27AWG	7/0.14	12.3	201.01	175 Ω /km
ANM07.001.39.027AB	UL20233	300V	39X27AWG	7/0.14	12.3	201.61	175 Ω /km
ANM07.001.40.027AB	UL20233	300V	40X27AWG	7/0.14	12.3	202.21	175 Ω /km
ANM07.001.41.027AB	UL20233	300V	41X27AWG	7/0.14	13.3	233.11	175 Ω /km
ANM07.001.42.027AB	UL20233	300V	42X27AWG	7/0.14	13.3	233.81	175 Ω /km
ANM07.001.43.027AB	UL20233	300V	43X27AWG	7/0.14	13.3	234.31	175 Ω /km
ANM07.001.44.027AB	UL20233	300V	44X27AWG	7/0.14	13.3	235.01	175 Ω /km
ANM07.001.45.027AB	UL20233	300V	45X27AWG	7/0.14	13.6	245.21	175 Ω /km
ANM07.001.46.027AB	UL20233	300V	46X27AWG	7/0.14	13.6	245.81	175 Ω /km
ANM07.001.47.027AB	UL20233	300V	47X27AWG	7/0.14	13.6	246.41	175 Ω /km
ANM07.001.48.027AB	UL20233	300V	48X27AWG	7/0.14	13.6	247.01	175 Ω /km



ANM07.001.49.027AB	UL20233	300V	49X27AWG	7/0.14	13.9	257.41	175 Ω /km
ANM07.001.50.027AB	UL20233	300V	50X27AWG	7/0.14	13.9	258.11	175 Ω /km
ANM07.001.51.027AB	UL20233	300V	51X27AWG	7/0.14	13.9	258.61	175 Ω /km
ANM07.001.52.027AB	UL20233	300V	52X27AWG	7/0.14	13.9	259.31	175 Ω /km
ANM07.001.53.027AB	UL20233	300V	53X27AWG	7/0.14	14.3	273.41	175 Ω /km
ANM07.001.54.027AB	UL20233	300V	54X27AWG	7/0.14	14.3	273.91	175 Ω /km
ANM07.001.55.027AB	UL20233	300V	55X27AWG	7/0.14	14.3	274.71	175 Ω /km
ANM07.001.56.027AB	UL20233	300V	56X27AWG	7/0.14	14.3	275.31	175 Ω /km
ANM07.001.57.027AB	UL20233	300V	57X27AWG	7/0.14	14.6	286.21	175 Ω /km
ANM07.001.58.027AB	UL20233	300V	58X27AWG	7/0.14	14.6	286.91	175 Ω /km
ANM07.001.59.027AB	UL20233	300V	59X27AWG	7/0.14	14.6	287.41	175 Ω /km
ANM07.001.60.027AB	UL20233	300V	60X27AWG	7/0.14	14.6	288.11	175 Ω /km
ANM07.001.61.027AB	UL20233	300V	61X27AWG	7/0.14	14.6	288.61	175 Ω /km
ANM07.001.62.027AB	UL20233	300V	62X27AWG	7/0.14	15	303.41	175 Ω /km
ANM07.001.63.027AB	UL20233	300V	63X27AWG	7/0.14	15	304.01	175 Ω /km
ANM07.001.64.027AB	UL20233	300V	64X27AWG	7/0.14	15	304.61	175 Ω /km
ANM07.001.65.027AB	UL20233	300V	65X27AWG	7/0.14	15	305.31	175 Ω /km
ANM07.001.02.026AB	UL20233	300V	2X26AWG	9/0.14	4.4	23.83	140 Ω /km
ANM07.001.03.026AB	UL20233	300V	3X26AWG	9/0.14	4.7	27.83	140 Ω /km
ANM07.001.04.026AB	UL20233	300V	4X26AWG	9/0.14	5	32.13	140 Ω /km
ANM07.001.05.026AB	UL20233	300V	5X26AWG	9/0.14	5.4	37.73	140 Ω /km
ANM07.001.06.026AB	UL20233	300V	6X26AWG	9/0.14	5.7	42.43	140 Ω /km
ANM07.001.07.026AB	UL20233	300V	7X26AWG	9/0.14	5.7	43.33	140 Ω /km
ANM07.001.08.026AB	UL20233	300V	8X26AWG	9/0.14	6.1	49.73	140 Ω /km
ANM07.001.09.026AB	UL20233	300V	9X26AWG	9/0.14	6.7	59.43	140 Ω /km
ANM07.001.10.026AB	UL20233	300V	10X26AWG	9/0.14	7	65.13	140 Ω /km
ANM07.001.11.026AB	UL20233	300V	11X26AWG	9/0.14	7.3	71.03	140 Ω /km
ANM07.001.12.026AB	UL20233	300V	12X26AWG	9/0.14	7.3	71.83	140 Ω /km
ANM07.001.13.026AB	UL20233	300V	13X26AWG	9/0.14	7.6	77.93	140 Ω /km
ANM07.001.14.026AB	UL20233	300V	14X26AWG	9/0.14	7.6	78.93	140 Ω /km
ANM07.001.15.026AB	UL20233	300V	15X26AWG	9/0.14	8.4	94.83	140 Ω /km
ANM07.001.16.026AB	UL20233	300V	16X26AWG	9/0.14	8.4	95.73	140 Ω /km
ANM07.001.17.026AB	UL20233	300V	17X26AWG	9/0.14	8.7	102.63	140 Ω /km
ANM07.001.18.026AB	UL20233	300V	18X26AWG	9/0.14	8.7	103.53	140 Ω /km
ANM07.001.19.026AB	UL20233	300V	19X26AWG	9/0.14	8.7	104.43	140 Ω /km
ANM07.001.20.026AB	UL20233	300V	20X26AWG	9/0.14	9	111.53	140 Ω /km
ANM07.001.21.026AB	UL20233	300V	21X26AWG	9/0.14	9.1	114.53	140 Ω /km
ANM07.001.22.026AB	UL20233	300V	22X26AWG	9/0.14	9.7	128.73	140 Ω /km
ANM07.001.23.026AB	UL20233	300V	23X26AWG	9/0.14	10	136.53	140 Ω /km
ANM07.001.24.026AB	UL20233	300V	24X26AWG	9/0.14	10	137.43	140 Ω /km
ANM07.001.25.026AB	UL20233	300V	25X26AWG	9/0.14	10.3	145.43	140 Ω /km



ANM07.001.26.026AB	UL20233	300V	26X26AWG	9/0.14	10.3	146.23	140 Ω /km
ANM07.001.27.026AB	UL20233	300V	27X26AWG	9/0.14	10.3	147.23	140 Ω /km
ANM07.001.28.026AB	UL20233	300V	28X26AWG	9/0.14	11.2	171.03	140 Ω /km
ANM07.001.29.026AB	UL20233	300V	29X26AWG	9/0.14	11.2	171.83	140 Ω /km
ANM07.001.30.026AB	UL20233	300V	30X26AWG	9/0.14	11.2	172.73	140 Ω /km
ANM07.001.31.026AB	UL20233	300V	31X26AWG	9/0.14	11.6	184.43	140 Ω /km
ANM07.001.32.026AB	UL20233	300V	32X26AWG	9/0.14	11.6	185.23	140 Ω /km
ANM07.001.33.026AB	UL20233	300V	33X26AWG	9/0.14	11.6	186.13	140 Ω /km
ANM07.001.34.026AB	UL20233	300V	34X26AWG	9/0.14	11.9	195.33	140 Ω /km
ANM07.001.35.026AB	UL20233	300V	35X26AWG	9/0.14	11.9	196.13	140 Ω /km
ANM07.001.36.026AB	UL20233	300V	36X26AWG	9/0.14	11.9	197.03	140 Ω /km
ANM07.001.37.026AB	UL20233	300V	37X26AWG	9/0.14	11.9	197.93	140 Ω /km
ANM07.001.38.026AB	UL20233	300V	38X26AWG	9/0.14	12.3	210.33	140 Ω /km
ANM07.001.39.026AB	UL20233	300V	39X26AWG	9/0.14	12.3	211.13	140 Ω /km
ANM07.001.40.026AB	UL20233	300V	40X26AWG	9/0.14	12.3	212.13	140 Ω /km
ANM07.001.41.026AB	UL20233	300V	41X26AWG	9/0.14	13.3	243.23	140 Ω /km
ANM07.001.42.026AB	UL20233	300V	42X26AWG	9/0.14	13.3	244.13	140 Ω /km
ANM07.001.43.026AB	UL20233	300V	43X26AWG	9/0.14	13.3	244.93	140 Ω /km
ANM07.001.44.026AB	UL20233	300V	44X26AWG	9/0.14	13.3	245.83	140 Ω /km
ANM07.001.45.026AB	UL20233	300V	45X26AWG	9/0.14	13.6	256.23	140 Ω /km
ANM07.001.46.026AB	UL20233	300V	46X26AWG	9/0.14	13.6	257.13	140 Ω /km
ANM07.001.47.026AB	UL20233	300V	47X26AWG	9/0.14	13.6	257.93	140 Ω /km
ANM07.001.48.026AB	UL20233	300V	48X26AWG	9/0.14	13.6	258.83	140 Ω /km
ANM07.001.49.026AB	UL20233	300V	49X26AWG	9/0.14	13.9	269.43	140 Ω /km
ANM07.001.50.026AB	UL20233	300V	50X26AWG	9/0.14	13.9	270.33	140 Ω /km
ANM07.001.51.026AB	UL20233	300V	51X26AWG	9/0.14	13.9	271.13	140 Ω /km
ANM07.001.52.026AB	UL20233	300V	52X26AWG	9/0.14	13.9	272.03	140 Ω /km
ANM07.001.53.026AB	UL20233	300V	53X26AWG	9/0.14	14.3	286.43	140 Ω /km
ANM07.001.54.026AB	UL20233	300V	54X26AWG	9/0.14	14.3	287.23	140 Ω /km
ANM07.001.55.026AB	UL20233	300V	55X26AWG	9/0.14	14.3	288.23	140 Ω /km
ANM07.001.56.026AB	UL20233	300V	56X26AWG	9/0.14	14.3	289.13	140 Ω /km
ANM07.001.57.026AB	UL20233	300V	57X26AWG	9/0.14	14.6	300.23	140 Ω /km
ANM07.001.58.026AB	UL20233	300V	58X26AWG	9/0.14	14.6	301.13	140 Ω /km
ANM07.001.59.026AB	UL20233	300V	59X26AWG	9/0.14	14.6	301.93	140 Ω /km
ANM07.001.60.026AB	UL20233	300V	60X26AWG	9/0.14	14.6	302.83	140 Ω /km
ANM07.001.61.026AB	UL20233	300V	61X26AWG	9/0.14	14.6	303.63	140 Ω /km
ANM07.001.62.026AB	UL20233	300V	62X26AWG	9/0.14	15	318.63	140 Ω /km
ANM07.001.63.026AB	UL20233	300V	63X26AWG	9/0.14	15	319.43	140 Ω /km
ANM07.001.64.026AB	UL20233	300V	64X26AWG	9/0.14	15	320.33	140 Ω /km
ANM07.001.65.026AB	UL20233	300V	65X26AWG	9/0.14	15	321.23	140 Ω /km
ANM07.001.02.025AB	UL20233	300V	2X25AWG	11/0.14	4.6	26.27	111 Ω /km



ANM07.001.03.025AB	UL20233	300V	3X25AWG	11/0.14	4.9	30.57	111 Ω /km
ANM07.001.04.025AB	UL20233	300V	4X25AWG	11/0.14	5.2	35.17	111 Ω /km
ANM07.001.05.025AB	UL20233	300V	5X25AWG	11/0.14	5.6	41.17	111 Ω /km
ANM07.001.06.025AB	UL20233	300V	6X25AWG	11/0.14	6	47.57	111 Ω /km
ANM07.001.07.025AB	UL20233	300V	7X25AWG	11/0.14	6	48.67	111 Ω /km
ANM07.001.08.025AB	UL20233	300V	8X25AWG	11/0.14	6.5	57.07	111 Ω /km
ANM07.001.09.025AB	UL20233	300V	9X25AWG	11/0.14	7	65.97	111 Ω /km
ANM07.001.10.025AB	UL20233	300V	10X25AWG	11/0.14	7.4	73.77	111 Ω /km
ANM07.001.11.025AB	UL20233	300V	11X25AWG	11/0.14	7.7	80.27	111 Ω /km
ANM07.001.12.025AB	UL20233	300V	12X25AWG	11/0.14	7.7	81.27	111 Ω /km
ANM07.001.13.025AB	UL20233	300V	13X25AWG	11/0.14	8.4	95.57	111 Ω /km
ANM07.001.14.025AB	UL20233	300V	14X25AWG	11/0.14	8.4	96.57	111 Ω /km
ANM07.001.15.025AB	UL20233	300V	15X25AWG	11/0.14	8.8	105.77	111 Ω /km
ANM07.001.16.025AB	UL20233	300V	16X25AWG	11/0.14	8.8	106.77	111 Ω /km
ANM07.001.17.025AB	UL20233	300V	17X25AWG	11/0.14	9.2	116.37	111 Ω /km
ANM07.001.18.025AB	UL20233	300V	18X25AWG	11/0.14	9.2	117.47	111 Ω /km
ANM07.001.19.025AB	UL20233	300V	19X25AWG	11/0.14	9.2	118.47	111 Ω /km
ANM07.001.20.025AB	UL20233	300V	20X25AWG	11/0.14	9.5	126.17	111 Ω /km
ANM07.001.21.025AB	UL20233	300V	21X25AWG	11/0.14	9.7	131.67	111 Ω /km
ANM07.001.22.025AB	UL20233	300V	22X25AWG	11/0.14	10.2	144.47	111 Ω /km
ANM07.001.23.025AB	UL20233	300V	23X25AWG	11/0.14	11.2	170.87	111 Ω /km
ANM07.001.24.025AB	UL20233	300V	24X25AWG	11/0.14	11.2	171.87	111 Ω /km
ANM07.001.25.025AB	UL20233	300V	25X25AWG	11/0.14	11.5	181.07	111 Ω /km
ANM07.001.26.025AB	UL20233	300V	26X25AWG	11/0.14	11.5	182.07	111 Ω /km
ANM07.001.27.025AB	UL20233	300V	27X25AWG	11/0.14	11.5	183.07	111 Ω /km
ANM07.001.28.025AB	UL20233	300V	28X25AWG	11/0.14	11.8	192.37	111 Ω /km
ANM07.001.29.025AB	UL20233	300V	29X25AWG	11/0.14	11.8	193.57	111 Ω /km
ANM07.001.30.025AB	UL20233	300V	30X25AWG	11/0.14	11.8	194.57	111 Ω /km
ANM07.001.31.025AB	UL20233	300V	31X25AWG	11/0.14	12.2	206.97	111 Ω /km
ANM07.001.32.025AB	UL20233	300V	32X25AWG	11/0.14	12.2	208.17	111 Ω /km
ANM07.001.33.025AB	UL20233	300V	33X25AWG	11/0.14	12.2	209.17	111 Ω /km
ANM07.001.34.025AB	UL20233	300V	34X25AWG	11/0.14	12.6	221.97	111 Ω /km
ANM07.001.35.025AB	UL20233	300V	35X25AWG	11/0.14	12.6	222.97	111 Ω /km
ANM07.001.36.025AB	UL20233	300V	36X25AWG	11/0.14	12.6	224.17	111 Ω /km
ANM07.001.37.025AB	UL20233	300V	37X25AWG	11/0.14	12.6	225.17	111 Ω /km
ANM07.001.38.025AB	UL20233	300V	38X25AWG	11/0.14	13.2	244.57	111 Ω /km
ANM07.001.39.025AB	UL20233	300V	39X25AWG	11/0.14	13.2	245.67	111 Ω /km
ANM07.001.40.025AB	UL20233	300V	40X25AWG	11/0.14	13.2	246.67	111 Ω /km
ANM07.001.41.025AB	UL20233	300V	41X25AWG	11/0.14	14.1	276.77	111 Ω /km
ANM07.001.42.025AB	UL20233	300V	42X25AWG	11/0.14	14.1	277.77	111 Ω /km
ANM07.001.43.025AB	UL20233	300V	43X25AWG	11/0.14	14.1	278.97	111 Ω /km



ANM07.001.44.025AB	UL20233	300V	44X25AWG	11/0.14	14.1	279.97	111 Ω /km
ANM07.001.45.025AB	UL20233	300V	45X25AWG	11/0.14	14.4	291.17	111 Ω /km
ANM07.001.46.025AB	UL20233	300V	46X25AWG	11/0.14	14.4	292.27	111 Ω /km
ANM07.001.47.025AB	UL20233	300V	47X25AWG	11/0.14	14.4	293.27	111 Ω /km
ANM07.001.48.025AB	UL20233	300V	48X25AWG	11/0.14	14.4	294.37	111 Ω /km
ANM07.001.49.025AB	UL20233	300V	49X25AWG	11/0.14	14.7	305.77	111 Ω /km
ANM07.001.50.025AB	UL20233	300V	50X25AWG	11/0.14	14.7	306.87	111 Ω /km
ANM07.001.51.025AB	UL20233	300V	51X25AWG	11/0.14	14.7	307.87	111 Ω /km
ANM07.001.52.025AB	UL20233	300V	52X25AWG	11/0.14	14.7	308.97	111 Ω /km
ANM07.001.53.025AB	UL20233	300V	53X25AWG	11/0.14	15.1	324.27	111 Ω /km
ANM07.001.54.025AB	UL20233	300V	54X25AWG	11/0.14	15.1	325.27	111 Ω /km
ANM07.001.55.025AB	UL20233	300V	55X25AWG	11/0.14	15.1	326.37	111 Ω /km
ANM07.001.56.025AB	UL20233	300V	56X25AWG	11/0.14	15.1	327.37	111 Ω /km
ANM07.001.57.025AB	UL20233	300V	57X25AWG	11/0.14	15.5	342.97	111 Ω /km
ANM07.001.58.025AB	UL20233	300V	58X25AWG	11/0.14	15.5	343.97	111 Ω /km
ANM07.001.59.025AB	UL20233	300V	59X25AWG	11/0.14	15.5	345.07	111 Ω /km
ANM07.001.60.025AB	UL20233	300V	60X25AWG	11/0.14	15.5	346.07	111 Ω /km
ANM07.001.61.025AB	UL20233	300V	61X25AWG	11/0.14	15.5	347.07	111 Ω /km
ANM07.001.62.025AB	UL20233	300V	62X25AWG	11/0.14	16	366.97	111 Ω /km
ANM07.001.63.025AB	UL20233	300V	63X25AWG	11/0.14	16	367.97	111 Ω /km
ANM07.001.64.025AB	UL20233	300V	64X25AWG	11/0.14	16	369.07	111 Ω /km
ANM07.001.65.025AB	UL20233	300V	65X25AWG	11/0.14	16	370.07	111 Ω /km
ANM07.001.02.024AB	UL20233	300V	2X24AWG	14/0.14	4.6	27.11	87.6 Ω /km
ANM07.001.03.024AB	UL20233	300V	3X24AWG	14/0.14	4.9	31.91	87.6 Ω /km
ANM07.001.04.024AB	UL20233	300V	4X24AWG	14/0.14	5.2	36.81	87.6 Ω /km
ANM07.001.05.024AB	UL20233	300V	5X24AWG	14/0.14	5.6	43.21	87.6 Ω /km
ANM07.001.06.024AB	UL20233	300V	6X24AWG	14/0.14	6	50.11	87.6 Ω /km
ANM07.001.07.024AB	UL20233	300V	7X24AWG	14/0.14	6	51.61	87.6 Ω /km
ANM07.001.08.024AB	UL20233	300V	8X24AWG	14/0.14	6.5	60.31	87.6 Ω /km
ANM07.001.09.024AB	UL20233	300V	9X24AWG	14/0.14	7	69.71	87.6 Ω /km
ANM07.001.10.024AB	UL20233	300V	10X24AWG	14/0.14	7.4	77.91	87.6 Ω /km
ANM07.001.11.024AB	UL20233	300V	11X24AWG	14/0.14	7.7	84.71	87.6 Ω /km
ANM07.001.12.024AB	UL20233	300V	12X24AWG	14/0.14	7.7	86.21	87.6 Ω /km
ANM07.001.13.024AB	UL20233	300V	13X24AWG	14/0.14	8.4	100.91	87.6 Ω /km
ANM07.001.14.024AB	UL20233	300V	14X24AWG	14/0.14	8.4	102.31	87.6 Ω /km
ANM07.001.15.024AB	UL20233	300V	15X24AWG	14/0.14	8.8	111.91	87.6 Ω /km
ANM07.001.16.024AB	UL20233	300V	16X24AWG	14/0.14	8.8	113.31	87.6 Ω /km
ANM07.001.17.024AB	UL20233	300V	17X24AWG	14/0.14	9.2	123.31	87.6 Ω /km
ANM07.001.18.024AB	UL20233	300V	18X24AWG	14/0.14	9.2	124.81	87.6 Ω /km
ANM07.001.19.024AB	UL20233	300V	19X24AWG	14/0.14	9.2	126.21	87.6 Ω /km
ANM07.001.20.024AB	UL20233	300V	20X24AWG	14/0.14	9.5	134.31	87.6 Ω /km



ANM07.001.21.024AB	UL20233	300V	21X24AWG	14/0.14	9.7	140.31	87.6Ω/km
ANM07.001.22.024AB	UL20233	300V	22X24AWG	14/0.14	10.2	153.41	87.6Ω/km
ANM07.001.23.024AB	UL20233	300V	23X24AWG	14/0.14	11.2	180.21	87.6Ω/km
ANM07.001.24.024AB	UL20233	300V	24X24AWG	14/0.14	11.2	181.71	87.6Ω/km
ANM07.001.25.024AB	UL20233	300V	25X24AWG	14/0.14	11.5	191.21	87.6Ω/km
ANM07.001.26.024AB	UL20233	300V	26X24AWG	14/0.14	11.5	192.61	87.6Ω/km
ANM07.001.27.024AB	UL20233	300V	27X24AWG	14/0.14	11.5	194.11	87.6Ω/km
ANM07.001.28.024AB	UL20233	300V	28X24AWG	14/0.14	11.8	203.81	87.6Ω/km
ANM07.001.29.024AB	UL20233	300V	29X24AWG	14/0.14	11.8	205.31	87.6Ω/km
ANM07.001.30.024AB	UL20233	300V	30X24AWG	14/0.14	11.8	206.81	87.6Ω/km
ANM07.001.31.024AB	UL20233	300V	31X24AWG	14/0.14	12.2	219.61	87.6Ω/km
ANM07.001.32.024AB	UL20233	300V	32X24AWG	14/0.14	12.2	221.11	87.6Ω/km
ANM07.001.33.024AB	UL20233	300V	33X24AWG	14/0.14	12.2	222.61	87.6Ω/km
ANM07.001.34.024AB	UL20233	300V	34X24AWG	14/0.14	12.6	235.81	87.6Ω/km
ANM07.001.35.024AB	UL20233	300V	35X24AWG	14/0.14	12.6	237.21	87.6Ω/km
ANM07.001.36.024AB	UL20233	300V	36X24AWG	14/0.14	12.6	238.81	87.6Ω/km
ANM07.001.37.024AB	UL20233	300V	37X24AWG	14/0.14	12.6	240.21	87.6Ω/km
ANM07.001.38.024AB	UL20233	300V	38X24AWG	14/0.14	13.2	260.01	87.6Ω/km
ANM07.001.39.024AB	UL20233	300V	39X24AWG	14/0.14	13.2	261.51	87.6Ω/km
ANM07.001.40.024AB	UL20233	300V	40X24AWG	14/0.14	13.2	262.91	87.6Ω/km
ANM07.001.41.024AB	UL20233	300V	41X24AWG	14/0.14	14.1	293.41	87.6Ω/km
ANM07.001.42.024AB	UL20233	300V	42X24AWG	14/0.14	14.1	294.91	87.6Ω/km
ANM07.001.43.024AB	UL20233	300V	43X24AWG	14/0.14	14.1	296.41	87.6Ω/km
ANM07.001.44.024AB	UL20233	300V	44X24AWG	14/0.14	14.1	297.81	87.6Ω/km
ANM07.001.45.024AB	UL20233	300V	45X24AWG	14/0.14	14.4	309.51	87.6Ω/km
ANM07.001.46.024AB	UL20233	300V	46X24AWG	14/0.14	14.4	310.91	87.6Ω/km
ANM07.001.47.024AB	UL20233	300V	47X24AWG	14/0.14	14.4	312.31	87.6Ω/km
ANM07.001.48.024AB	UL20233	300V	48X24AWG	14/0.14	14.4	313.91	87.6Ω/km
ANM07.001.49.024AB	UL20233	300V	49X24AWG	14/0.14	14.7	325.71	87.6Ω/km
ANM07.001.50.024AB	UL20233	300V	50X24AWG	14/0.14	14.7	327.11	87.6Ω/km
ANM07.001.51.024AB	UL20233	300V	51X24AWG	14/0.14	14.7	328.61	87.6Ω/km
ANM07.001.52.024AB	UL20233	300V	52X24AWG	14/0.14	14.7	330.11	87.6Ω/km
ANM07.001.53.024AB	UL20233	300V	53X24AWG	14/0.14	15.1	345.81	87.6Ω/km
ANM07.001.54.024AB	UL20233	300V	54X24AWG	14/0.14	15.1	347.21	87.6Ω/km
ANM07.001.55.024AB	UL20233	300V	55X24AWG	14/0.14	15.1	348.71	87.6Ω/km
ANM07.001.56.024AB	UL20233	300V	56X24AWG	14/0.14	15.1	350.21	87.6Ω/km
ANM07.001.57.024AB	UL20233	300V	57X24AWG	14/0.14	15.5	366.11	87.6Ω/km
ANM07.001.58.024AB	UL20233	300V	58X24AWG	14/0.14	15.5	367.51	87.6Ω/km
ANM07.001.59.024AB	UL20233	300V	59X24AWG	14/0.14	15.5	369.11	87.6Ω/km
ANM07.001.60.024AB	UL20233	300V	60X24AWG	14/0.14	15.5	370.51	87.6Ω/km
ANM07.001.61.024AB	UL20233	300V	61X24AWG	14/0.14	15.5	371.81	87.6Ω/km





ANM07.001.62.024AB	UL20233	300V	62X24AWG	14/0.14	16	392.21	87.6 Ω/km
ANM07.001.63.024AB	UL20233	300V	63X24AWG	14/0.14	16	393.61	87.6 Ω/km
ANM07.001.64.024AB	UL20233	300V	64X24AWG	14/0.14	16	395.01	87.6 Ω/km
ANM07.001.65.024AB	UL20233	300V	65X24AWG	14/0.14	16	396.51	87.6 Ω/km
ANM07.001.02.023AB	UL20233	300V	2X23AWG	17/0.14	4.8	29.96	69.2 Ω/km
ANM07.001.03.023AB	UL20233	300V	3X23AWG	17/0.14	5.1	35.26	69.2 Ω/km
ANM07.001.04.023AB	UL20233	300V	4X23AWG	17/0.14	5.5	42.06	69.2 Ω/km
ANM07.001.05.023AB	UL20233	300V	5X23AWG	17/0.14	5.9	49.16	69.2 Ω/km
ANM07.001.06.023AB	UL20233	300V	6X23AWG	17/0.14	6.3	56.56	69.2 Ω/km
ANM07.001.07.023AB	UL20233	300V	7X23AWG	17/0.14	6.3	58.36	69.2 Ω/km
ANM07.001.08.023AB	UL20233	300V	8X23AWG	17/0.14	6.8	67.86	69.2 Ω/km
ANM07.001.09.023AB	UL20233	300V	9X23AWG	17/0.14	7.4	79.56	69.2 Ω/km
ANM07.001.10.023AB	UL20233	300V	10X23AWG	17/0.14	7.8	88.56	69.2 Ω/km
ANM07.001.11.023AB	UL20233	300V	11X23AWG	17/0.14	8.5	103.86	69.2 Ω/km
ANM07.001.12.023AB	UL20233	300V	12X23AWG	17/0.14	8.5	105.76	69.2 Ω/km
ANM07.001.13.023AB	UL20233	300V	13X23AWG	17/0.14	8.9	115.66	69.2 Ω/km
ANM07.001.14.023AB	UL20233	300V	14X23AWG	17/0.14	8.9	117.46	69.2 Ω/km
ANM07.001.15.023AB	UL20233	300V	15X23AWG	17/0.14	9.3	127.86	69.2 Ω/km
ANM07.001.16.023AB	UL20233	300V	16X23AWG	17/0.14	9.3	129.66	69.2 Ω/km
ANM07.001.17.023AB	UL20233	300V	17X23AWG	17/0.14	9.7	140.46	69.2 Ω/km
ANM07.001.18.023AB	UL20233	300V	18X23AWG	17/0.14	9.7	142.26	69.2 Ω/km
ANM07.001.19.023AB	UL20233	300V	19X23AWG	17/0.14	9.7	144.16	69.2 Ω/km
ANM07.001.20.023AB	UL20233	300V	20X23AWG	17/0.14	10	152.76	69.2 Ω/km
ANM07.001.21.023AB	UL20233	300V	21X23AWG	17/0.14	10.2	159.36	69.2 Ω/km
ANM07.001.22.023AB	UL20233	300V	22X23AWG	17/0.14	11.4	191.76	69.2 Ω/km
ANM07.001.23.023AB	UL20233	300V	23X23AWG	17/0.14	11.8	204.56	69.2 Ω/km
ANM07.001.24.023AB	UL20233	300V	24X23AWG	17/0.14	11.8	206.46	69.2 Ω/km
ANM07.001.25.023AB	UL20233	300V	25X23AWG	17/0.14	12.1	216.76	69.2 Ω/km
ANM07.001.26.023AB	UL20233	300V	26X23AWG	17/0.14	12.1	218.56	69.2 Ω/km
ANM07.001.27.023AB	UL20233	300V	27X23AWG	17/0.14	12.1	220.26	69.2 Ω/km
ANM07.001.28.023AB	UL20233	300V	28X23AWG	17/0.14	12.5	233.86	69.2 Ω/km
ANM07.001.29.023AB	UL20233	300V	29X23AWG	17/0.14	12.5	235.66	69.2 Ω/km
ANM07.001.30.023AB	UL20233	300V	30X23AWG	17/0.14	12.5	237.56	69.2 Ω/km
ANM07.001.31.023AB	UL20233	300V	31X23AWG	17/0.14	13	254.36	69.2 Ω/km
ANM07.001.32.023AB	UL20233	300V	32X23AWG	17/0.14	13	256.16	69.2 Ω/km
ANM07.001.33.023AB	UL20233	300V	33X23AWG	17/0.14	13	257.96	69.2 Ω/km
ANM07.001.34.023AB	UL20233	300V	34X23AWG	17/0.14	13.4	272.26	69.2 Ω/km
ANM07.001.35.023AB	UL20233	300V	35X23AWG	17/0.14	13.4	274.16	69.2 Ω/km
ANM07.001.36.023AB	UL20233	300V	36X23AWG	17/0.14	13.4	275.96	69.2 Ω/km
ANM07.001.37.023AB	UL20233	300V	37X23AWG	17/0.14	13.4	277.76	69.2 Ω/km
ANM07.001.38.023AB	UL20233	300V	38X23AWG	17/0.14	13.9	295.76	69.2 Ω/km



ANM07.001.39.023AB	UL20233	300V	39X23AWG	17/0.14	13.9	297.46	69.2 Ω/km
ANM07.001.40.023AB	UL20233	300V	40X23AWG	17/0.14	13.9	299.26	69.2 Ω/km
ANM07.001.41.023AB	UL20233	300V	41X23AWG	17/0.14	14.9	335.36	69.2 Ω/km
ANM07.001.42.023AB	UL20233	300V	42X23AWG	17/0.14	14.9	337.16	69.2 Ω/km
ANM07.001.43.023AB	UL20233	300V	43X23AWG	17/0.14	14.9	338.96	69.2 Ω/km
ANM07.001.44.023AB	UL20233	300V	44X23AWG	17/0.14	14.9	340.86	69.2 Ω/km
ANM07.001.45.023AB	UL20233	300V	45X23AWG	17/0.14	15.2	353.36	69.2 Ω/km
ANM07.001.46.023AB	UL20233	300V	46X23AWG	17/0.14	15.2	355.06	69.2 Ω/km
ANM07.001.47.023AB	UL20233	300V	47X23AWG	17/0.14	15.2	356.96	69.2 Ω/km
ANM07.001.48.023AB	UL20233	300V	48X23AWG	17/0.14	15.2	358.66	69.2 Ω/km
ANM07.001.49.023AB	UL20233	300V	49X23AWG	17/0.14	15.6	375.26	69.2 Ω/km
ANM07.001.50.023AB	UL20233	300V	50X23AWG	17/0.14	15.6	377.06	69.2 Ω/km
ANM07.001.51.023AB	UL20233	300V	51X23AWG	17/0.14	15.6	378.96	69.2 Ω/km
ANM07.001.52.023AB	UL20233	300V	52X23AWG	17/0.14	15.6	380.56	69.2 Ω/km
ANM07.001.53.023AB	UL20233	300V	53X23AWG	17/0.14	16	397.56	69.2 Ω/km
ANM07.001.54.023AB	UL20233	300V	54X23AWG	17/0.14	16	399.36	69.2 Ω/km
ANM07.001.55.023AB	UL20233	300V	55X23AWG	17/0.14	16	401.16	69.2 Ω/km
ANM07.001.56.023AB	UL20233	300V	56X23AWG	17/0.14	16	402.96	69.2 Ω/km
ANM07.001.57.023AB	UL20233	300V	57X23AWG	17/0.14	16.4	420.26	69.2 Ω/km
ANM07.001.58.023AB	UL20233	300V	58X23AWG	17/0.14	16.4	422.06	69.2 Ω/km
ANM07.001.59.023AB	UL20233	300V	59X23AWG	17/0.14	16.4	423.76	69.2 Ω/km
ANM07.001.60.023AB	UL20233	300V	60X23AWG	17/0.14	16.4	425.66	69.2 Ω/km
ANM07.001.61.023AB	UL20233	300V	61X23AWG	17/0.14	16.4	427.46	69.2 Ω/km
ANM07.001.62.023AB	UL20233	300V	62X23AWG	17/0.14	16.9	449.06	69.2 Ω/km
ANM07.001.63.023AB	UL20233	300V	63X23AWG	17/0.14	16.9	450.86	69.2 Ω/km
ANM07.001.64.023AB	UL20233	300V	64X23AWG	17/0.14	16.9	452.66	69.2 Ω/km
ANM07.001.65.023AB	UL20233	300V	65X23AWG	17/0.14	16.9	454.46	69.2 Ω/km
ANM07.001.02.022AB	UL20233	300V	2X22AWG	22/0.14	5	33.23	55.4 Ω/km
ANM07.001.03.022AB	UL20233	300V	3X22AWG	22/0.14	5.3	39.03	55.4 Ω/km
ANM07.001.04.022AB	UL20233	300V	4X22AWG	22/0.14	5.7	46.33	55.4 Ω/km
ANM07.001.05.022AB	UL20233	300V	5X22AWG	22/0.14	6.2	55.53	55.4 Ω/km
ANM07.001.06.022AB	UL20233	300V	6X22AWG	22/0.14	6.6	63.73	55.4 Ω/km
ANM07.001.07.022AB	UL20233	300V	7X22AWG	22/0.14	6.6	65.93	55.4 Ω/km
ANM07.001.08.022AB	UL20233	300V	8X22AWG	22/0.14	7.1	76.23	55.4 Ω/km
ANM07.001.09.022AB	UL20233	300V	9X22AWG	22/0.14	7.8	90.73	55.4 Ω/km
ANM07.001.10.022AB	UL20233	300V	10X22AWG	22/0.14	8.6	108.43	55.4 Ω/km
ANM07.001.11.022AB	UL20233	300V	11X22AWG	22/0.14	8.9	116.93	55.4 Ω/km
ANM07.001.12.022AB	UL20233	300V	12X22AWG	22/0.14	8.9	119.03	55.4 Ω/km
ANM07.001.13.022AB	UL20233	300V	13X22AWG	22/0.14	9.3	129.93	55.4 Ω/km
ANM07.001.14.022AB	UL20233	300V	14X22AWG	22/0.14	9.3	132.13	55.4 Ω/km
ANM07.001.15.022AB	UL20233	300V	15X22AWG	22/0.14	9.8	145.63	55.4 Ω/km



ANM07.001.16.022AB	UL20233	300V	16X22AWG	22/0.14	9.8	147.83	55.4 Ω/km
ANM07.001.17.022AB	UL20233	300V	17X22AWG	22/0.14	10.2	159.43	55.4 Ω/km
ANM07.001.18.022AB	UL20233	300V	18X22AWG	22/0.14	10.2	161.73	55.4 Ω/km
ANM07.001.19.022AB	UL20233	300V	19X22AWG	22/0.14	10.2	163.93	55.4 Ω/km
ANM07.001.20.022AB	UL20233	300V	20X22AWG	22/0.14	11.1	188.83	55.4 Ω/km
ANM07.001.21.022AB	UL20233	300V	21X22AWG	22/0.14	11.3	196.43	55.4 Ω/km
ANM07.001.22.022AB	UL20233	300V	22X22AWG	22/0.14	12	217.93	55.4 Ω/km
ANM07.001.23.022AB	UL20233	300V	23X22AWG	22/0.14	12.4	231.83	55.4 Ω/km
ANM07.001.24.022AB	UL20233	300V	24X22AWG	22/0.14	12.4	233.93	55.4 Ω/km
ANM07.001.25.022AB	UL20233	300V	25X22AWG	22/0.14	12.7	245.13	55.4 Ω/km
ANM07.001.26.022AB	UL20233	300V	26X22AWG	22/0.14	12.7	247.33	55.4 Ω/km
ANM07.001.27.022AB	UL20233	300V	27X22AWG	22/0.14	12.7	249.53	55.4 Ω/km
ANM07.001.28.022AB	UL20233	300V	28X22AWG	22/0.14	13.2	267.23	55.4 Ω/km
ANM07.001.29.022AB	UL20233	300V	29X22AWG	22/0.14	13.2	269.53	55.4 Ω/km
ANM07.001.30.022AB	UL20233	300V	30X22AWG	22/0.14	13.2	271.73	55.4 Ω/km
ANM07.001.31.022AB	UL20233	300V	31X22AWG	22/0.14	13.7	289.83	55.4 Ω/km
ANM07.001.32.022AB	UL20233	300V	32X22AWG	22/0.14	13.7	292.13	55.4 Ω/km
ANM07.001.33.022AB	UL20233	300V	33X22AWG	22/0.14	13.7	294.33	55.4 Ω/km
ANM07.001.34.022AB	UL20233	300V	34X22AWG	22/0.14	14.1	309.83	55.4 Ω/km
ANM07.001.35.022AB	UL20233	300V	35X22AWG	22/0.14	14.1	311.93	55.4 Ω/km
ANM07.001.36.022AB	UL20233	300V	36X22AWG	22/0.14	14.1	314.23	55.4 Ω/km
ANM07.001.37.022AB	UL20233	300V	37X22AWG	22/0.14	14.1	316.43	55.4 Ω/km
ANM07.001.38.022AB	UL20233	300V	38X22AWG	22/0.14	14.6	335.83	55.4 Ω/km
ANM07.001.39.022AB	UL20233	300V	39X22AWG	22/0.14	14.6	338.03	55.4 Ω/km
ANM07.001.40.022AB	UL20233	300V	40X22AWG	22/0.14	14.6	340.23	55.4 Ω/km
ANM07.001.41.022AB	UL20233	300V	41X22AWG	22/0.14	15.7	382.23	55.4 Ω/km
ANM07.001.42.022AB	UL20233	300V	42X22AWG	22/0.14	15.7	384.43	55.4 Ω/km
ANM07.001.43.022AB	UL20233	300V	43X22AWG	22/0.14	15.7	386.63	55.4 Ω/km
ANM07.001.44.022AB	UL20233	300V	44X22AWG	22/0.14	15.7	388.83	55.4 Ω/km
ANM07.001.45.022AB	UL20233	300V	45X22AWG	22/0.14	16	402.43	55.4 Ω/km
ANM07.001.46.022AB	UL20233	300V	46X22AWG	22/0.14	16	404.73	55.4 Ω/km
ANM07.001.47.022AB	UL20233	300V	47X22AWG	22/0.14	16	406.83	55.4 Ω/km
ANM07.001.48.022AB	UL20233	300V	48X22AWG	22/0.14	16	409.13	55.4 Ω/km
ANM07.001.49.022AB	UL20233	300V	49X22AWG	22/0.14	16.4	426.83	55.4 Ω/km
ANM07.001.50.022AB	UL20233	300V	50X22AWG	22/0.14	16.4	429.13	55.4 Ω/km
ANM07.001.51.022AB	UL20233	300V	51X22AWG	22/0.14	16.4	431.23	55.4 Ω/km
ANM07.001.52.022AB	UL20233	300V	52X22AWG	22/0.14	16.4	433.53	55.4 Ω/km
ANM07.001.53.022AB	UL20233	300V	53X22AWG	22/0.14	16.9	455.63	55.4 Ω/km
ANM07.001.54.022AB	UL20233	300V	54X22AWG	22/0.14	16.9	457.73	55.4 Ω/km
ANM07.001.55.022AB	UL20233	300V	55X22AWG	22/0.14	16.9	460.03	55.4 Ω/km
ANM07.001.56.022AB	UL20233	300V	56X22AWG	22/0.14	16.9	462.23	55.4 Ω/km



ANM07.001.57.022AB	UL20233	300V	57X22AWG	22/0.14	17.3	480.83	55.4 Ω/km
ANM07.001.58.022AB	UL20233	300V	58X22AWG	22/0.14	17.3	482.93	55.4 Ω/km
ANM07.001.59.022AB	UL20233	300V	59X22AWG	22/0.14	17.3	485.23	55.4 Ω/km
ANM07.001.60.022AB	UL20233	300V	60X22AWG	22/0.14	17.3	487.43	55.4 Ω/km
ANM07.001.61.022AB	UL20233	300V	61X22AWG	22/0.14	17.3	489.73	55.4 Ω/km
ANM07.001.62.022AB	UL20233	300V	62X22AWG	22/0.14	17.8	512.83	55.4 Ω/km
ANM07.001.63.022AB	UL20233	300V	63X22AWG	22/0.14	17.8	515.03	55.4 Ω/km
ANM07.001.64.022AB	UL20233	300V	64X22AWG	22/0.14	17.8	517.33	55.4 Ω/km
ANM07.001.65.022AB	UL20233	300V	65X22AWG	22/0.14	17.8	519.53	55.4 Ω/km
ANM07.001.02.021AB	UL20233	300V	2X21AWG	27/0.14	5.2	36.92	43.6 Ω/km
ANM07.001.03.021AB	UL20233	300V	3X21AWG	27/0.14	5.5	43.52	43.6 Ω/km
ANM07.001.04.021AB	UL20233	300V	4X21AWG	27/0.14	6	53.02	43.6 Ω/km
ANM07.001.05.021AB	UL20233	300V	5X21AWG	27/0.14	6.4	61.72	43.6 Ω/km
ANM07.001.06.021AB	UL20233	300V	6X21AWG	27/0.14	6.9	72.32	43.6 Ω/km
ANM07.001.07.021AB	UL20233	300V	7X21AWG	27/0.14	6.9	75.22	43.6 Ω/km
ANM07.001.08.021AB	UL20233	300V	8X21AWG	27/0.14	7.5	88.12	43.6 Ω/km
ANM07.001.09.021AB	UL20233	300V	9X21AWG	27/0.14	8.5	109.82	43.6 Ω/km
ANM07.001.10.021AB	UL20233	300V	10X21AWG	27/0.14	9	123.02	43.6 Ω/km
ANM07.001.11.021AB	UL20233	300V	11X21AWG	27/0.14	9.3	132.32	43.6 Ω/km
ANM07.001.12.021AB	UL20233	300V	12X21AWG	27/0.14	9.3	135.22	43.6 Ω/km
ANM07.001.13.021AB	UL20233	300V	13X21AWG	27/0.14	9.8	149.32	43.6 Ω/km
ANM07.001.14.021AB	UL20233	300V	14X21AWG	27/0.14	9.8	152.12	43.6 Ω/km
ANM07.001.15.021AB	UL20233	300V	15X21AWG	27/0.14	10.2	164.42	43.6 Ω/km
ANM07.001.16.021AB	UL20233	300V	16X21AWG	27/0.14	10.2	167.22	43.6 Ω/km
ANM07.001.17.021AB	UL20233	300V	17X21AWG	27/0.14	11.3	198.12	43.6 Ω/km
ANM07.001.18.021AB	UL20233	300V	18X21AWG	27/0.14	11.3	201.02	43.6 Ω/km
ANM07.001.19.021AB	UL20233	300V	19X21AWG	27/0.14	11.3	203.92	43.6 Ω/km
ANM07.001.20.021AB	UL20233	300V	20X21AWG	27/0.14	11.6	214.82	43.6 Ω/km
ANM07.001.21.021AB	UL20233	300V	21X21AWG	27/0.14	11.9	226.12	43.6 Ω/km
ANM07.001.22.021AB	UL20233	300V	22X21AWG	27/0.14	12.5	246.22	43.6 Ω/km
ANM07.001.23.021AB	UL20233	300V	23X21AWG	27/0.14	13.1	267.22	43.6 Ω/km
ANM07.001.24.021AB	UL20233	300V	24X21AWG	27/0.14	13.1	270.12	43.6 Ω/km
ANM07.001.25.021AB	UL20233	300V	25X21AWG	27/0.14	13.4	282.32	43.6 Ω/km
ANM07.001.26.021AB	UL20233	300V	26X21AWG	27/0.14	13.4	285.22	43.6 Ω/km
ANM07.001.27.021AB	UL20233	300V	27X21AWG	27/0.14	13.4	288.12	43.6 Ω/km
ANM07.001.28.021AB	UL20233	300V	28X21AWG	27/0.14	13.9	307.12	43.6 Ω/km
ANM07.001.29.021AB	UL20233	300V	29X21AWG	27/0.14	13.9	310.02	43.6 Ω/km
ANM07.001.30.021AB	UL20233	300V	30X21AWG	27/0.14	13.9	312.92	43.6 Ω/km
ANM07.001.31.021AB	UL20233	300V	31X21AWG	27/0.14	14.3	329.12	43.6 Ω/km
ANM07.001.32.021AB	UL20233	300V	32X21AWG	27/0.14	14.3	332.02	43.6 Ω/km
ANM07.001.33.021AB	UL20233	300V	33X21AWG	27/0.14	14.3	334.82	43.6 Ω/km



ANM07.001.34.021AB	UL20233	300V	34X21AWG	27/0.14	14.8	355.02	43.6Ω/km
ANM07.001.35.021AB	UL20233	300V	35X21AWG	27/0.14	14.8	357.92	43.6Ω/km
ANM07.001.36.021AB	UL20233	300V	36X21AWG	27/0.14	14.8	360.72	43.6Ω/km
ANM07.001.37.021AB	UL20233	300V	37X21AWG	27/0.14	14.8	363.62	43.6Ω/km
ANM07.001.38.021AB	UL20233	300V	38X21AWG	27/0.14	15.4	388.02	43.6Ω/km
ANM07.001.39.021AB	UL20233	300V	39X21AWG	27/0.14	15.4	390.82	43.6Ω/km
ANM07.001.40.021AB	UL20233	300V	40X21AWG	27/0.14	15.4	393.72	43.6Ω/km
ANM07.001.41.021AB	UL20233	300V	41X21AWG	27/0.14	16.5	438.32	43.6Ω/km
ANM07.001.42.021AB	UL20233	300V	42X21AWG	27/0.14	16.5	441.12	43.6Ω/km
ANM07.001.43.021AB	UL20233	300V	43X21AWG	27/0.14	16.5	444.02	43.6Ω/km
ANM07.001.44.021AB	UL20233	300V	44X21AWG	27/0.14	16.5	446.82	43.6Ω/km
ANM07.001.45.021AB	UL20233	300V	45X21AWG	27/0.14	16.8	461.62	43.6Ω/km
ANM07.001.46.021AB	UL20233	300V	46X21AWG	27/0.14	16.8	464.42	43.6Ω/km
ANM07.001.47.021AB	UL20233	300V	47X21AWG	27/0.14	16.8	467.22	43.6Ω/km
ANM07.001.48.021AB	UL20233	300V	48X21AWG	27/0.14	16.8	470.22	43.6Ω/km
ANM07.001.49.021AB	UL20233	300V	49X21AWG	27/0.14	17.3	493.42	43.6Ω/km
ANM07.001.50.021AB	UL20233	300V	50X21AWG	27/0.14	17.3	496.22	43.6Ω/km
ANM07.001.51.021AB	UL20233	300V	51X21AWG	27/0.14	17.3	499.12	43.6Ω/km
ANM07.001.52.021AB	UL20233	300V	52X21AWG	27/0.14	17.3	502.02	43.6Ω/km
ANM07.001.53.021AB	UL20233	300V	53X21AWG	27/0.14	17.7	521.62	43.6Ω/km
ANM07.001.54.021AB	UL20233	300V	54X21AWG	27/0.14	17.7	524.42	43.6Ω/km
ANM07.001.55.021AB	UL20233	300V	55X21AWG	27/0.14	17.7	527.22	43.6Ω/km
ANM07.001.56.021AB	UL20233	300V	56X21AWG	27/0.14	17.7	530.12	43.6Ω/km
ANM07.001.57.021AB	UL20233	300V	57X21AWG	27/0.14	18.2	554.42	43.6Ω/km
ANM07.001.58.021AB	UL20233	300V	58X21AWG	27/0.14	18.2	557.22	43.6Ω/km
ANM07.001.59.021AB	UL20233	300V	59X21AWG	27/0.14	18.2	560.12	43.6Ω/km
ANM07.001.60.021AB	UL20233	300V	60X21AWG	27/0.14	18.2	563.02	43.6Ω/km
ANM07.001.61.021AB	UL20233	300V	61X21AWG	27/0.14	18.2	565.72	43.6Ω/km
ANM07.001.62.021AB	UL20233	300V	62X21AWG	27/0.14	18.8	595.12	43.6Ω/km
ANM07.001.63.021AB	UL20233	300V	63X21AWG	27/0.14	18.8	598.02	43.6Ω/km
ANM07.001.64.021AB	UL20233	300V	64X21AWG	27/0.14	18.8	600.82	43.6Ω/km
ANM07.001.65.021AB	UL20233	300V	65X21AWG	27/0.14	18.8	603.72	43.6Ω/km
ANM07.001.02.020AB	UL20233	300V	2X20AWG	34/0.14	5.4	41.02	34.6Ω/km
ANM07.001.03.020AB	UL20233	300V	3X20AWG	34/0.14	5.7	48.42	34.6Ω/km
ANM07.001.04.020AB	UL20233	300V	4X20AWG	34/0.14	6.2	59.12	34.6Ω/km
ANM07.001.05.020AB	UL20233	300V	5X20AWG	34/0.14	6.7	70.12	34.6Ω/km
ANM07.001.06.020AB	UL20233	300V	6X20AWG	34/0.14	7.2	82.02	34.6Ω/km
ANM07.001.07.020AB	UL20233	300V	7X20AWG	34/0.14	7.2	85.52	34.6Ω/km
ANM07.001.08.020AB	UL20233	300V	8X20AWG	34/0.14	7.8	99.82	34.6Ω/km
ANM07.001.09.020AB	UL20233	300V	9X20AWG	34/0.14	8.9	125.12	34.6Ω/km
ANM07.001.10.020AB	UL20233	300V	10X20AWG	34/0.14	9.4	139.52	34.6Ω/km



ANM07.001.11.020AB	UL20233	300V	11X20AWG	34/0.14	9.7	149.92	34.6Ω/km
ANM07.001.12.020AB	UL20233	300V	12X20AWG	34/0.14	9.7	153.52	34.6Ω/km
ANM07.001.13.020AB	UL20233	300V	13X20AWG	34/0.14	10.2	168.82	34.6Ω/km
ANM07.001.14.020AB	UL20233	300V	14X20AWG	34/0.14	10.2	172.52	34.6Ω/km
ANM07.001.15.020AB	UL20233	300V	15X20AWG	34/0.14	11.3	204.12	34.6Ω/km
ANM07.001.16.020AB	UL20233	300V	16X20AWG	34/0.14	11.3	207.82	34.6Ω/km
ANM07.001.17.020AB	UL20233	300V	17X20AWG	34/0.14	11.8	225.12	34.6Ω/km
ANM07.001.18.020AB	UL20233	300V	18X20AWG	34/0.14	11.8	228.72	34.6Ω/km
ANM07.001.19.020AB	UL20233	300V	19X20AWG	34/0.14	11.8	232.42	34.6Ω/km
ANM07.001.20.020AB	UL20233	300V	20X20AWG	34/0.14	12.1	244.42	34.6Ω/km
ANM07.001.21.020AB	UL20233	300V	21X20AWG	34/0.14	12.4	256.82	34.6Ω/km
ANM07.001.22.020AB	UL20233	300V	22X20AWG	34/0.14	13.2	284.72	34.6Ω/km
ANM07.001.23.020AB	UL20233	300V	23X20AWG	34/0.14	13.7	304.32	34.6Ω/km
ANM07.001.24.020AB	UL20233	300V	24X20AWG	34/0.14	13.7	307.92	34.6Ω/km
ANM07.001.25.020AB	UL20233	300V	25X20AWG	34/0.14	14	321.52	34.6Ω/km
ANM07.001.26.020AB	UL20233	300V	26X20AWG	34/0.14	14	325.02	34.6Ω/km
ANM07.001.27.020AB	UL20233	300V	27X20AWG	34/0.14	14	328.62	34.6Ω/km
ANM07.001.28.020AB	UL20233	300V	28X20AWG	34/0.14	14.5	349.22	34.6Ω/km
ANM07.001.29.020AB	UL20233	300V	29X20AWG	34/0.14	14.5	352.92	34.6Ω/km
ANM07.001.30.020AB	UL20233	300V	30X20AWG	34/0.14	14.5	356.52	34.6Ω/km
ANM07.001.31.020AB	UL20233	300V	31X20AWG	34/0.14	15	377.62	34.6Ω/km
ANM07.001.32.020AB	UL20233	300V	32X20AWG	34/0.14	15	381.22	34.6Ω/km
ANM07.001.33.020AB	UL20233	300V	33X20AWG	34/0.14	15	384.92	34.6Ω/km
ANM07.001.34.020AB	UL20233	300V	34X20AWG	34/0.14	15.5	406.72	34.6Ω/km
ANM07.001.35.020AB	UL20233	300V	35X20AWG	34/0.14	15.5	410.32	34.6Ω/km
ANM07.001.36.020AB	UL20233	300V	36X20AWG	34/0.14	15.5	413.92	34.6Ω/km
ANM07.001.37.020AB	UL20233	300V	37X20AWG	34/0.14	15.5	417.52	34.6Ω/km
ANM07.001.38.020AB	UL20233	300V	38X20AWG	34/0.14	16.1	443.92	34.6Ω/km
ANM07.001.39.020AB	UL20233	300V	39X20AWG	34/0.14	16.1	447.42	34.6Ω/km
ANM07.001.40.020AB	UL20233	300V	40X20AWG	34/0.14	16.1	451.12	34.6Ω/km
ANM07.001.41.020AB	UL20233	300V	41X20AWG	34/0.14	17.3	502.42	34.6Ω/km
ANM07.001.42.020AB	UL20233	300V	42X20AWG	34/0.14	17.3	506.12	34.6Ω/km
ANM07.001.43.020AB	UL20233	300V	43X20AWG	34/0.14	17.3	509.72	34.6Ω/km
ANM07.001.44.020AB	UL20233	300V	44X20AWG	34/0.14	17.3	513.42	34.6Ω/km
ANM07.001.45.020AB	UL20233	300V	45X20AWG	34/0.14	17.6	529.42	34.6Ω/km
ANM07.001.46.020AB	UL20233	300V	46X20AWG	34/0.14	17.6	533.12	34.6Ω/km
ANM07.001.47.020AB	UL20233	300V	47X20AWG	34/0.14	17.6	536.72	34.6Ω/km
ANM07.001.48.020AB	UL20233	300V	48X20AWG	34/0.14	17.6	540.42	34.6Ω/km
ANM07.001.49.020AB	UL20233	300V	49X20AWG	34/0.14	18.1	565.22	34.6Ω/km
ANM07.001.50.020AB	UL20233	300V	50X20AWG	34/0.14	18.1	568.92	34.6Ω/km
ANM07.001.51.020AB	UL20233	300V	51X20AWG	34/0.14	18.1	572.62	34.6Ω/km



ANM07.001.52.020AB	UL20233	300V	52X20AWG	34/0.14	18.1	576.22	34.6Ω/km
ANM07.001.53.020AB	UL20233	300V	53X20AWG	34/0.14	18.6	601.82	34.6Ω/km
ANM07.001.54.020AB	UL20233	300V	54X20AWG	34/0.14	18.6	605.32	34.6Ω/km
ANM07.001.55.020AB	UL20233	300V	55X20AWG	34/0.14	18.6	609.02	34.6Ω/km
ANM07.001.56.020AB	UL20233	300V	56X20AWG	34/0.14	18.6	612.52	34.6Ω/km
ANM07.001.57.020AB	UL20233	300V	57X20AWG	34/0.14	19.1	638.72	34.6Ω/km
ANM07.001.58.020AB	UL20233	300V	58X20AWG	34/0.14	19.1	642.22	34.6Ω/km
ANM07.001.59.020AB	UL20233	300V	59X20AWG	34/0.14	19.1	645.92	34.6Ω/km
ANM07.001.60.020AB	UL20233	300V	60X20AWG	34/0.14	19.1	649.52	34.6Ω/km
ANM07.001.61.020AB	UL20233	300V	61X20AWG	34/0.14	19.1	653.22	34.6Ω/km
ANM07.001.62.020AB	UL20233	300V	62X20AWG	34/0.14	20.7	732.52	34.6Ω/km
ANM07.001.63.020AB	UL20233	300V	63X20AWG	34/0.14	20.7	736.12	34.6Ω/km
ANM07.001.64.020AB	UL20233	300V	64X20AWG	34/0.14	20.7	739.72	34.6Ω/km
ANM07.001.65.020AB	UL20233	300V	65X20AWG	34/0.14	20.7	743.42	34.6Ω/km
ANM07.001.02.019AB	UL20233	300V	2X19AWG	43/0.14	5.6	45.76	27.4Ω/km
ANM07.001.03.019AB	UL20233	300V	3X19AWG	43/0.14	5.9	54.36	27.4Ω/km
ANM07.001.04.019AB	UL20233	300V	4X19AWG	43/0.14	6.4	66.26	27.4Ω/km
ANM07.001.05.019AB	UL20233	300V	5X19AWG	43/0.14	7	80.16	27.4Ω/km
ANM07.001.06.019AB	UL20233	300V	6X19AWG	43/0.14	7.5	93.36	27.4Ω/km
ANM07.001.07.019AB	UL20233	300V	7X19AWG	43/0.14	7.5	97.86	27.4Ω/km
ANM07.001.08.019AB	UL20233	300V	8X19AWG	43/0.14	8.5	121.46	27.4Ω/km
ANM07.001.09.019AB	UL20233	300V	9X19AWG	43/0.14	9.3	142.76	27.4Ω/km
ANM07.001.10.019AB	UL20233	300V	10X19AWG	43/0.14	9.8	158.76	27.4Ω/km
ANM07.001.11.019AB	UL20233	300V	11X19AWG	43/0.14	10.1	170.36	27.4Ω/km
ANM07.001.12.019AB	UL20233	300V	12X19AWG	43/0.14	10.1	175.06	27.4Ω/km
ANM07.001.13.019AB	UL20233	300V	13X19AWG	43/0.14	11.2	207.26	27.4Ω/km
ANM07.001.14.019AB	UL20233	300V	14X19AWG	43/0.14	11.2	211.96	27.4Ω/km
ANM07.001.15.019AB	UL20233	300V	15X19AWG	43/0.14	11.8	232.86	27.4Ω/km
ANM07.001.16.019AB	UL20233	300V	16X19AWG	43/0.14	11.8	237.56	27.4Ω/km
ANM07.001.17.019AB	UL20233	300V	17X19AWG	43/0.14	12.3	256.46	27.4Ω/km
ANM07.001.18.019AB	UL20233	300V	18X19AWG	43/0.14	12.3	261.16	27.4Ω/km
ANM07.001.19.019AB	UL20233	300V	19X19AWG	43/0.14	12.3	265.76	27.4Ω/km
ANM07.001.20.019AB	UL20233	300V	20X19AWG	43/0.14	12.6	279.26	27.4Ω/km
ANM07.001.21.019AB	UL20233	300V	21X19AWG	43/0.14	13	295.86	27.4Ω/km
ANM07.001.22.019AB	UL20233	300V	22X19AWG	43/0.14	13.8	326.06	27.4Ω/km
ANM07.001.23.019AB	UL20233	300V	23X19AWG	43/0.14	14.3	347.26	27.4Ω/km
ANM07.001.24.019AB	UL20233	300V	24X19AWG	43/0.14	14.3	351.96	27.4Ω/km
ANM07.001.25.019AB	UL20233	300V	25X19AWG	43/0.14	14.6	366.86	27.4Ω/km
ANM07.001.26.019AB	UL20233	300V	26X19AWG	43/0.14	14.6	371.56	27.4Ω/km
ANM07.001.27.019AB	UL20233	300V	27X19AWG	43/0.14	14.6	376.06	27.4Ω/km
ANM07.001.28.019AB	UL20233	300V	28X19AWG	43/0.14	15.1	398.46	27.4Ω/km



ANM07.001.29.019AB	UL20233	300V	29X19AWG	43/0.14	15.1	403.06	27.4 Ω/km
ANM07.001.30.019AB	UL20233	300V	30X19AWG	43/0.14	15.1	407.66	27.4 Ω/km
ANM07.001.31.019AB	UL20233	300V	31X19AWG	43/0.14	15.7	434.36	27.4 Ω/km
ANM07.001.32.019AB	UL20233	300V	32X19AWG	43/0.14	15.7	438.96	27.4 Ω/km
ANM07.001.33.019AB	UL20233	300V	33X19AWG	43/0.14	15.7	443.56	27.4 Ω/km
ANM07.001.34.019AB	UL20233	300V	34X19AWG	43/0.14	16.2	467.16	27.4 Ω/km
ANM07.001.35.019AB	UL20233	300V	35X19AWG	43/0.14	16.2	471.66	27.4 Ω/km
ANM07.001.36.019AB	UL20233	300V	36X19AWG	43/0.14	16.2	476.46	27.4 Ω/km
ANM07.001.37.019AB	UL20233	300V	37X19AWG	43/0.14	16.2	480.96	27.4 Ω/km
ANM07.001.38.019AB	UL20233	300V	38X19AWG	43/0.14	16.8	509.26	27.4 Ω/km
ANM07.001.39.019AB	UL20233	300V	39X19AWG	43/0.14	16.8	513.76	27.4 Ω/km
ANM07.001.40.019AB	UL20233	300V	40X19AWG	43/0.14	16.8	518.56	27.4 Ω/km
ANM07.001.41.019AB	UL20233	300V	41X19AWG	43/0.14	18.1	577.16	27.4 Ω/km
ANM07.001.42.019AB	UL20233	300V	42X19AWG	43/0.14	18.1	581.76	27.4 Ω/km
ANM07.001.43.019AB	UL20233	300V	43X19AWG	43/0.14	18.1	586.46	27.4 Ω/km
ANM07.001.44.019AB	UL20233	300V	44X19AWG	43/0.14	18.1	591.06	27.4 Ω/km
ANM07.001.45.019AB	UL20233	300V	45X19AWG	43/0.14	18.4	608.76	27.4 Ω/km
ANM07.001.46.019AB	UL20233	300V	46X19AWG	43/0.14	18.4	613.36	27.4 Ω/km
ANM07.001.47.019AB	UL20233	300V	47X19AWG	43/0.14	18.4	617.96	27.4 Ω/km
ANM07.001.48.019AB	UL20233	300V	48X19AWG	43/0.14	18.4	622.66	27.4 Ω/km
ANM07.001.49.019AB	UL20233	300V	49X19AWG	43/0.14	18.9	649.56	27.4 Ω/km
ANM07.001.50.019AB	UL20233	300V	50X19AWG	43/0.14	18.9	654.26	27.4 Ω/km
ANM07.001.51.019AB	UL20233	300V	51X19AWG	43/0.14	18.9	658.76	27.4 Ω/km
ANM07.001.52.019AB	UL20233	300V	52X19AWG	43/0.14	18.9	663.56	27.4 Ω/km
ANM07.001.53.019AB	UL20233	300V	53X19AWG	43/0.14	20.5	743.06	27.4 Ω/km
ANM07.001.54.019AB	UL20233	300V	54X19AWG	43/0.14	20.5	747.56	27.4 Ω/km
ANM07.001.55.019AB	UL20233	300V	55X19AWG	43/0.14	20.5	752.36	27.4 Ω/km
ANM07.001.56.019AB	UL20233	300V	56X19AWG	43/0.14	20.5	756.86	27.4 Ω/km
ANM07.001.57.019AB	UL20233	300V	57X19AWG	43/0.14	21	786.36	27.4 Ω/km
ANM07.001.58.019AB	UL20233	300V	58X19AWG	43/0.14	21	790.86	27.4 Ω/km
ANM07.001.59.019AB	UL20233	300V	59X19AWG	43/0.14	21	795.56	27.4 Ω/km
ANM07.001.60.019AB	UL20233	300V	60X19AWG	43/0.14	21	800.16	27.4 Ω/km
ANM07.001.61.019AB	UL20233	300V	61X19AWG	43/0.14	21	804.76	27.4 Ω/km
ANM07.001.62.019AB	UL20233	300V	62X19AWG	43/0.14	21.6	839.86	27.4 Ω/km
ANM07.001.63.019AB	UL20233	300V	63X19AWG	43/0.14	21.6	844.56	27.4 Ω/km
ANM07.001.64.019AB	UL20233	300V	64X19AWG	43/0.14	21.6	849.16	27.4 Ω/km
ANM07.001.65.019AB	UL20233	300V	65X19AWG	43/0.14	21.6	853.76	27.4 Ω/km
ANM07.001.02.018AB	UL20233	300V	2X18AWG	29/0.19	5.8	51.23	21.8 Ω/km
ANM07.001.03.018AB	UL20233	300V	3X18AWG	29/0.19	6.2	62.63	21.8 Ω/km
ANM07.001.04.018AB	UL20233	300V	4X18AWG	29/0.19	6.7	76.23	21.8 Ω/km
ANM07.001.05.018AB	UL20233	300V	5X18AWG	29/0.19	7.2	90.33	21.8 Ω/km





ANM07.001.06.018AB	UL20233	300V	6X18AWG	29/0.19	7.8	106.73	21.8Ω/km
ANM07.001.07.018AB	UL20233	300V	7X18AWG	29/0.19	7.8	112.83	21.8Ω/km
ANM07.001.08.018AB	UL20233	300V	8X18AWG	29/0.19	8.8	138.33	21.8Ω/km
ANM07.001.09.018AB	UL20233	300V	9X18AWG	29/0.19	9.6	161.53	21.8Ω/km
ANM07.001.10.018AB	UL20233	300V	10X18AWG	29/0.19	10.2	181.63	21.8Ω/km
ANM07.001.11.018AB	UL20233	300V	11X18AWG	29/0.19	11.2	212.93	21.8Ω/km
ANM07.001.12.018AB	UL20233	300V	12X18AWG	29/0.19	11.2	218.73	21.8Ω/km
ANM07.001.13.018AB	UL20233	300V	13X18AWG	29/0.19	11.7	238.33	21.8Ω/km
ANM07.001.14.018AB	UL20233	300V	14X18AWG	29/0.19	11.7	244.23	21.8Ω/km
ANM07.001.15.018AB	UL20233	300V	15X18AWG	29/0.19	12.2	264.33	21.8Ω/km
ANM07.001.16.018AB	UL20233	300V	16X18AWG	29/0.19	12.2	270.43	21.8Ω/km
ANM07.001.17.018AB	UL20233	300V	17X18AWG	29/0.19	12.8	294.03	21.8Ω/km
ANM07.001.18.018AB	UL20233	300V	18X18AWG	29/0.19	12.8	300.03	21.8Ω/km
ANM07.001.19.018AB	UL20233	300V	19X18AWG	29/0.19	12.8	306.13	21.8Ω/km
ANM07.001.20.018AB	UL20233	300V	20X18AWG	29/0.19	13.3	327.43	21.8Ω/km
ANM07.001.21.018AB	UL20233	300V	21X18AWG	29/0.19	13.5	339.83	21.8Ω/km
ANM07.001.22.018AB	UL20233	300V	22X18AWG	29/0.19	14.3	372.23	21.8Ω/km
ANM07.001.23.018AB	UL20233	300V	23X18AWG	29/0.19	14.9	398.93	21.8Ω/km
ANM07.001.24.018AB	UL20233	300V	24X18AWG	29/0.19	14.9	404.83	21.8Ω/km
ANM07.001.25.018AB	UL20233	300V	25X18AWG	29/0.19	15.3	425.33	21.8Ω/km
ANM07.001.26.018AB	UL20233	300V	26X18AWG	29/0.19	15.3	431.13	21.8Ω/km
ANM07.001.27.018AB	UL20233	300V	27X18AWG	29/0.19	15.3	437.13	21.8Ω/km
ANM07.001.28.018AB	UL20233	300V	28X18AWG	29/0.19	15.8	461.53	21.8Ω/km
ANM07.001.29.018AB	UL20233	300V	29X18AWG	29/0.19	15.8	467.63	21.8Ω/km
ANM07.001.30.018AB	UL20233	300V	30X18AWG	29/0.19	15.8	473.63	21.8Ω/km
ANM07.001.31.018AB	UL20233	300V	31X18AWG	29/0.19	16.3	498.53	21.8Ω/km
ANM07.001.32.018AB	UL20233	300V	32X18AWG	29/0.19	16.3	504.53	21.8Ω/km
ANM07.001.33.018AB	UL20233	300V	33X18AWG	29/0.19	16.3	510.53	21.8Ω/km
ANM07.001.34.018AB	UL20233	300V	34X18AWG	29/0.19	16.9	540.13	21.8Ω/km
ANM07.001.35.018AB	UL20233	300V	35X18AWG	29/0.19	16.9	546.23	21.8Ω/km
ANM07.001.36.018AB	UL20233	300V	36X18AWG	29/0.19	16.9	552.13	21.8Ω/km
ANM07.001.37.018AB	UL20233	300V	37X18AWG	29/0.19	16.9	558.03	21.8Ω/km
ANM07.001.38.018AB	UL20233	300V	38X18AWG	29/0.19	17.5	588.63	21.8Ω/km
ANM07.001.39.018AB	UL20233	300V	39X18AWG	29/0.19	17.5	594.63	21.8Ω/km
ANM07.001.40.018AB	UL20233	300V	40X18AWG	29/0.19	17.5	600.53	21.8Ω/km
ANM07.001.41.018AB	UL20233	300V	41X18AWG	29/0.19	18.9	667.33	21.8Ω/km
ANM07.001.42.018AB	UL20233	300V	42X18AWG	29/0.19	18.9	673.23	21.8Ω/km
ANM07.001.43.018AB	UL20233	300V	43X18AWG	29/0.19	18.9	679.23	21.8Ω/km
ANM07.001.44.018AB	UL20233	300V	44X18AWG	29/0.19	18.9	685.23	21.8Ω/km
ANM07.001.45.018AB	UL20233	300V	45X18AWG	29/0.19	19.3	709.33	21.8Ω/km
ANM07.001.46.018AB	UL20233	300V	46X18AWG	29/0.19	19.3	715.23	21.8Ω/km



ANM07.001.47.018AB	UL20233	300V	47X18AWG	29/0.19	19.3	721.33	21.8 Ω/km
ANM07.001.48.018AB	UL20233	300V	48X18AWG	29/0.19	19.3	727.13	21.8 Ω/km
ANM07.001.49.018AB	UL20233	300V	49X18AWG	29/0.19	20.8	804.63	21.8 Ω/km
ANM07.001.50.018AB	UL20233	300V	50X18AWG	29/0.19	20.8	810.73	21.8 Ω/km
ANM07.001.51.018AB	UL20233	300V	51X18AWG	29/0.19	20.8	816.53	21.8 Ω/km
ANM07.001.52.018AB	UL20233	300V	52X18AWG	29/0.19	20.8	822.53	21.8 Ω/km
ANM07.001.53.018AB	UL20233	300V	53X18AWG	29/0.19	21.3	853.63	21.8 Ω/km
ANM07.001.54.018AB	UL20233	300V	54X18AWG	29/0.19	21.3	859.53	21.8 Ω/km
ANM07.001.55.018AB	UL20233	300V	55X18AWG	29/0.19	21.3	865.53	21.8 Ω/km
ANM07.001.56.018AB	UL20233	300V	56X18AWG	29/0.19	21.3	871.33	21.8 Ω/km
ANM07.001.57.018AB	UL20233	300V	57X18AWG	29/0.19	21.9	908.33	21.8 Ω/km
ANM07.001.58.018AB	UL20233	300V	58X18AWG	29/0.19	21.9	914.33	21.8 Ω/km
ANM07.001.59.018AB	UL20233	300V	59X18AWG	29/0.19	21.9	920.23	21.8 Ω/km
ANM07.001.60.018AB	UL20233	300V	60X18AWG	29/0.19	21.9	926.23	21.8 Ω/km
ANM07.001.61.018AB	UL20233	300V	61X18AWG	29/0.19	21.9	932.23	21.8 Ω/km
ANM07.001.62.018AB	UL20233	300V	62X18AWG	29/0.19	22.5	969.93	21.8 Ω/km
ANM07.001.63.018AB	UL20233	300V	63X18AWG	29/0.19	22.5	976.03	21.8 Ω/km
ANM07.001.64.018AB	UL20233	300V	64X18AWG	29/0.19	22.5	982.03	21.8 Ω/km
ANM07.001.65.018AB	UL20233	300V	65X18AWG	29/0.19	22.5	987.83	21.8 Ω/km
ANM07.001.02.017AB	UL20233	300V	2X17AWG	37/0.19	6.2	59.84	17.3 Ω/km
ANM07.001.03.017AB	UL20233	300V	3X17AWG	37/0.19	6.6	73.14	17.3 Ω/km
ANM07.001.04.017AB	UL20233	300V	4X17AWG	37/0.19	7.2	90.24	17.3 Ω/km
ANM07.001.05.017AB	UL20233	300V	5X17AWG	37/0.19	7.8	108.14	17.3 Ω/km
ANM07.001.06.017AB	UL20233	300V	6X17AWG	37/0.19	8.8	135.04	17.3 Ω/km
ANM07.001.07.017AB	UL20233	300V	7X17AWG	37/0.19	8.8	142.34	17.3 Ω/km
ANM07.001.08.017AB	UL20233	300V	8X17AWG	37/0.19	9.5	164.84	17.3 Ω/km
ANM07.001.09.017AB	UL20233	300V	9X17AWG	37/0.19	11	208.64	17.3 Ω/km
ANM07.001.10.017AB	UL20233	300V	10X17AWG	37/0.19	11.6	232.14	17.3 Ω/km
ANM07.001.11.017AB	UL20233	300V	11X17AWG	37/0.19	12	250.54	17.3 Ω/km
ANM07.001.12.017AB	UL20233	300V	12X17AWG	37/0.19	12	257.94	17.3 Ω/km
ANM07.001.13.017AB	UL20233	300V	13X17AWG	37/0.19	12.6	282.84	17.3 Ω/km
ANM07.001.14.017AB	UL20233	300V	14X17AWG	37/0.19	12.6	290.14	17.3 Ω/km
ANM07.001.15.017AB	UL20233	300V	15X17AWG	37/0.19	13.3	318.94	17.3 Ω/km
ANM07.001.16.017AB	UL20233	300V	16X17AWG	37/0.19	13.3	326.34	17.3 Ω/km
ANM07.001.17.017AB	UL20233	300V	17X17AWG	37/0.19	13.9	353.04	17.3 Ω/km
ANM07.001.18.017AB	UL20233	300V	18X17AWG	37/0.19	13.9	360.44	17.3 Ω/km
ANM07.001.19.017AB	UL20233	300V	19X17AWG	37/0.19	13.9	367.94	17.3 Ω/km
ANM07.001.20.017AB	UL20233	300V	20X17AWG	37/0.19	14.3	388.64	17.3 Ω/km
ANM07.001.21.017AB	UL20233	300V	21X17AWG	37/0.19	14.6	406.34	17.3 Ω/km
ANM07.001.22.017AB	UL20233	300V	22X17AWG	37/0.19	15.5	445.84	17.3 Ω/km
ANM07.001.23.017AB	UL20233	300V	23X17AWG	37/0.19	16.1	475.84	17.3 Ω/km



ANM07.001.24.017AB	UL20233	300V	24X17AWG	37/0.19	16.1	483.24	17.3 Ω/km
ANM07.001.25.017AB	UL20233	300V	25X17AWG	37/0.19	16.5	506.04	17.3 Ω/km
ANM07.001.26.017AB	UL20233	300V	26X17AWG	37/0.19	16.5	513.34	17.3 Ω/km
ANM07.001.27.017AB	UL20233	300V	27X17AWG	37/0.19	16.5	520.84	17.3 Ω/km
ANM07.001.28.017AB	UL20233	300V	28X17AWG	37/0.19	17.1	552.24	17.3 Ω/km
ANM07.001.29.017AB	UL20233	300V	29X17AWG	37/0.19	17.1	559.64	17.3 Ω/km
ANM07.001.30.017AB	UL20233	300V	30X17AWG	37/0.19	17.1	566.94	17.3 Ω/km
ANM07.001.31.017AB	UL20233	300V	31X17AWG	37/0.19	17.7	599.34	17.3 Ω/km
ANM07.001.32.017AB	UL20233	300V	32X17AWG	37/0.19	17.7	606.64	17.3 Ω/km
ANM07.001.33.017AB	UL20233	300V	33X17AWG	37/0.19	17.7	613.94	17.3 Ω/km
ANM07.001.34.017AB	UL20233	300V	34X17AWG	37/0.19	18.3	647.04	17.3 Ω/km
ANM07.001.35.017AB	UL20233	300V	35X17AWG	37/0.19	18.3	654.44	17.3 Ω/km
ANM07.001.36.017AB	UL20233	300V	36X17AWG	37/0.19	18.3	661.84	17.3 Ω/km
ANM07.001.37.017AB	UL20233	300V	37X17AWG	37/0.19	18.3	669.34	17.3 Ω/km
ANM07.001.38.017AB	UL20233	300V	38X17AWG	37/0.19	19	707.74	17.3 Ω/km
ANM07.001.39.017AB	UL20233	300V	39X17AWG	37/0.19	19	715.14	17.3 Ω/km
ANM07.001.40.017AB	UL20233	300V	40X17AWG	37/0.19	19	722.44	17.3 Ω/km
ANM07.001.41.017AB	UL20233	300V	41X17AWG	37/0.19	21.5	850.34	17.3 Ω/km
ANM07.001.42.017AB	UL20233	300V	42X17AWG	37/0.19	21.5	857.64	17.3 Ω/km
ANM07.001.43.017AB	UL20233	300V	43X17AWG	37/0.19	21.5	865.04	17.3 Ω/km
ANM07.001.44.017AB	UL20233	300V	44X17AWG	37/0.19	21.5	872.34	17.3 Ω/km
ANM07.001.45.017AB	UL20233	300V	45X17AWG	37/0.19	21.9	900.54	17.3 Ω/km
ANM07.001.46.017AB	UL20233	300V	46X17AWG	37/0.19	21.9	907.94	17.3 Ω/km
ANM07.001.47.017AB	UL20233	300V	47X17AWG	37/0.19	21.9	915.34	17.3 Ω/km
ANM07.001.48.017AB	UL20233	300V	48X17AWG	37/0.19	21.9	922.64	17.3 Ω/km
ANM07.001.49.017AB	UL20233	300V	49X17AWG	37/0.19	22.5	961.94	17.3 Ω/km
ANM07.001.50.017AB	UL20233	300V	50X17AWG	37/0.19	22.5	969.24	17.3 Ω/km
ANM07.001.51.017AB	UL20233	300V	51X17AWG	37/0.19	22.5	976.54	17.3 Ω/km
ANM07.001.52.017AB	UL20233	300V	52X17AWG	37/0.19	22.5	983.94	17.3 Ω/km
ANM07.001.53.017AB	UL20233	300V	53X17AWG	37/0.19	23.1	1024.04	17.3 Ω/km
ANM07.001.54.017AB	UL20233	300V	54X17AWG	37/0.19	23.1	1031.34	17.3 Ω/km
ANM07.001.55.017AB	UL20233	300V	55X17AWG	37/0.19	23.1	1038.84	17.3 Ω/km
ANM07.001.56.017AB	UL20233	300V	56X17AWG	37/0.19	23.1	1046.14	17.3 Ω/km
ANM07.001.57.017AB	UL20233	300V	57X17AWG	37/0.19	23.7	1087.04	17.3 Ω/km
ANM07.001.58.017AB	UL20233	300V	58X17AWG	37/0.19	23.7	1094.44	17.3 Ω/km
ANM07.001.59.017AB	UL20233	300V	59X17AWG	37/0.19	23.7	1101.74	17.3 Ω/km
ANM07.001.60.017AB	UL20233	300V	60X17AWG	37/0.19	23.7	1109.14	17.3 Ω/km
ANM07.001.61.017AB	UL20233	300V	61X17AWG	37/0.19	23.7	1116.44	17.3 Ω/km
ANM07.001.62.017AB	UL20233	300V	62X17AWG	37/0.19	24.4	1164.24	17.3 Ω/km
ANM07.001.63.017AB	UL20233	300V	63X17AWG	37/0.19	24.4	1171.54	17.3 Ω/km
ANM07.001.64.017AB	UL20233	300V	64X17AWG	37/0.19	24.4	1179.04	17.3 Ω/km



ANM07.001.65.017AB	UL20233	300V	65X17AWG	37/0.19	24.4	1186.34	17.3 Ω/km
ANM07.001.02.016AB	UL20233	300V	2X16AWG	27/0.25	6.4	67.51	13.7 Ω/km
ANM07.001.03.016AB	UL20233	300V	3X16AWG	27/0.25	6.8	83.21	13.7 Ω/km
ANM07.001.04.016AB	UL20233	300V	4X16AWG	27/0.25	7.4	102.71	13.7 Ω/km
ANM07.001.05.016AB	UL20233	300V	5X16AWG	27/0.25	8.5	132.91	13.7 Ω/km
ANM07.001.06.016AB	UL20233	300V	6X16AWG	27/0.25	9.1	154.81	13.7 Ω/km
ANM07.001.07.016AB	UL20233	300V	7X16AWG	27/0.25	9.1	164.41	13.7 Ω/km
ANM07.001.08.016AB	UL20233	300V	8X16AWG	27/0.25	9.8	189.61	13.7 Ω/km
ANM07.001.09.016AB	UL20233	300V	9X16AWG	27/0.25	11.4	239.21	13.7 Ω/km
ANM07.001.10.016AB	UL20233	300V	10X16AWG	27/0.25	12	265.31	13.7 Ω/km
ANM07.001.11.016AB	UL20233	300V	11X16AWG	27/0.25	12.4	286.51	13.7 Ω/km
ANM07.001.12.016AB	UL20233	300V	12X16AWG	27/0.25	12.4	296.11	13.7 Ω/km
ANM07.001.13.016AB	UL20233	300V	13X16AWG	27/0.25	13.1	326.81	13.7 Ω/km
ANM07.001.14.016AB	UL20233	300V	14X16AWG	27/0.25	13.1	336.41	13.7 Ω/km
ANM07.001.15.016AB	UL20233	300V	15X16AWG	27/0.25	13.8	368.31	13.7 Ω/km
ANM07.001.16.016AB	UL20233	300V	16X16AWG	27/0.25	13.8	377.91	13.7 Ω/km
ANM07.001.17.016AB	UL20233	300V	17X16AWG	27/0.25	14.4	407.51	13.7 Ω/km
ANM07.001.18.016AB	UL20233	300V	18X16AWG	27/0.25	14.4	417.11	13.7 Ω/km
ANM07.001.19.016AB	UL20233	300V	19X16AWG	27/0.25	14.4	426.71	13.7 Ω/km
ANM07.001.20.016AB	UL20233	300V	20X16AWG	27/0.25	14.8	450.11	13.7 Ω/km
ANM07.001.21.016AB	UL20233	300V	21X16AWG	27/0.25	15.1	470.41	13.7 Ω/km
ANM07.001.22.016AB	UL20233	300V	22X16AWG	27/0.25	16.1	517.01	13.7 Ω/km
ANM07.001.23.016AB	UL20233	300V	23X16AWG	27/0.25	16.7	550.11	13.7 Ω/km
ANM07.001.24.016AB	UL20233	300V	24X16AWG	27/0.25	16.7	559.71	13.7 Ω/km
ANM07.001.25.016AB	UL20233	300V	25X16AWG	27/0.25	17.1	585.21	13.7 Ω/km
ANM07.001.26.016AB	UL20233	300V	26X16AWG	27/0.25	17.1	594.81	13.7 Ω/km
ANM07.001.27.016AB	UL20233	300V	27X16AWG	27/0.25	17.1	604.31	13.7 Ω/km
ANM07.001.28.016AB	UL20233	300V	28X16AWG	27/0.25	17.7	638.91	13.7 Ω/km
ANM07.001.29.016AB	UL20233	300V	29X16AWG	27/0.25	17.7	648.41	13.7 Ω/km
ANM07.001.30.016AB	UL20233	300V	30X16AWG	27/0.25	17.7	658.01	13.7 Ω/km
ANM07.001.31.016AB	UL20233	300V	31X16AWG	27/0.25	18.4	697.61	13.7 Ω/km
ANM07.001.32.016AB	UL20233	300V	32X16AWG	27/0.25	18.4	707.11	13.7 Ω/km
ANM07.001.33.016AB	UL20233	300V	33X16AWG	27/0.25	18.4	716.71	13.7 Ω/km
ANM07.001.34.016AB	UL20233	300V	34X16AWG	27/0.25	19	753.01	13.7 Ω/km
ANM07.001.35.016AB	UL20233	300V	35X16AWG	27/0.25	19	762.61	13.7 Ω/km
ANM07.001.36.016AB	UL20233	300V	36X16AWG	27/0.25	19	772.21	13.7 Ω/km
ANM07.001.37.016AB	UL20233	300V	37X16AWG	27/0.25	19	781.71	13.7 Ω/km
ANM07.001.38.016AB	UL20233	300V	38X16AWG	27/0.25	20.7	871.61	13.7 Ω/km
ANM07.001.39.016AB	UL20233	300V	39X16AWG	27/0.25	20.7	881.11	13.7 Ω/km
ANM07.001.40.016AB	UL20233	300V	40X16AWG	27/0.25	20.7	890.71	13.7 Ω/km
ANM07.001.41.016AB	UL20233	300V	41X16AWG	27/0.25	22.3	982.51	13.7 Ω/km



ANM07.001.42.016AB	UL20233	300V	42X16AWG	27/0.25	22.3	992.01	13.7 Ω/km
ANM07.001.43.016AB	UL20233	300V	43X16AWG	27/0.25	22.3	1001.61	13.7 Ω/km
ANM07.001.44.016AB	UL20233	300V	44X16AWG	27/0.25	22.3	1011.11	13.7 Ω/km
ANM07.001.45.016AB	UL20233	300V	45X16AWG	27/0.25	22.7	1042.21	13.7 Ω/km
ANM07.001.46.016AB	UL20233	300V	46X16AWG	27/0.25	22.7	1051.71	13.7 Ω/km
ANM07.001.47.016AB	UL20233	300V	47X16AWG	27/0.25	22.7	1061.31	13.7 Ω/km
ANM07.001.48.016AB	UL20233	300V	48X16AWG	27/0.25	22.7	1070.91	13.7 Ω/km
ANM07.001.49.016AB	UL20233	300V	49X16AWG	27/0.25	23.3	1113.31	13.7 Ω/km
ANM07.001.50.016AB	UL20233	300V	50X16AWG	27/0.25	23.3	1122.91	13.7 Ω/km
ANM07.001.51.016AB	UL20233	300V	51X16AWG	27/0.25	23.3	1132.41	13.7 Ω/km
ANM07.001.52.016AB	UL20233	300V	52X16AWG	27/0.25	23.3	1142.01	13.7 Ω/km
ANM07.001.53.016AB	UL20233	300V	53X16AWG	27/0.25	24	1191.21	13.7 Ω/km
ANM07.001.54.016AB	UL20233	300V	54X16AWG	27/0.25	24	1200.71	13.7 Ω/km
ANM07.001.55.016AB	UL20233	300V	55X16AWG	27/0.25	24	1210.31	13.7 Ω/km
ANM07.001.56.016AB	UL20233	300V	56X16AWG	27/0.25	24	1219.81	13.7 Ω/km
ANM07.001.57.016AB	UL20233	300V	57X16AWG	27/0.25	24.6	1264.31	13.7 Ω/km
ANM07.001.58.016AB	UL20233	300V	58X16AWG	27/0.25	24.6	1273.81	13.7 Ω/km
ANM07.001.59.016AB	UL20233	300V	59X16AWG	27/0.25	24.6	1283.41	13.7 Ω/km
ANM07.001.60.016AB	UL20233	300V	60X16AWG	27/0.25	24.6	1293.01	13.7 Ω/km
ANM07.001.61.016AB	UL20233	300V	61X16AWG	27/0.25	24.6	1302.51	13.7 Ω/km
ANM07.001.62.016AB	UL20233	300V	62X16AWG	27/0.25	25.3	1353.91	13.7 Ω/km
ANM07.001.63.016AB	UL20233	300V	63X16AWG	27/0.25	25.3	1363.41	13.7 Ω/km
ANM07.001.64.016AB	UL20233	300V	64X16AWG	27/0.25	25.3	1373.01	13.7 Ω/km
ANM07.001.65.016AB	UL20233	300V	65X16AWG	27/0.25	25.3	1382.61	13.7 Ω/km
ANM07.001.02.015AB	UL20233	300V	2X15AWG	34/0.25	6.8	78.75	10.9 Ω/km
ANM07.001.03.015AB	UL20233	300V	3X15AWG	34/0.25	7.2	97.25	10.9 Ω/km
ANM07.001.04.015AB	UL20233	300V	4X15AWG	34/0.25	7.9	121.65	10.9 Ω/km
ANM07.001.05.015AB	UL20233	300V	5X15AWG	34/0.25	9	155.55	10.9 Ω/km
ANM07.001.06.015AB	UL20233	300V	6X15AWG	34/0.25	9.7	182.95	10.9 Ω/km
ANM07.001.07.015AB	UL20233	300V	7X15AWG	34/0.25	9.7	194.95	10.9 Ω/km
ANM07.001.08.015AB	UL20233	300V	8X15AWG	34/0.25	11.1	241.45	10.9 Ω/km
ANM07.001.09.015AB	UL20233	300V	9X15AWG	34/0.25	12.1	280.85	10.9 Ω/km
ANM07.001.10.015AB	UL20233	300V	10X15AWG	34/0.25	12.8	313.45	10.9 Ω/km
ANM07.001.11.015AB	UL20233	300V	11X15AWG	34/0.25	13.3	340.95	10.9 Ω/km
ANM07.001.12.015AB	UL20233	300V	12X15AWG	34/0.25	13.3	352.85	10.9 Ω/km
ANM07.001.13.015AB	UL20233	300V	13X15AWG	34/0.25	14	387.65	10.9 Ω/km
ANM07.001.14.015AB	UL20233	300V	14X15AWG	34/0.25	14	399.65	10.9 Ω/km
ANM07.001.15.015AB	UL20233	300V	15X15AWG	34/0.25	14.7	435.35	10.9 Ω/km
ANM07.001.16.015AB	UL20233	300V	16X15AWG	34/0.25	14.7	447.45	10.9 Ω/km
ANM07.001.17.015AB	UL20233	300V	17X15AWG	34/0.25	15.4	484.55	10.9 Ω/km
ANM07.001.18.015AB	UL20233	300V	18X15AWG	34/0.25	15.4	496.45	10.9 Ω/km



ANM07.001.19.015AB	UL20233	300V	19X15AWG	34/0.25	15.4	508.55	10.9Ω/km
ANM07.001.20.015AB	UL20233	300V	20X15AWG	34/0.25	15.8	535.35	10.9Ω/km
ANM07.001.21.015AB	UL20233	300V	21X15AWG	34/0.25	16.2	562.45	10.9Ω/km
ANM07.001.22.015AB	UL20233	300V	22X15AWG	34/0.25	17.2	614.35	10.9Ω/km
ANM07.001.23.015AB	UL20233	300V	23X15AWG	34/0.25	17.9	655.65	10.9Ω/km
ANM07.001.24.015AB	UL20233	300V	24X15AWG	34/0.25	17.9	667.65	10.9Ω/km
ANM07.001.25.015AB	UL20233	300V	25X15AWG	34/0.25	18.3	696.85	10.9Ω/km
ANM07.001.26.015AB	UL20233	300V	26X15AWG	34/0.25	18.3	708.85	10.9Ω/km
ANM07.001.27.015AB	UL20233	300V	27X15AWG	34/0.25	18.3	720.85	10.9Ω/km
ANM07.001.28.015AB	UL20233	300V	28X15AWG	34/0.25	19	763.95	10.9Ω/km
ANM07.001.29.015AB	UL20233	300V	29X15AWG	34/0.25	19	775.95	10.9Ω/km
ANM07.001.30.015AB	UL20233	300V	30X15AWG	34/0.25	19	787.85	10.9Ω/km
ANM07.001.31.015AB	UL20233	300V	31X15AWG	34/0.25	20.7	880.15	10.9Ω/km
ANM07.001.32.015AB	UL20233	300V	32X15AWG	34/0.25	20.7	892.15	10.9Ω/km
ANM07.001.33.015AB	UL20233	300V	33X15AWG	34/0.25	20.7	904.15	10.9Ω/km
ANM07.001.34.015AB	UL20233	300V	34X15AWG	34/0.25	21.4	951.35	10.9Ω/km
ANM07.001.35.015AB	UL20233	300V	35X15AWG	34/0.25	21.4	963.25	10.9Ω/km
ANM07.001.36.015AB	UL20233	300V	36X15AWG	34/0.25	21.4	975.15	10.9Ω/km
ANM07.001.37.015AB	UL20233	300V	37X15AWG	34/0.25	21.4	987.25	10.9Ω/km
ANM07.001.38.015AB	UL20233	300V	38X15AWG	34/0.25	22.2	1040.95	10.9Ω/km
ANM07.001.39.015AB	UL20233	300V	39X15AWG	34/0.25	22.2	1052.95	10.9Ω/km
ANM07.001.40.015AB	UL20233	300V	40X15AWG	34/0.25	22.2	1064.85	10.9Ω/km
ANM07.001.41.015AB	UL20233	300V	41X15AWG	34/0.25	23.9	1170.45	10.9Ω/km
ANM07.001.42.015AB	UL20233	300V	42X15AWG	34/0.25	23.9	1182.45	10.9Ω/km
ANM07.001.43.015AB	UL20233	300V	43X15AWG	34/0.25	23.9	1194.45	10.9Ω/km
ANM07.001.44.015AB	UL20233	300V	44X15AWG	34/0.25	23.9	1206.45	10.9Ω/km
ANM07.001.45.015AB	UL20233	300V	45X15AWG	34/0.25	24.3	1241.45	10.9Ω/km
ANM07.001.46.015AB	UL20233	300V	46X15AWG	34/0.25	24.3	1253.55	10.9Ω/km
ANM07.001.47.015AB	UL20233	300V	47X15AWG	34/0.25	24.3	1265.55	10.9Ω/km
ANM07.001.48.015AB	UL20233	300V	48X15AWG	34/0.25	24.3	1277.55	10.9Ω/km
ANM07.001.49.015AB	UL20233	300V	49X15AWG	34/0.25	25	1330.65	10.9Ω/km
ANM07.001.50.015AB	UL20233	300V	50X15AWG	34/0.25	25	1342.75	10.9Ω/km
ANM07.001.51.015AB	UL20233	300V	51X15AWG	34/0.25	25	1354.65	10.9Ω/km
ANM07.001.52.015AB	UL20233	300V	52X15AWG	34/0.25	25	1366.75	10.9Ω/km
ANM07.001.53.015AB	UL20233	300V	53X15AWG	34/0.25	25.7	1421.15	10.9Ω/km
ANM07.001.54.015AB	UL20233	300V	54X15AWG	34/0.25	25.7	1433.05	10.9Ω/km
ANM07.001.55.015AB	UL20233	300V	55X15AWG	34/0.25	25.7	1445.05	10.9Ω/km
ANM07.001.56.015AB	UL20233	300V	56X15AWG	34/0.25	25.7	1457.15	10.9Ω/km
ANM07.001.57.015AB	UL20233	300V	57X15AWG	34/0.25	26.4	1512.75	10.9Ω/km
ANM07.001.58.015AB	UL20233	300V	58X15AWG	34/0.25	26.4	1524.85	10.9Ω/km
ANM07.001.59.015AB	UL20233	300V	59X15AWG	34/0.25	26.4	1536.65	10.9Ω/km



ANM07.001.60.015AB	UL20233	300V	60X15AWG	34/0.25	26.4	1548.65	10.9Ω/km
ANM07.001.61.015AB	UL20233	300V	61X15AWG	34/0.25	26.4	1560.75	10.9Ω/km
ANM07.001.62.015AB	UL20233	300V	62X15AWG	34/0.25	27.2	1623.95	10.9Ω/km
ANM07.001.63.015AB	UL20233	300V	63X15AWG	34/0.25	27.2	1636.05	10.9Ω/km
ANM07.001.64.015AB	UL20233	300V	64X15AWG	34/0.25	27.2	1647.95	10.9Ω/km
ANM07.001.65.015AB	UL20233	300V	65X15AWG	34/0.25	27.2	1659.85	10.9Ω/km
ANM07.001.02.014AB	UL20233	300V	2X14AWG	43/0.25	7.2	92.08	8.62Ω/km
ANM07.001.03.014AB	UL20233	300V	3X14AWG	43/0.25	7.7	115.98	8.62Ω/km
ANM07.001.04.014AB	UL20233	300V	4X14AWG	43/0.25	8.8	152.48	8.62Ω/km
ANM07.001.05.014AB	UL20233	300V	5X14AWG	43/0.25	9.5	182.78	8.62Ω/km
ANM07.001.06.014AB	UL20233	300V	6X14AWG	43/0.25	10.3	216.68	8.62Ω/km
ANM07.001.07.014AB	UL20233	300V	7X14AWG	43/0.25	10.3	231.88	8.62Ω/km
ANM07.001.08.014AB	UL20233	300V	8X14AWG	43/0.25	11.8	286.18	8.62Ω/km
ANM07.001.09.014AB	UL20233	300V	9X14AWG	43/0.25	12.8	330.58	8.62Ω/km
ANM07.001.10.014AB	UL20233	300V	10X14AWG	43/0.25	13.7	373.98	8.62Ω/km
ANM07.001.11.014AB	UL20233	300V	11X14AWG	43/0.25	14.2	405.78	8.62Ω/km
ANM07.001.12.014AB	UL20233	300V	12X14AWG	43/0.25	14.2	420.98	8.62Ω/km
ANM07.001.13.014AB	UL20233	300V	13X14AWG	43/0.25	14.9	460.18	8.62Ω/km
ANM07.001.14.014AB	UL20233	300V	14X14AWG	43/0.25	14.9	475.48	8.62Ω/km
ANM07.001.15.014AB	UL20233	300V	15X14AWG	43/0.25	15.6	515.98	8.62Ω/km
ANM07.001.16.014AB	UL20233	300V	16X14AWG	43/0.25	15.6	531.18	8.62Ω/km
ANM07.001.17.014AB	UL20233	300V	17X14AWG	43/0.25	16.4	576.78	8.62Ω/km
ANM07.001.18.014AB	UL20233	300V	18X14AWG	43/0.25	16.4	592.08	8.62Ω/km
ANM07.001.19.014AB	UL20233	300V	19X14AWG	43/0.25	16.4	607.28	8.62Ω/km
ANM07.001.20.014AB	UL20233	300V	20X14AWG	43/0.25	16.9	642.08	8.62Ω/km
ANM07.001.21.014AB	UL20233	300V	21X14AWG	43/0.25	17.3	673.58	8.62Ω/km
ANM07.001.22.014AB	UL20233	300V	22X14AWG	43/0.25	18.3	731.18	8.62Ω/km
ANM07.001.23.014AB	UL20233	300V	23X14AWG	43/0.25	19.1	782.08	8.62Ω/km
ANM07.001.24.014AB	UL20233	300V	24X14AWG	43/0.25	19.1	797.28	8.62Ω/km
ANM07.001.25.014AB	UL20233	300V	25X14AWG	43/0.25	20.6	883.18	8.62Ω/km
ANM07.001.26.014AB	UL20233	300V	26X14AWG	43/0.25	20.6	898.28	8.62Ω/km
ANM07.001.27.014AB	UL20233	300V	27X14AWG	43/0.25	20.6	913.48	8.62Ω/km
ANM07.001.28.014AB	UL20233	300V	28X14AWG	43/0.25	21.3	963.68	8.62Ω/km
ANM07.001.29.014AB	UL20233	300V	29X14AWG	43/0.25	21.3	978.78	8.62Ω/km
ANM07.001.30.014AB	UL20233	300V	30X14AWG	43/0.25	21.3	993.98	8.62Ω/km
ANM07.001.31.014AB	UL20233	300V	31X14AWG	43/0.25	22	1045.38	8.62Ω/km
ANM07.001.32.014AB	UL20233	300V	32X14AWG	43/0.25	22	1060.48	8.62Ω/km
ANM07.001.33.014AB	UL20233	300V	33X14AWG	43/0.25	22	1075.68	8.62Ω/km
ANM07.001.34.014AB	UL20233	300V	34X14AWG	43/0.25	22.8	1133.58	8.62Ω/km
ANM07.001.35.014AB	UL20233	300V	35X14AWG	43/0.25	22.8	1148.78	8.62Ω/km
ANM07.001.36.014AB	UL20233	300V	36X14AWG	43/0.25	22.8	1164.08	8.62Ω/km



ANM07.001.37.014AB	UL20233	300V	37X14AWG	43/0.25	22.8	1179.18	8.62 Ω/km
ANM07.001.38.014AB	UL20233	300V	38X14AWG	43/0.25	23.7	1244.28	8.62 Ω/km
ANM07.001.39.014AB	UL20233	300V	39X14AWG	43/0.25	23.7	1259.38	8.62 Ω/km
ANM07.001.40.014AB	UL20233	300V	40X14AWG	43/0.25	23.7	1274.68	8.62 Ω/km
ANM07.001.41.014AB	UL20233	300V	41X14AWG	43/0.25	25.5	1395.68	8.62 Ω/km
ANM07.001.42.014AB	UL20233	300V	42X14AWG	43/0.25	25.5	1410.88	8.62 Ω/km
ANM07.001.43.014AB	UL20233	300V	43X14AWG	43/0.25	25.5	1426.08	8.62 Ω/km
ANM07.001.44.014AB	UL20233	300V	44X14AWG	43/0.25	25.5	1441.18	8.62 Ω/km
ANM07.001.45.014AB	UL20233	300V	45X14AWG	43/0.25	26	1487.38	8.62 Ω/km
ANM07.001.46.014AB	UL20233	300V	46X14AWG	43/0.25	26	1502.38	8.62 Ω/km
ANM07.001.47.014AB	UL20233	300V	47X14AWG	43/0.25	26	1517.58	8.62 Ω/km
ANM07.001.48.014AB	UL20233	300V	48X14AWG	43/0.25	26	1532.78	8.62 Ω/km
ANM07.001.49.014AB	UL20233	300V	49X14AWG	43/0.25	26.7	1592.08	8.62 Ω/km
ANM07.001.50.014AB	UL20233	300V	50X14AWG	43/0.25	26.7	1607.28	8.62 Ω/km
ANM07.001.51.014AB	UL20233	300V	51X14AWG	43/0.25	26.7	1622.38	8.62 Ω/km
ANM07.001.52.014AB	UL20233	300V	52X14AWG	43/0.25	26.7	1637.58	8.62 Ω/km
ANM07.001.02.013AB	UL20233	300V	2X13AWG	54/0.25	7.8	110.63	6.82 Ω/km
ANM07.001.03.013AB	UL20233	300V	3X13AWG	54/0.25	8.7	146.93	6.82 Ω/km
ANM07.001.04.013AB	UL20233	300V	4X13AWG	54/0.25	9.5	182.93	6.82 Ω/km
ANM07.001.05.013AB	UL20233	300V	5X13AWG	54/0.25	10.3	220.43	6.82 Ω/km
ANM07.001.06.013AB	UL20233	300V	6X13AWG	54/0.25	11.8	278.53	6.82 Ω/km
ANM07.001.07.013AB	UL20233	300V	7X13AWG	54/0.25	11.8	297.33	6.82 Ω/km
ANM07.001.08.013AB	UL20233	300V	8X13AWG	54/0.25	12.7	342.33	6.82 Ω/km
ANM07.001.09.013AB	UL20233	300V	9X13AWG	54/0.25	14	402.53	6.82 Ω/km
ANM07.001.10.013AB	UL20233	300V	10X13AWG	54/0.25	14.9	452.23	6.82 Ω/km
ANM07.001.11.013AB	UL20233	300V	11X13AWG	54/0.25	15.4	489.13	6.82 Ω/km
ANM07.001.12.013AB	UL20233	300V	12X13AWG	54/0.25	15.4	508.03	6.82 Ω/km
ANM07.001.13.013AB	UL20233	300V	13X13AWG	54/0.25	16.2	556.83	6.82 Ω/km
ANM07.001.14.013AB	UL20233	300V	14X13AWG	54/0.25	16.2	575.73	6.82 Ω/km
ANM07.001.15.013AB	UL20233	300V	15X13AWG	54/0.25	17	626.33	6.82 Ω/km
ANM07.001.16.013AB	UL20233	300V	16X13AWG	54/0.25	17	645.13	6.82 Ω/km
ANM07.001.17.013AB	UL20233	300V	17X13AWG	54/0.25	17.9	701.33	6.82 Ω/km
ANM07.001.18.013AB	UL20233	300V	18X13AWG	54/0.25	17.9	720.23	6.82 Ω/km
ANM07.001.19.013AB	UL20233	300V	19X13AWG	54/0.25	17.9	739.23	6.82 Ω/km
ANM07.001.20.013AB	UL20233	300V	20X13AWG	54/0.25	18.4	779.63	6.82 Ω/km
ANM07.001.21.013AB	UL20233	300V	21X13AWG	54/0.25	18.8	816.23	6.82 Ω/km
ANM07.001.22.013AB	UL20233	300V	22X13AWG	54/0.25	21	939.23	6.82 Ω/km
ANM07.001.23.013AB	UL20233	300V	23X13AWG	54/0.25	21.9	1004.13	6.82 Ω/km
ANM07.001.24.013AB	UL20233	300V	24X13AWG	54/0.25	21.9	1022.93	6.82 Ω/km
ANM07.001.25.013AB	UL20233	300V	25X13AWG	54/0.25	22.4	1068.33	6.82 Ω/km
ANM07.001.26.013AB	UL20233	300V	26X13AWG	54/0.25	22.4	1087.23	6.82 Ω/km





ANM07.001.27.013AB	UL20233	300V	27X13AWG	54/0.25	22.4	1106.13	6.82 Ω/km
ANM07.001.28.013AB	UL20233	300V	28X13AWG	54/0.25	23.2	1168.53	6.82 Ω/km
ANM07.001.29.013AB	UL20233	300V	29X13AWG	54/0.25	23.2	1187.33	6.82 Ω/km
ANM07.001.30.013AB	UL20233	300V	30X13AWG	54/0.25	23.2	1206.23	6.82 Ω/km
ANM07.001.31.013AB	UL20233	300V	31X13AWG	54/0.25	24	1270.13	6.82 Ω/km
ANM07.001.32.013AB	UL20233	300V	32X13AWG	54/0.25	24	1289.03	6.82 Ω/km
ANM07.001.33.013AB	UL20233	300V	33X13AWG	54/0.25	24	1307.83	6.82 Ω/km
ANM07.001.34.013AB	UL20233	300V	34X13AWG	54/0.25	24.9	1379.43	6.82 Ω/km
ANM07.001.35.013AB	UL20233	300V	35X13AWG	54/0.25	24.9	1398.23	6.82 Ω/km
ANM07.001.36.013AB	UL20233	300V	36X13AWG	54/0.25	24.9	1417.13	6.82 Ω/km
ANM07.001.37.013AB	UL20233	300V	37X13AWG	54/0.25	24.9	1436.03	6.82 Ω/km
ANM07.001.38.013AB	UL20233	300V	38X13AWG	54/0.25	25.8	1509.43	6.82 Ω/km
ANM07.001.39.013AB	UL20233	300V	39X13AWG	54/0.25	25.8	1528.23	6.82 Ω/km
ANM07.001.40.013AB	UL20233	300V	40X13AWG	54/0.25	25.8	1547.03	6.82 Ω/km
ANM07.001.41.013AB	UL20233	300V	41X13AWG	54/0.25	27.9	1701.03	6.82 Ω/km
ANM07.001.42.013AB	UL20233	300V	42X13AWG	54/0.25	27.9	1719.93	6.82 Ω/km
ANM07.001.43.013AB	UL20233	300V	43X13AWG	54/0.25	27.9	1738.73	6.82 Ω/km
ANM07.001.44.013AB	UL20233	300V	44X13AWG	54/0.25	27.9	1757.63	6.82 Ω/km
ANM07.001.45.013AB	UL20233	300V	45X13AWG	54/0.25	28.4	1810.23	6.82 Ω/km
ANM07.001.46.013AB	UL20233	300V	46X13AWG	54/0.25	28.4	1829.03	6.82 Ω/km
ANM07.001.47.013AB	UL20233	300V	47X13AWG	54/0.25	28.4	1847.83	6.82 Ω/km
ANM07.001.48.013AB	UL20233	300V	48X13AWG	54/0.25	28.4	1866.63	6.82 Ω/km
ANM07.001.49.013AB	UL20233	300V	49X13AWG	54/0.25	30.2	2011.13	6.82 Ω/km
ANM07.001.50.013AB	UL20233	300V	50X13AWG	54/0.25	30.2	2029.93	6.82 Ω/km
ANM07.001.51.013AB	UL20233	300V	51X13AWG	54/0.25	30.2	2048.83	6.82 Ω/km
ANM07.001.52.013AB	UL20233	300V	52X13AWG	54/0.25	30.2	2067.73	6.82 Ω/km